

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	833.9	19.9	12.3	8.5	14.0	12.5	28.6	42.2	68.8	122.7	187.7	384.6	715.8	1,279.1	2,042.3	2,959.3	3,503.5	3,870.4	4,003.2	-
	口腔・咽頭	C00-C14	25.1	0.0	0.5	1.0	0.5	0.4	0.4	3.5	3.1	8.4	12.3	20.7	32.1	55.0	65.6	77.4	77.6	96.3	60.2	-
	食道	C15	36.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	3.5	17.6	44.5	62.0	104.0	153.1	160.7	122.2	100.0	-
	胃	C16	136.1	0.0	0.0	0.0	0.5	0.0	0.4	3.1	4.6	13.5	20.4	43.2	101.9	185.7	316.0	529.6	613.9	714.8	698.9	-
	大腸（結腸・直腸）	C18-C20	134.2	0.0	0.0	0.0	0.0	0.4	2.7	4.9	12.0	25.3	43.0	76.5	144.5	248.8	349.7	435.4	536.3	551.1	541.9	-
	結腸	C18	83.9	0.0	0.0	0.0	0.0	0.4	1.6	2.4	5.2	13.0	23.4	36.7	76.6	138.8	203.4	272.8	369.7	398.5	398.9	-
	直腸	C19-C20	50.3	0.0	0.0	0.0	0.0	0.0	1.2	2.4	6.8	12.2	19.6	39.8	67.9	110.1	146.3	162.6	166.7	152.6	143.0	-
	肝および肝内胆管	C22	37.6	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.5	1.5	5.3	16.7	32.8	64.3	85.0	118.1	159.2	217.8	209.7	-
	胆のう・胆管	C23-C24	15.7	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.9	0.8	2.3	5.2	7.5	21.3	30.4	56.4	68.2	94.1	117.2	-
	膵臓	C25	30.8	0.0	0.0	0.0	0.0	0.0	0.4	0.7	0.6	3.6	6.5	17.6	32.1	46.1	80.4	109.9	114.4	149.6	150.5	-
	喉頭	C32	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.0	2.8	5.7	11.2	19.9	27.6	19.4	25.2	19.4	-
	肺	C33-C34	112.1	0.0	0.0	0.0	0.0	0.4	0.8	1.4	4.0	8.9	20.6	36.7	80.0	162.0	287.1	401.6	480.1	554.1	652.7	-
	皮膚	C43-C44	18.1	0.5	0.0	0.0	0.5	0.4	0.8	0.3	1.5	3.3	3.5	8.6	11.3	19.4	31.9	53.5	77.6	102.2	162.4	-
	乳房	C50	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.9	1.5	3.9	2.1	1.6	3.5	5.2	5.4	-
	前立腺	C61	138.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	4.3	31.5	83.4	182.2	388.3	599.2	691.0	623.0	614.0	-
	膀胱	C67	25.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.3	3.0	7.7	17.0	41.5	52.1	80.7	111.9	151.1	183.9	-
	腎・尿路（膀胱除く）	C64-C66 C68	29.9	1.6	0.0	0.0	0.0	0.0	0.8	2.1	5.2	10.2	14.1	29.3	32.1	48.1	69.3	91.4	106.0	121.5	120.4	-
	脳・中枢神経系	C70-C72	4.7	3.8	2.6	1.0	1.8	1.1	1.6	0.7	3.7	4.1	3.0	4.0	4.5	4.7	7.7	9.9	12.9	13.3	19.4	-
	甲状腺	C73	6.5	0.0	0.0	0.5	0.0	0.8	2.4	4.2	3.7	5.4	7.3	10.5	9.8	10.9	14.1	10.7	13.9	16.3	3.2	-
	悪性リンパ腫	C81-C85 C96	25.7	2.2	3.6	0.5	2.3	0.8	2.7	2.8	5.2	7.4	10.1	17.0	27.2	43.8	46.9	84.0	96.0	111.9	120.4	-
	多発性骨髄腫	C88-C90	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.8	5.9	3.8	4.7	13.5	11.9	18.9	23.0	18.3	-
	白血病	C91-C95	11.4	8.6	3.1	3.0	3.6	2.3	4.3	2.1	4.3	6.6	7.0	7.7	9.4	15.1	19.9	24.3	36.3	48.9	46.2	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	622.1	21.5	7.5	11.0	13.4	29.2	46.6	86.1	189.5	329.6	502.4	615.3	743.6	891.1	1,122.6	1,352.9	1,572.0	1,754.3	1,976.5	-
	口腔・咽頭	C00-C14	9.4	0.0	0.0	0.5	0.0	0.4	1.7	0.8	4.6	5.7	6.8	9.8	11.2	13.2	12.2	15.8	19.5	34.8	39.8	-
	食道	C15	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.6	3.7	8.8	14.0	17.1	25.0	25.4	22.3	21.4	-
	胃	C16	56.4	0.0	0.0	0.0	0.0	0.0	0.9	2.3	3.9	8.6	16.5	23.1	46.8	68.5	102.0	151.1	191.1	218.5	250.5	-
	大腸（結腸・直腸）	C18-C20	99.3	0.0	0.0	0.0	0.5	0.8	1.7	5.3	13.5	22.4	33.1	66.1	96.8	135.8	199.4	257.0	291.1	341.3	404.6	-
	結腸	C18	71.1	0.0	0.0	0.0	0.5	0.4	0.9	3.0	8.2	10.8	19.5	34.2	59.2	89.1	135.1	182.4	224.6	265.2	331.6	-
	直腸	C19-C20	28.2	0.0	0.0	0.0	0.0	0.4	0.9	2.3	5.3	11.6	13.6	31.9	37.6	46.7	64.3	74.6	66.5	76.1	73.0	-
	肝および肝内胆管	C22	17.9	0.0	0.0	0.0	0.5	0.0	0.0	0.4	0.7	1.1	3.0	3.1	9.6	14.8	23.8	42.3	70.3	91.3	102.0	-
	胆のう・胆管	C23-C24	12.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.1	1.1	3.4	4.4	12.8	13.6	28.3	42.8	60.3	92.9	-
	膵臓	C25	26.6	0.0	0.0	0.0	0.5	0.4	0.0	0.0	3.3	1.9	3.8	10.5	19.2	27.6	38.0	77.6	86.0	113.6	142.9	-
	喉頭	C32	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.3	0.0	0.8	0.8	0.6	0.7	0.4	1.6	2.0	-
	肺	C33-C34	56.0	0.0	0.0	0.0	0.0	0.4	0.0	2.6	3.9	7.8	13.8	27.1	44.4	73.9	122.3	149.3	190.7	203.8	219.9	-
	皮膚	C43-C44	16.9	0.0	0.0	0.0	0.0	1.3	0.9	0.8	1.3	5.4	5.4	9.5	10.8	14.0	24.6	41.2	45.3	64.7	105.6	-
	乳房	C50	157.9	0.0	0.0	0.0	0.0	1.7	9.8	24.4	76.6	172.5	267.2	266.4	248.8	279.8	284.9	283.8	258.1	220.1	196.4	-
	子宮	C53-C55	43.9	0.0	0.0	0.0	0.0	1.7	6.8	20.3	33.2	46.1	67.8	89.2	94.0	75.1	70.1	53.3	61.4	51.1	49.0	-
	子宮頸部	C53	16.3	0.0	0.0	0.0	0.0	0.8	6.4	15.0	24.0	22.6	27.9	24.7	22.4	25.7	22.3	18.4	18.2	15.2	17.9	-
	子宮体部	C54	26.9	0.0	0.0	0.0	0.0	0.8	0.4	5.3	9.2	23.2	39.6	64.4	71.6	48.2	47.5	34.9	42.4	30.4	24.5	-
	卵巣	C56	17.6	0.0	0.0	1.0	1.0	3.4	4.3	1.9	8.9	18.6	28.2	35.9	32.4	28.0	27.5	29.0	25.0	24.5	20.9	-
	膀胱	C67	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.5	0.5	1.4	3.2	5.4	11.9	14.7	29.7	31.0	43.4	-
	腎・尿路（膀胱除く）	C64-C66 C68	12.9	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.0	3.0	4.1	7.8	17.2	12.5	26.1	26.1	41.5	50.5	55.6	-
	脳・中枢神経系	C70-C72	4.8	2.3	2.2	2.1	2.9	1.3	2.1	2.3	2.6	2.4	4.9	4.7	6.4	7.0	8.1	9.2	9.3	8.7	7.7	-
	甲状腺	C73	18.1	0.0	0.0	0.0	4.3	8.5	9.8	12.8	21.1	17.3	18.2	20.3	29.2	26.8	32.5	29.8	31.4	20.1	20.9	-
	悪性リンパ腫	C81-C85 C96	20.6	1.7	1.1	1.6	0.5	3.4	2.6	3.8	6.3	5.4	9.5	12.5	24.4	30.7	40.3	46.7	65.7	73.4	53.1	-
	多発性骨髄腫	C88-C90	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	2.2	2.7	3.2	6.2	11.9	13.2	13.6	25.0	15.8	-
	白血病	C91-C95	7.4	7.9	1.6	3.7	1.4	2.1	2.6	3.0	2.0	4.0	3.3	3.1	9.6	10.5	11.0	11.4	16.5	21.7	26.5	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	727.8	20.7	10.0	9.7	13.7	20.4	37.2	63.3	127.2	223.3	339.1	494.5	729.3	1,085.4	1,569.4	2,110.9	2,460.4	2,649.8	2,628.7	-
	口腔・咽頭	C00-C14	17.3	0.0	0.3	0.8	0.2	0.4	1.0	2.2	3.8	7.1	9.6	15.5	21.9	34.2	38.2	44.9	46.2	60.8	46.4	-
	食道	C15	21.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.8	2.6	11.0	27.2	38.1	59.3	85.4	87.6	64.6	46.7	-
	胃	C16	96.2	0.0	0.0	0.0	0.2	0.0	0.6	2.7	4.3	11.1	18.5	33.6	75.1	127.2	206.0	329.7	385.6	428.5	394.8	-
	大腸（結腸・直腸）	C18-C20	116.7	0.0	0.0	0.0	0.2	0.6	2.2	5.1	12.7	23.9	38.2	71.6	121.4	192.4	272.4	341.2	403.9	430.1	448.8	-
	結腸	C18	77.5	0.0	0.0	0.0	0.2	0.4	1.2	2.7	6.7	11.9	21.5	35.5	68.2	114.0	168.3	225.0	291.3	321.6	353.3	-
	直腸	C19-C20	39.2	0.0	0.0	0.0	0.0	0.2	1.0	2.4	6.1	11.9	16.7	36.0	53.2	78.4	104.2	116.1	112.6	108.5	95.5	-
	肝および肝内胆管	C22	27.7	0.0	0.0	0.0	0.2	0.0	0.0	0.7	1.1	1.3	4.2	10.2	21.6	39.6	53.5	78.1	111.2	144.8	136.7	-
	胆のう・胆管	C23-C24	14.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.8	0.9	1.7	4.4	6.0	17.1	21.8	41.6	54.5	74.6	100.7	-
	膵臓	C25	28.7	0.0	0.0	0.0	0.2	0.2	0.2	0.4	1.9	2.8	5.2	14.2	25.8	36.9	58.6	92.8	99.1	128.8	145.3	-
	喉頭	C32	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.1	0.7	1.5	3.3	6.0	10.0	13.4	9.2	11.6	7.6	-
	肺	C33-C34	84.0	0.0	0.0	0.0	0.0	0.4	0.4	2.0	4.0	8.4	17.3	32.1	62.7	118.1	202.4	268.3	323.8	352.0	359.2	-
	皮膚	C43-C44	17.5	0.3	0.0	0.0	0.2	0.8	0.8	0.5	1.4	4.3	4.4	9.0	11.1	16.7	28.2	47.0	60.2	80.6	123.9	-
	乳房	C50	79.6	0.0	0.0	0.0	0.0	0.8	4.7	11.8	37.1	84.0	128.7	127.5	121.6	141.6	147.5	150.7	141.0	129.2	134.9	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	16.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.9	1.8	4.7	10.3	23.5	31.4	45.8	67.5	81.8	88.6	-
	腎・尿路（膀胱除く）	C64-C66 C68	21.4	0.8	0.0	0.0	0.0	0.0	0.4	1.4	3.7	6.7	9.3	19.1	24.9	30.3	47.1	56.9	71.2	80.6	76.5	-
	脳・中枢神経系	C70-C72	4.8	3.0	2.4	1.5	2.3	1.2	1.8	1.4	3.2	3.3	3.9	4.4	5.4	5.8	7.9	9.5	11.0	10.7	11.4	-
	甲状腺	C73	12.3	0.0	0.0	0.3	2.1	4.4	5.9	8.3	12.1	11.1	12.5	15.2	19.2	18.8	23.5	20.8	23.3	18.5	15.2	-
	悪性リンパ腫	C81-C85 C96	23.1	1.9	2.4	1.0	1.4	2.0	2.7	3.3	5.7	6.4	9.8	14.9	25.8	37.3	43.5	64.3	79.6	89.7	74.7	-
	多発性骨髄腫	C88-C90	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	2.0	4.4	3.5	5.4	12.7	12.6	16.0	24.1	16.6	-
	白血病	C91-C95	9.4	8.3	2.4	3.3	2.6	2.2	3.5	2.5	3.2	5.4	5.2	5.5	9.5	12.8	15.4	17.5	25.6	33.2	32.9	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計