

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	832.5	22.4	8.3	11.6	11.4	9.7	28.0	49.6	70.9	113.9	184.3	335.8	667.3	1,268.4	2,012.5	2,838.1	3,513.3	3,771.1	4,024.0	-
	口腔・咽頭	C00-C14	24.5	0.0	0.0	0.0	0.5	0.4	2.0	3.2	3.8	5.5	11.0	18.2	30.9	45.3	63.1	82.9	82.4	76.1	79.0	-
	食道	C15	34.8	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	1.8	6.3	17.9	29.8	74.9	101.3	128.2	148.6	123.2	103.0	-
	胃	C16	129.9	0.5	0.0	0.0	0.0	0.0	0.4	4.6	4.8	8.9	19.8	34.9	82.5	184.2	316.0	474.2	588.6	654.2	646.0	-
	大腸（結腸・直腸）	C18-C20	132.3	0.0	0.0	0.0	0.0	1.5	3.1	5.7	9.3	24.5	43.8	76.2	130.5	247.4	322.1	422.6	498.6	545.8	596.0	-
	結腸	C18	82.3	0.0	0.0	0.0	0.0	1.1	1.2	3.9	4.2	11.8	21.3	38.4	70.9	137.2	189.7	267.5	321.4	390.1	442.0	-
	直腸	C19-C20	49.9	0.0	0.0	0.0	0.0	0.4	2.0	1.8	5.1	12.6	22.5	37.8	59.6	110.1	132.4	155.2	177.1	155.6	154.0	-
	肝および肝内胆管	C22	33.2	0.5	0.0	0.0	0.0	0.0	0.4	1.1	0.3	1.6	3.0	14.1	25.1	53.8	74.4	102.0	143.8	182.4	195.0	-
	胆のう・胆管	C23-C24	16.9	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	0.8	2.0	2.9	8.4	15.4	33.7	47.6	73.3	105.6	159.0	-
	膵臓	C25	31.8	0.5	0.0	0.0	0.0	0.0	0.0	0.7	2.9	5.0	8.5	10.0	31.6	46.6	80.8	106.7	138.1	131.7	153.0	-
	喉頭	C32	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.6	6.2	10.1	18.3	23.4	23.3	26.8	25.0	-
	肺	C33-C34	114.3	0.0	0.0	0.0	0.0	0.4	0.8	1.4	4.2	9.7	16.0	32.8	80.0	147.8	285.3	408.7	519.0	550.7	611.0	-
	皮膚	C43-C44	16.9	0.5	0.0	0.5	0.0	0.7	0.8	2.1	2.9	4.5	4.5	8.5	17.1	14.6	29.5	42.5	65.7	90.1	137.0	-
	乳房	C50	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.7	2.0	1.0	3.6	3.8	6.3	4.0	-
	前立腺	C61	148.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	4.5	26.4	79.3	204.9	389.4	610.3	737.6	702.8	637.0	-
	膀胱	C67	24.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	2.4	4.3	7.3	18.5	29.6	48.4	65.5	103.8	137.3	189.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	28.6	0.5	0.0	0.0	0.0	0.0	0.4	3.5	5.1	10.0	14.3	21.7	33.8	58.7	63.5	81.7	101.9	106.3	105.0	-
	脳・中枢神経系	C70-C72	4.3	1.6	1.6	1.0	1.4	0.7	0.4	2.1	4.2	2.6	3.5	4.7	4.4	5.3	8.0	8.3	10.5	9.9	15.0	-
	甲状腺	C73	6.2	0.0	0.0	0.5	0.5	0.4	2.0	2.8	3.5	6.1	6.5	7.6	7.6	11.7	12.8	15.9	10.0	14.1	12.0	-
	悪性リンパ腫	C81-C85 C96	27.6	1.1	3.1	3.0	2.7	1.1	4.3	5.0	5.4	7.1	10.3	13.5	31.6	43.7	63.8	72.6	102.9	117.6	120.0	-
	多発性骨髄腫	C88-C90	5.6	0.0	0.0	0.0	0.0	0.4	0.4	0.0	1.0	0.3	1.8	3.2	2.9	7.3	11.9	18.3	23.3	28.9	32.0	-
	白血病	C91-C95	12.1	8.2	3.6	3.0	2.7	1.9	3.5	3.5	5.4	5.0	6.3	5.9	8.7	15.8	26.6	36.1	34.8	44.4	41.0	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	614.1	22.4	13.5	10.6	14.4	20.2	45.3	103.5	191.5	324.6	464.0	602.3	728.7	878.0	1,079.0	1,302.1	1,488.8	1,706.3	1,963.0	-
	口腔・咽頭	C00-C14	9.4	0.6	0.0	0.0	0.5	1.2	1.7	1.2	2.7	6.4	5.6	7.1	8.9	13.0	13.4	18.1	22.5	34.6	34.6	-
	食道	C15	7.6	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	2.0	2.4	3.5	8.5	15.4	15.2	26.6	16.9	21.5	25.0	-
	胃	C16	53.3	0.6	0.0	0.0	0.5	0.4	0.4	4.2	7.8	8.7	12.3	22.2	34.5	57.7	100.3	140.8	172.3	195.8	240.4	-
	大腸（結腸・直腸）	C18-C20	93.2	0.0	0.5	0.0	0.0	1.7	3.4	6.2	13.9	20.9	28.8	64.3	93.4	135.0	184.2	214.9	269.5	322.0	363.5	-
	結腸	C18	67.0	0.0	0.5	0.0	0.0	1.2	1.7	3.5	7.5	11.5	14.9	37.6	58.9	81.3	127.7	158.9	207.6	246.1	296.2	-
	直腸	C19-C20	26.2	0.0	0.0	0.0	0.0	0.4	1.7	2.7	6.5	9.5	13.9	26.7	34.5	53.7	56.5	56.0	61.8	75.9	67.3	-
	肝および肝内胆管	C22	15.8	2.9	0.5	0.0	0.0	0.0	0.0	0.0	2.0	1.7	2.4	3.2	9.3	13.0	23.1	28.7	61.0	70.2	90.9	-
	胆のう・胆管	C23-C24	13.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	1.1	2.9	8.1	9.3	17.6	24.8	43.0	64.9	94.7	-
	膵臓	C25	28.6	0.0	0.0	0.0	0.0	0.0	0.9	0.8	2.4	3.4	4.5	8.4	16.7	32.9	48.9	75.2	95.6	116.2	140.4	-
	喉頭	C32	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.6	2.4	1.8	3.2	2.1	1.4	-
	肺	C33-C34	58.9	0.0	0.0	0.0	0.0	0.0	0.4	2.3	4.4	9.2	13.3	22.2	41.9	77.6	117.9	159.9	191.2	220.9	238.9	-
	皮膚	C43-C44	15.8	1.1	0.0	0.0	0.5	0.0	0.9	1.2	1.0	5.0	8.3	8.7	9.7	11.0	21.3	34.0	34.5	61.3	104.3	-
	乳房	C50	153.6	0.0	0.0	0.0	0.0	0.4	9.9	31.2	77.2	164.0	242.4	254.3	258.5	269.5	263.2	256.4	250.6	231.9	213.5	-
	子宮	C53-C55	43.2	0.0	0.0	0.0	0.0	2.1	6.5	22.3	29.6	39.9	56.3	94.2	98.1	70.3	65.7	71.6	52.2	56.5	42.8	-
	子宮頸部	C53	15.5	0.0	0.0	0.0	0.0	0.4	4.7	15.4	19.7	22.3	20.8	23.8	26.4	21.1	22.8	23.0	18.5	12.6	19.2	-
	子宮体部	C54	27.1	0.0	0.0	0.0	0.0	1.7	1.7	6.9	9.9	17.0	35.2	70.1	70.9	49.2	42.6	47.9	32.9	41.4	18.8	-
	卵巣	C56	17.9	0.0	1.6	1.1	3.4	2.1	5.2	4.6	8.8	17.0	23.2	35.7	37.2	32.5	29.8	24.5	22.5	23.6	24.5	-
	膀胱	C67	7.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.6	1.9	4.3	7.3	11.9	18.8	23.7	34.0	47.6	-
	腎・尿路（膀胱除く）	C64-C66 C68	13.2	0.6	0.5	0.0	0.0	0.0	0.0	2.3	2.7	3.1	5.9	6.8	11.6	17.1	25.5	32.6	42.2	41.9	49.0	-
	脳・中枢神経系	C70-C72	3.6	2.3	1.6	2.6	1.0	0.8	0.4	3.1	2.0	2.5	2.7	2.6	3.1	4.1	6.1	6.7	8.4	6.3	8.2	-
	甲状腺	C73	17.9	0.0	0.0	0.0	3.8	5.0	7.3	15.8	19.4	16.2	24.3	17.4	24.4	29.3	29.8	32.3	30.1	23.0	20.2	-
	悪性リンパ腫	C81-C85 C96	22.4	1.1	1.6	1.1	0.5	2.9	4.3	3.8	5.4	5.9	9.3	18.0	26.0	34.1	42.9	58.9	57.0	58.1	73.1	-
	多発性骨髄腫	C88-C90	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.6	1.9	3.5	6.1	9.4	13.1	18.5	20.9	22.6	-
	白血病	C91-C95	8.3	7.5	5.4	3.2	2.9	2.9	1.3	1.2	3.7	6.4	4.0	7.4	9.3	8.1	8.8	13.1	18.1	24.6	27.9	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	723.0	22.4	10.8	11.1	12.9	14.7	36.2	75.5	129.5	216.1	319.6	462.9	697.0	1,073.6	1,533.4	2,027.0	2,415.0	2,586.8	2,632.1	-
	口腔・咽頭	C00-C14	16.9	0.3	0.0	0.0	0.5	0.8	1.9	2.2	3.3	6.0	8.4	12.9	20.3	29.2	37.6	48.7	49.9	52.3	49.0	-
	食道	C15	21.2	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	1.9	4.4	11.0	19.5	45.2	57.1	74.5	77.1	64.9	50.3	-
	胃	C16	91.5	0.6	0.0	0.0	0.2	0.2	0.4	4.4	6.3	8.8	16.1	28.8	59.3	121.1	205.3	298.1	362.7	391.3	372.1	-
	大腸（結腸・直腸）	C18-C20	112.7	0.0	0.3	0.0	0.0	1.6	3.3	5.9	11.7	22.8	36.5	70.6	112.6	191.3	251.3	312.9	374.3	417.4	439.0	-
	結腸	C18	74.7	0.0	0.3	0.0	0.0	1.2	1.4	3.7	5.8	11.7	18.2	38.0	65.1	109.3	157.9	210.1	259.7	307.5	343.5	-
	直腸	C19-C20	38.1	0.0	0.0	0.0	0.0	0.4	1.9	2.2	5.9	11.1	18.3	32.5	47.5	81.9	93.4	102.8	114.6	109.9	95.5	-
	肝および肝内胆管	C22	24.5	1.7	0.3	0.0	0.0	0.0	0.2	0.6	1.2	1.6	2.7	8.9	17.4	33.5	48.0	63.3	98.9	118.0	124.7	-
	胆のう・胆管	C23-C24	15.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.8	1.5	2.9	8.3	12.4	25.4	35.6	56.9	82.3	115.6	-
	膵臓	C25	30.2	0.3	0.0	0.0	0.0	0.0	0.4	0.7	2.6	4.2	6.6	9.2	24.4	39.8	64.4	90.1	115.0	122.8	144.5	-
	喉頭	C32	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.5	3.2	5.9	10.1	12.0	12.4	12.6	9.1	-
	肺	C33-C34	86.5	0.0	0.0	0.0	0.0	0.2	0.6	1.8	4.3	9.5	14.7	27.8	61.5	112.8	199.4	277.3	341.2	361.6	359.7	-
	皮膚	C43-C44	16.3	0.8	0.0	0.3	0.2	0.4	0.8	1.7	2.0	4.7	6.3	8.6	13.5	12.8	25.3	38.0	48.8	73.6	114.9	-
	乳房	C50	77.4	0.0	0.0	0.0	0.0	0.2	4.7	14.9	37.4	79.7	117.4	121.3	125.5	135.5	135.6	137.1	137.7	135.7	145.5	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	1.2	3.0	4.8	11.6	18.5	29.6	40.8	60.3	78.1	93.5	-
	腎・尿路（膀胱除く）	C64-C66 C68	20.9	0.6	0.3	0.0	0.0	0.0	0.2	3.0	4.0	6.6	10.2	14.6	23.1	37.9	44.0	55.8	69.5	69.4	67.2	-
	脳・中枢神経系	C70-C72	3.9	2.0	1.6	1.8	1.2	0.8	0.4	2.6	3.1	2.6	3.1	3.7	3.8	4.7	7.0	7.5	9.4	7.8	10.4	-
	甲状腺	C73	12.1	0.0	0.0	0.3	2.1	2.5	4.5	9.0	11.2	11.0	15.1	12.3	15.8	20.5	21.5	24.5	20.9	19.2	17.5	-
	悪性リンパ腫	C81-C85 C96	24.9	1.1	2.4	2.1	1.6	2.0	4.3	4.4	5.4	6.5	9.8	15.6	28.9	38.9	53.0	65.4	78.0	83.5	88.3	-
	多発性骨髄腫	C88-C90	5.4	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.5	0.7	1.7	2.6	3.2	6.7	10.6	15.5	20.7	24.3	25.6	-
	白血病	C91-C95	10.2	7.8	4.5	3.1	2.8	2.4	2.5	2.4	4.6	5.7	5.2	6.6	9.0	12.0	17.5	24.0	25.7	33.0	32.1	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計