

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2019年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96	39,189	28,889	68,078	100.0	100.0	100.0	854.7	626.3	740.1	448.9	347.6	389.9	316.5	260.5	283.2	37.5	28.8	32.8
口腔・咽頭	C00-C14	1,196	493	1,689	3.1	1.7	2.5	26.1	10.7	18.4	15.4	5.9	10.5	11.3	4.5	7.8	1.4	0.5	0.9
食道	C15	1,660	338	1,998	4.2	1.2	2.9	36.2	7.3	21.7	19.4	3.7	11.1	13.7	2.7	8.0	1.7	0.3	1.0
胃	C16	5,557	2,297	7,854	14.2	8.0	11.5	121.2	49.8	85.4	59.4	21.4	39.0	40.2	14.9	26.7	4.8	1.7	3.2
大腸（結腸・直腸）	C18-C20	6,096	4,484	10,580	15.6	15.5	15.5	133.0	97.2	115.0	73.1	45.5	58.6	52.0	32.6	41.9	6.3	3.8	5.0
結腸	C18	3,869	3,221	7,090	9.9	11.1	10.4	84.4	69.8	77.1	44.0	30.7	36.9	30.7	21.7	25.9	3.7	2.5	3.1
直腸	C19-C20	2,227	1,263	3,490	5.7	4.4	5.1	48.6	27.4	37.9	29.0	14.8	21.7	21.3	11.0	16.0	2.7	1.3	2.0
肝および肝内胆管	C22	1,518	641	2,159	3.9	2.2	3.2	33.1	13.9	23.5	17.1	5.2	10.8	12.0	3.6	7.6	1.4	0.3	0.9
胆のう・胆管	C23-C24	755	563	1,318	1.9	1.9	1.9	16.5	12.2	14.3	7.4	4.1	5.6	4.8	2.7	3.7	0.5	0.3	0.4
膵臓	C25	1,526	1,399	2,925	3.9	4.8	4.3	33.3	30.3	31.8	17.3	12.5	14.8	12.1	8.7	10.3	1.5	1.0	1.2
喉頭	C32	280	27	307	0.7	0.1	0.5	6.1	0.6	3.3	3.1	0.2	1.6	2.2	0.1	1.1	0.3	0.0	0.1
肺	C33-C34	5,364	2,605	7,969	13.7	9.0	11.7	117.0	56.5	86.6	58.0	24.5	40.1	39.7	17.0	27.6	4.8	2.0	3.4
皮膚	C43-C44	840	814	1,654	2.1	2.8	2.4	18.3	17.6	18.0	8.9	7.5	8.0	6.1	5.3	5.6	0.6	0.6	0.6
乳房	C50	57	7,383	7,440	0.1	25.6	10.9	1.2	160.0	80.9	0.6	108.3	54.4	0.4	82.9	41.4	0.0	9.2	4.6
子宮	C53-C55	-	2,054	2,054	-	7.1	3.0	-	44.5	-	-	33.7	-	-	26.2	-	-	2.8	-
子宮頸部	C53	-	731	731	-	2.5	1.1	-	15.8	-	-	12.7	-	-	10.0	-	-	1.0	-
子宮体部	C54	-	1,296	1,296	-	4.5	1.9	-	28.1	-	-	20.7	-	-	16.0	-	-	1.8	-
卵巣	C56	-	794	794	-	2.7	1.2	-	17.2	-	-	12.9	-	-	10.3	-	-	1.1	-
前立腺	C61	7,412	-	7,412	18.9	-	10.9	161.7	-	-	79.7	-	-	54.0	-	-	7.0	-	-
膀胱	C67	1,163	348	1,511	3.0	1.2	2.2	25.4	7.5	16.4	12.0	2.8	7.0	8.2	1.9	4.8	0.9	0.2	0.6
腎・尿路（膀胱除く）	C64-C66 C68	1,430	612	2,042	3.6	2.1	3.0	31.2	13.3	22.2	17.5	6.3	11.7	12.5	4.5	8.4	1.5	0.5	1.0
脳・中枢神経系	C70-C72	214	177	391	0.5	0.6	0.6	4.7	3.8	4.3	3.6	2.5	3.1	3.2	2.3	2.8	0.3	0.2	0.2
甲状腺	C73	346	917	1,263	0.9	3.2	1.9	7.5	19.9	13.7	5.5	15.6	10.4	4.2	12.4	8.2	0.5	1.3	0.9
悪性リンパ腫	C81-C85 C96	1,307	1,076	2,383	3.3	3.7	3.5	28.5	23.3	25.9	16.4	12.1	14.1	12.1	9.1	10.5	1.3	1.0	1.2
多発性骨髄腫	C88-C90	278	231	509	0.7	0.8	0.7	6.1	5.0	5.5	3.0	2.2	2.6	2.1	1.5	1.8	0.2	0.2	0.2
白血病	C91-C95	559	381	940	1.4	1.3	1.4	12.2	8.3	10.2	8.4	5.8	7.1	7.3	5.6	6.4	0.7	0.5	0.6

*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

B. 上皮内がんを含む

神奈川県

2019年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96 D00-D09	43,554	33,315	76,869	100.0	100.0	100.0	949.9	722.2	835.7	502.4	421.1	452.1	354.6	318.0	330.0	42.3	34.6	38.0
食道	C15 D001	1,864	402	2,266	4.3	1.2	2.9	40.7	8.7	24.6	21.7	4.5	12.6	15.3	3.3	9.0	1.9	0.4	1.2
大腸（結腸・直腸）*2	C18-C20 D010-D012	8,573	5,789	14,362	19.7	17.4	18.7	187.0	125.5	156.1	105.3	61.4	82.5	75.4	44.2	59.3	9.3	5.2	7.2
結腸 *2	C18 D010	5,668	4,229	9,897	13.0	12.7	12.9	123.6	91.7	107.6	67.2	43.0	54.5	47.4	30.6	38.7	5.8	3.6	4.6
直腸 *2	C19-C20 D011-D012	2,905	1,560	4,465	6.7	4.7	5.8	63.4	33.8	48.5	38.1	18.4	28.0	28.0	13.6	20.6	3.5	1.6	2.6
肺	C33-C34 D021-D022	5,471	2,751	8,222	12.6	8.3	10.7	119.3	59.6	89.4	59.4	26.4	41.7	40.7	18.4	28.8	4.9	2.2	3.5
皮膚	C43-C44 D030-D049	997	986	1,983	2.3	3.0	2.6	21.7	21.4	21.6	10.4	9.1	9.6	7.1	6.5	6.7	0.7	0.7	0.7
乳房	C50 D05	63	8,305	8,368	0.1	24.9	10.9	1.4	180.0	91.0	0.7	123.4	61.9	0.5	94.6	47.2	0.0	10.5	5.2
子宮	C53-C55 D06	-	3,457	3,457	-	10.4	4.5	-	74.9	-	-	67.5	-	-	54.0	-	-	5.2	-
子宮頸部	C53 D06	-	2,134	2,134	-	6.4	2.8	-	46.3	-	-	46.5	-	-	37.8	-	-	3.3	-
膀胱	C67 D090	2,276	630	2,906	5.2	1.9	3.8	49.6	13.7	31.6	24.1	5.6	14.2	16.5	3.9	9.8	1.9	0.4	1.2

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

神奈川県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	39,189	29	29	21	30	53	94	126	209	418	775	1,286	1,910	3,024	5,339	7,564	7,870	5,765	3,294	1,150	186	17	0
	口腔・咽頭	C00-C14	1,196	0	1	1	1	0	2	5	7	25	50	67	91	125	202	219	195	114	65	23	3	0	0
	食道	C15	1,660	0	0	0	0	0	1	0	0	6	25	61	91	176	277	316	336	220	118	27	6	0	0
	胃	C16	5,557	0	0	0	1	1	0	2	16	42	64	111	209	350	747	1,123	1,210	947	553	149	30	2	0
	大腸（結腸・直腸）	C18-C20	6,096	0	0	0	1	3	13	15	52	81	163	288	376	559	867	1,150	1,093	838	419	156	19	3	0
	結腸	C18	3,869	0	0	0	1	1	7	4	22	43	92	132	209	301	500	744	748	603	320	123	16	3	0
	直腸	C19-C20	2,227	0	0	0	0	2	6	11	30	38	71	156	167	258	367	406	345	235	99	33	3	0	0
	肝および肝内胆管	C22	1,518	2	0	0	0	1	2	1	3	8	22	49	83	130	229	241	288	252	161	42	4	0	0
	胆のう・胆管	C23-C24	755	0	0	0	0	0	0	0	0	4	7	15	22	35	64	116	178	171	91	47	5	0	0
	膵臓	C25	1,526	0	0	0	1	1	2	1	7	13	38	64	73	118	199	301	295	206	144	49	13	1	0
	喉頭	C32	280	0	0	0	0	0	0	0	0	1	1	6	18	17	56	59	58	35	21	7	1	0	0
	肺	C33-C34	5,364	0	0	0	1	2	0	8	8	30	80	122	222	343	758	1,083	1,184	821	480	195	26	1	0
	皮膚	C43-C44	840	0	0	1	0	1	1	6	9	10	16	25	35	48	71	124	155	143	128	56	9	2	0
	乳房	C50	57	0	0	0	0	0	0	1	0	1	0	3	6	4	4	2	15	13	6	2	0	0	0
	前立腺	C61	7,412	1	0	0	0	0	0	0	1	2	18	98	240	582	1,095	1,762	1,769	1,104	532	172	34	2	0
	膀胱	C67	1,163	0	0	0	1	0	2	0	0	6	13	32	40	72	124	221	220	199	151	69	13	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	1,430	0	0	0	0	0	2	3	10	35	52	90	109	128	171	245	238	186	108	46	5	2	0
	脳・中枢神経系	C70-C72	214	2	6	4	2	6	10	5	6	16	15	15	17	14	18	24	27	12	10	5	0	0	0
	甲状腺	C73	346	0	1	0	0	7	2	9	13	29	33	33	35	33	36	41	31	29	11	3	0	0	0
	悪性リンパ腫	C81-C85 C96	1,307	1	2	6	5	5	12	8	20	18	49	58	90	119	156	189	242	176	111	34	5	1	0
	多発性骨髄腫	C88-C90	278	0	0	0	0	1	0	1	1	4	5	10	12	13	37	50	52	54	27	10	0	1	0
	白血病	C91-C95	559	12	12	5	9	6	10	13	14	19	28	34	31	40	53	85	67	72	32	13	4	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

神奈川県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	28,889	35	19	28	26	63	95	251	510	1,049	1,869	1,988	1,895	2,123	3,093	3,936	4,119	3,478	2,531	1,333	402	46	0
	口腔・咽頭	C00-C14	493	0	0	0	1	2	6	4	7	25	29	28	32	40	47	55	73	58	39	31	13	3	0
	食道	C15	338	0	0	0	0	0	1	0	2	2	11	14	26	36	50	49	53	43	36	11	2	2	0
	胃	C16	2,297	0	0	0	0	0	2	8	15	28	50	68	76	123	267	380	428	392	257	155	44	4	0
	大腸（結腸・直腸）	C18-C20	4,484	0	0	0	2	3	6	13	31	68	144	198	248	317	514	640	735	698	501	270	87	9	0
	結腸	C18	3,221	0	0	0	1	2	4	7	20	38	77	114	165	197	339	472	556	535	402	213	72	7	0
	直腸	C19-C20	1,263	0	0	0	1	1	2	6	11	30	67	84	83	120	175	168	179	163	99	57	15	2	0
	肝および肝内胆管	C22	641	2	0	0	0	1	1	0	1	6	8	10	16	28	56	69	130	139	116	41	17	0	0
	胆のう・胆管	C23-C24	563	0	0	0	0	0	0	0	1	4	6	5	10	20	39	68	119	96	107	62	21	5	0
	膵臓	C25	1,399	0	0	1	2	3	0	1	4	17	22	41	54	70	132	224	268	246	190	95	29	0	0
	喉頭	C32	27	0	0	0	0	0	0	0	0	0	1	0	1	0	4	1	7	7	4	2	0	0	0
	肺	C33-C34	2,605	0	0	0	0	0	1	6	7	24	43	83	108	172	264	475	521	428	289	130	47	7	0
	皮膚	C43-C44	814	0	0	0	0	0	1	4	13	12	23	34	26	46	66	116	128	111	119	79	34	2	0
	乳房	C50	7,383	0	0	0	0	2	15	70	197	519	961	814	653	641	831	896	718	521	339	160	39	7	0
	子宮	C53-C55	2,054	0	0	0	0	3	17	48	96	145	244	300	252	202	189	205	147	109	54	37	5	1	0
	子宮頸部	C53	731	0	0	0	0	0	14	35	65	73	94	87	63	60	43	67	50	37	26	14	2	1	0
	子宮体部	C54	1,296	0	0	0	0	3	3	13	31	71	149	211	187	141	144	136	95	67	26	17	2	0	0
	卵巣	C56	794	0	2	2	5	8	8	14	28	35	102	106	109	79	78	73	58	39	24	20	4	0	0
	膀胱	C67	348	0	0	0	0	1	0	0	1	2	7	11	5	13	33	47	59	56	63	39	10	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	612	0	0	0	0	1	0	2	7	14	26	27	27	37	65	95	104	101	63	31	10	2	0
	脳・中枢神経系	C70-C72	177	5	6	1	1	2	2	6	4	6	10	4	8	11	21	23	22	17	18	10	0	0	0
	甲状腺	C73	917	0	0	3	3	23	17	45	64	75	70	102	73	68	90	118	76	46	28	14	2	0	0
	悪性リンパ腫	C81-C85 C96	1,076	2	0	4	4	5	6	13	16	16	38	45	61	77	131	154	197	149	95	51	11	1	0
	多発性骨髄腫	C88-C90	231	0	0	0	0	0	0	0	0	2	5	6	8	17	33	31	54	31	30	9	4	1	0
	白血病	C91-C95	381	14	9	11	4	5	7	9	5	13	19	23	22	26	34	46	41	39	35	14	5	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

神奈川県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	68,078	64	48	49	56	116	189	377	719	1,467	2,644	3,274	3,805	5,147	8,432	11,500	11,989	9,243	5,825	2,483	588	63	0
	口腔・咽頭	C00-C14	1,689	0	1	1	2	2	8	9	14	50	79	95	123	165	249	274	268	172	104	54	16	3	0
	食道	C15	1,998	0	0	0	0	0	2	0	2	8	36	75	117	212	327	365	389	263	154	38	8	2	0
	胃	C16	7,854	0	0	0	1	1	2	10	31	70	114	179	285	473	1,014	1,503	1,638	1,339	810	304	74	6	0
	大腸（結腸・直腸）	C18-C20	10,580	0	0	0	3	6	19	28	83	149	307	486	624	876	1,381	1,790	1,828	1,536	920	426	106	12	0
	結腸	C18	7,090	0	0	0	2	3	11	11	42	81	169	246	374	498	839	1,216	1,304	1,138	722	336	88	10	0
	直腸	C19-C20	3,490	0	0	0	1	3	8	17	41	68	138	240	250	378	542	574	524	398	198	90	18	2	0
	肝および肝内胆管	C22	2,159	4	0	0	0	2	3	1	4	14	30	59	99	158	285	310	418	391	277	83	21	0	0
	胆のう・胆管	C23-C24	1,318	0	0	0	0	0	0	0	1	8	13	20	32	55	103	184	297	267	198	109	26	5	0
	膵臓	C25	2,925	0	0	1	3	4	2	2	11	30	60	105	127	188	331	525	563	452	334	144	42	1	0
	喉頭	C32	307	0	0	0	0	0	0	0	0	1	2	6	19	17	60	60	65	42	25	9	1	0	0
	肺	C33-C34	7,969	0	0	0	1	2	1	14	15	54	123	205	330	515	1,022	1,558	1,705	1,249	769	325	73	8	0
	皮膚	C43-C44	1,654	0	0	1	0	1	2	10	22	22	39	59	61	94	137	240	283	254	247	135	43	4	0
	乳房	C50	7,440	0	0	0	0	2	15	71	197	520	961	817	659	645	835	898	733	534	345	162	39	7	0
	子宮	C53-C55	2,054	0	0	0	0	3	17	48	96	145	244	300	252	202	189	205	147	109	54	37	5	1	0
	子宮頸部	C53	731	0	0	0	0	0	14	35	65	73	94	87	63	60	43	67	50	37	26	14	2	1	0
	子宮体部	C54	1,296	0	0	0	0	3	3	13	31	71	149	211	187	141	144	136	95	67	26	17	2	0	0
	卵巣	C56	794	0	2	2	5	8	8	14	28	35	102	106	109	79	78	73	58	39	24	20	4	0	0
	前立腺	C61	7,412	1	0	0	0	0	0	0	1	2	18	98	240	582	1,095	1,762	1,769	1,104	532	172	34	2	0
	膀胱	C67	1,511	0	0	0	1	1	2	0	1	8	20	43	45	85	157	268	279	255	214	108	23	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	2,042	0	0	0	0	1	2	5	17	49	78	117	136	165	236	340	342	287	171	77	15	4	0
	脳・中枢神経系	C70-C72	391	7	12	5	3	8	12	11	10	22	25	19	25	25	39	47	49	29	28	15	0	0	0
	甲状腺	C73	1,263	0	1	3	3	30	19	54	77	104	103	135	108	101	126	159	107	75	39	17	2	0	0
	悪性リンパ腫	C81-C85 C96	2,383	3	2	10	9	10	18	21	36	34	87	103	151	196	287	343	439	325	206	85	16	2	0
	多発性骨髄腫	C88-C90	509	0	0	0	0	1	0	1	1	6	10	16	20	30	70	81	106	85	57	19	4	2	0
	白血病	C91-C95	940	26	21	16	13	11	17	22	19	32	47	57	53	66	87	131	108	111	67	27	9	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

神奈川県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96 D00-D09	43,554	29	29	21	30	53	97	129	241	467	915	1,524	2,225	3,431	5,999	8,421	8,707	6,285	3,547	1,196	191	17	0
	食道	C15 D001	1,864	0	0	0	0	0	1	0	0	6	27	64	102	192	312	371	382	244	129	28	6	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	8,573	0	0	0	1	3	14	17	74	115	271	468	593	831	1,273	1,602	1,526	1,079	519	165	19	3	0
	結腸 *2	C18 D010	5,668	0	0	0	1	1	8	6	40	64	170	263	361	487	781	1,072	1,084	784	397	130	16	3	0
	直腸 *2	C19-C20 D011-D012	2,905	0	0	0	0	2	6	11	34	51	101	205	232	344	492	530	442	295	122	35	3	0	0
	肺	C33-C34 D021-D022	5,471	0	0	0	1	2	0	8	10	32	81	128	231	356	774	1,111	1,207	827	480	196	26	1	0
	皮膚	C43-C44 D030-D049	997	0	0	1	0	1	1	6	10	10	22	28	39	53	82	145	189	184	150	63	11	2	0
	乳房	C50 D05	63	0	0	0	0	0	0	0	1	0	1	0	3	7	4	5	5	16	13	6	2	0	0
	膀胱	C67 D090	2,276	0	0	0	1	0	3	1	6	13	28	58	94	143	270	447	469	377	256	94	16	0	0
	女	全部位	C00-C96 D00-D09	33,315	35	19	29	27	86	228	506	832	1,462	2,315	2,358	2,179	2,398	3,489	4,440	4,601	3,791	2,684	1,373	417	46
食道		C15 D001	402	0	0	0	0	0	1	0	2	2	14	19	31	40	63	59	69	51	36	11	2	2	0
大腸（結腸・直腸）*2		C18-C20 D010-D012	5,789	0	0	0	2	4	8	17	44	103	194	288	363	428	694	866	966	864	567	284	88	9	0
結腸 *2		C18 D010	4,229	0	0	0	1	3	6	10	31	64	118	186	257	277	474	649	732	663	454	224	73	7	0
直腸 *2		C19-C20 D011-D012	1,560	0	0	0	1	1	2	7	13	39	76	102	106	151	220	217	234	201	113	60	15	2	0
肺		C33-C34 D021-D022	2,751	0	0	0	0	2	8	8	27	49	95	118	187	289	510	546	437	290	131	47	7	0	
皮膚		C43-C44 D030-D049	986	0	0	0	0	0	1	6	16	14	25	41	33	55	77	145	161	135	147	88	40	2	0
乳房		C50 D05	8,305	0	0	0	0	3	19	84	225	618	1,113	938	739	720	918	997	800	559	358	165	42	7	0
子宮		C53-C55 D06	3,457	0	0	0	1	24	141	277	369	410	461	415	298	227	220	234	164	116	56	37	6	1	0
子宮頸部		C53 D06	2,134	0	0	0	1	21	138	264	338	338	311	202	109	85	74	96	67	44	28	14	3	1	0
膀胱	C67 D090	630	0	0	0	0	1	2	2	1	8	11	21	13	36	62	100	115	102	94	49	12	1	0	
総数 *3	全部位	C00-C96 D00-D09	76,869	64	48	50	57	139	325	635	1,073	1,929	3,230	3,882	4,404	5,829	9,488	12,861	13,308	10,076	6,231	2,569	608	63	0
	食道	C15 D001	2,266	0	0	0	0	0	2	0	2	8	41	83	133	232	375	430	451	295	165	39	8	2	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	14,362	0	0	0	3	7	22	34	118	218	465	756	956	1,259	1,967	2,468	2,492	1,943	1,086	449	107	12	0
	結腸 *2	C18 D010	9,897	0	0	0	2	4	14	16	71	128	288	449	618	764	1,255	1,721	1,816	1,447	851	354	89	10	0
	直腸 *2	C19-C20 D011-D012	4,465	0	0	0	1	3	8	18	47	90	177	307	338	495	712	747	676	496	235	95	18	2	0
	肺	C33-C34 D021-D022	8,222	0	0	0	1	2	2	16	18	59	130	223	349	543	1,063	1,621	1,753	1,264	770	327	73	8	0
	皮膚	C43-C44 D030-D049	1,983	0	0	1	0	1	2	12	26	24	47	69	72	108	159	290	350	319	297	151	51	4	0
	乳房	C50 D05	8,368	0	0	0	0	3	19	85	225	619	1,113	941	746	724	923	1,002	816	572	364	167	42	7	0
	子宮	C53-C55 D06	3,457	0	0	0	1	24	141	277	369	410	461	415	298	227	220	234	164	116	56	37	6	1	0
	子宮頸部	C53 D06	2,134	0	0	0	1	21	138	264	338	338	311	202	109	85	74	96	67	44	28	14	3	1	0
膀胱	C67 D090	2,906	0	0	0	1	1	5	3	7	21	39	79	107	179	332	547	584	479	350	143	28	1	0	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	854.7	16.4	15.3	10.7	14.0	19.6	35.1	46.8	69.9	120.1	191.4	350.4	645.3	1,224.3	1,977.4	2,760.6	3,436.7	3,817.9	4,076.3	-
	口腔・咽頭	C00-C14	26.1	0.0	0.5	0.5	0.5	0.0	0.7	1.9	2.3	7.2	12.3	18.3	30.7	50.6	74.8	79.9	85.2	75.5	79.8	-
	食道	C15	36.2	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.7	6.2	16.6	30.7	71.3	102.6	115.3	146.7	145.7	132.5	-
	胃	C16	121.2	0.0	0.0	0.0	0.5	0.4	0.0	0.7	5.4	12.1	15.8	30.2	70.6	141.7	276.7	409.9	528.4	627.2	643.9	-
	大腸（結腸・直腸）	C18-C20	133.0	0.0	0.0	0.0	0.5	1.1	4.9	5.6	17.4	23.3	40.2	78.5	127.0	226.3	321.1	419.7	477.3	555.0	523.7	-
	結腸	C18	84.4	0.0	0.0	0.0	0.5	0.4	2.6	1.5	7.4	12.4	22.7	36.0	70.6	121.9	185.2	271.5	326.6	399.3	405.3	-
	直腸	C19-C20	48.6	0.0	0.0	0.0	0.0	0.7	2.2	4.1	10.0	10.9	17.5	42.5	56.4	104.5	135.9	148.2	150.7	155.6	118.4	-
	肝および肝内胆管	C22	33.1	1.1	0.0	0.0	0.0	0.4	0.7	0.4	1.0	2.3	5.4	13.4	28.0	52.6	84.8	88.0	125.8	166.9	181.6	-
	胆のう・胆管	C23-C24	16.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.7	4.1	7.4	14.2	23.7	42.3	77.7	113.2	125.4	-
	膵臓	C25	33.3	0.0	0.0	0.0	0.5	0.4	0.7	0.4	2.3	3.7	9.4	17.4	24.7	47.8	73.7	109.9	128.8	136.4	181.6	-
	喉頭	C32	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	1.6	6.1	6.9	20.7	21.5	25.3	23.2	25.4	-
	肺	C33-C34	117.0	0.0	0.0	0.0	0.5	0.7	0.0	3.0	2.7	8.6	19.8	33.2	75.0	138.9	280.7	395.3	517.0	543.7	615.8	-
	皮膚	C43-C44	18.3	0.0	0.0	0.5	0.0	0.4	0.4	2.2	3.0	2.9	4.0	6.8	11.8	19.4	26.3	45.3	67.7	94.7	171.1	-
	乳房	C50	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.0	0.8	2.0	1.6	1.5	0.7	6.6	8.6	7.0	-
	前立腺	C61	161.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	4.4	26.7	81.1	235.6	405.6	643.1	772.5	731.1	649.1	-
	膀胱	C67	25.4	0.0	0.0	0.0	0.5	0.0	0.7	0.0	0.0	1.7	3.2	8.7	13.5	29.1	45.9	80.7	96.1	131.8	204.4	-
	腎・尿路（膀胱除く）	C64-C66 C68	31.2	0.0	0.0	0.0	0.0	0.0	0.7	1.1	3.3	10.1	12.8	24.5	36.8	51.8	63.3	89.4	103.9	123.2	141.2	-
	脳・中枢神経系	C70-C72	4.7	1.1	3.2	2.0	0.9	2.2	3.7	1.9	2.0	4.6	3.7	4.1	5.7	5.7	6.7	8.8	11.8	7.9	13.2	-
	甲状腺	C73	7.5	0.0	0.5	0.0	0.0	2.6	0.7	3.3	4.3	8.3	8.1	9.0	11.8	13.4	13.3	15.0	13.5	19.2	12.3	-
	悪性リンパ腫	C81-C85 C96	28.5	0.6	1.1	3.1	2.3	1.8	4.5	3.0	6.7	5.2	12.1	15.8	30.4	48.2	57.8	69.0	105.7	116.6	132.5	-
	多発性骨髄腫	C88-C90	6.1	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.3	1.1	1.2	2.7	4.1	5.3	13.7	18.2	22.7	35.8	33.3	-
	白血病	C91-C95	12.2	6.8	6.3	2.6	4.2	2.2	3.7	4.8	4.7	5.5	6.9	9.3	10.5	16.2	19.6	31.0	29.3	47.7	43.0	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	626.3	20.7	10.6	15.0	12.7	25.4	39.7	101.2	181.5	319.8	485.5	588.2	689.1	880.9	1,096.8	1,286.3	1,497.8	1,756.6	1,874.8	-
	口腔・咽頭	C00-C14	10.7	0.0	0.0	0.0	0.5	0.8	2.5	1.6	2.5	7.6	7.5	8.3	11.6	16.6	16.7	18.0	26.5	29.3	37.4	-
	食道	C15	7.3	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.7	0.6	2.9	4.1	9.5	14.9	17.7	16.0	19.3	21.7	22.2	-
	胃	C16	49.8	0.0	0.0	0.0	0.0	0.0	0.8	3.2	5.3	8.5	13.0	20.1	27.6	51.0	94.7	124.2	155.6	198.0	200.0	-
	大腸（結腸・直腸）	C18-C20	97.2	0.0	0.0	0.0	1.0	1.2	2.5	5.2	11.0	20.7	37.4	58.6	90.2	131.5	182.3	209.2	267.3	352.5	377.0	-
	結腸	C18	69.8	0.0	0.0	0.0	0.5	0.8	1.7	2.8	7.1	11.6	20.0	33.7	60.0	81.7	120.2	154.2	202.2	270.2	301.7	-
	直腸	C19-C20	27.4	0.0	0.0	0.0	0.5	0.4	0.8	2.4	3.9	9.1	17.4	24.9	30.2	49.8	62.1	54.9	65.1	82.3	75.2	-
	肝および肝内胆管	C22	13.9	1.2	0.0	0.0	0.0	0.4	0.4	0.0	0.4	1.8	2.1	3.0	5.8	11.6	19.9	22.5	47.3	70.2	75.7	-
	胆のう・胆管	C23-C24	12.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.2	1.6	1.5	3.6	8.3	13.8	22.2	43.3	48.5	84.8	-
	膵臓	C25	30.3	0.0	0.0	0.5	1.0	1.2	0.0	0.4	1.4	5.2	5.7	12.1	19.6	29.0	46.8	73.2	97.5	124.2	136.5	-
	喉頭	C32	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.0	1.4	0.3	2.5	3.5	2.6	-
	肺	C33-C34	56.5	0.0	0.0	0.0	0.0	0.0	0.4	2.4	2.5	7.3	11.2	24.6	39.3	71.4	93.6	155.2	189.5	216.2	205.7	-
	皮膚	C43-C44	17.6	0.0	0.0	0.0	0.0	0.0	0.4	1.6	4.6	3.7	6.0	10.1	9.5	19.1	23.4	37.9	46.5	56.1	101.7	-
	乳房	C50	160.0	0.0	0.0	0.0	0.0	0.8	6.3	28.2	70.1	158.2	249.6	240.8	237.5	266.0	294.7	292.8	261.1	263.1	237.0	-
	子宮	C53-C55	44.5	0.0	0.0	0.0	0.0	1.2	7.1	19.4	34.2	44.2	63.4	88.8	91.6	83.8	67.0	67.0	53.5	55.1	42.2	-
	子宮頸部	C53	15.8	0.0	0.0	0.0	0.0	0.0	5.9	14.1	23.1	22.3	24.4	25.7	22.9	24.9	15.2	21.9	18.2	18.7	18.7	-
	子宮体部	C54	28.1	0.0	0.0	0.0	0.0	1.2	1.3	5.2	11.0	21.6	38.7	62.4	68.0	58.5	51.1	44.4	34.5	33.8	19.6	-
	卵巣	C56	17.2	0.0	1.1	1.1	2.5	3.2	3.3	5.6	10.0	10.7	26.5	31.4	39.6	32.8	27.7	23.9	21.1	19.7	20.9	-
	膀胱	C67	7.5	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.4	0.6	1.8	3.3	1.8	5.4	11.7	15.4	21.5	28.3	49.1	-
	腎・尿路（膀胱除く）	C64-C66 C68	13.3	0.0	0.0	0.0	0.0	0.4	0.0	0.8	2.5	4.3	6.8	8.0	9.8	15.4	23.0	31.0	37.8	51.0	46.1	-
	脳・中枢神経系	C70-C72	3.8	3.0	3.3	0.5	0.5	0.8	0.8	2.4	1.4	1.8	2.6	1.2	2.9	4.6	7.4	7.5	8.0	8.6	12.2	-
	甲状腺	C73	19.9	0.0	0.0	1.6	1.5	9.3	7.1	18.1	22.8	22.9	18.2	30.2	26.5	28.2	31.9	38.6	27.6	23.2	19.1	-
	悪性リンパ腫	C81-C85 C96	23.3	1.2	0.0	2.1	2.0	2.0	2.5	5.2	5.7	4.9	9.9	13.3	22.2	32.0	46.5	50.3	71.6	75.3	68.7	-
	多発性骨髄腫	C88-C90	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.3	1.8	2.9	7.1	11.7	10.1	19.6	15.7	19.1	-
	白血病	C91-C95	8.3	8.3	5.0	5.9	2.0	2.0	2.9	3.6	1.8	4.0	4.9	6.8	8.0	10.8	12.1	15.0	14.9	19.7	23.5	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	740.1	18.5	13.0	12.8	13.4	22.4	37.3	72.9	124.0	217.0	334.7	464.4	666.4	1,054.7	1,527.5	1,982.8	2,378.8	2,648.4	2,604.4	-
	口腔・咽頭	C00-C14	18.4	0.0	0.3	0.3	0.5	0.4	1.6	1.7	2.4	7.4	10.0	13.5	21.5	33.8	45.1	47.2	53.2	49.3	51.5	-
	食道	C15	21.7	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	1.2	4.6	10.6	20.5	43.4	59.2	62.9	77.2	75.4	58.7	-
	胃	C16	85.4	0.0	0.0	0.0	0.2	0.2	0.4	1.9	5.3	10.4	14.4	25.4	49.9	96.9	183.7	259.1	325.0	383.7	347.1	-
	大腸（結腸・直腸）	C18-C20	115.0	0.0	0.0	0.0	0.7	1.2	3.7	5.4	14.3	22.0	38.9	68.9	109.3	179.5	250.2	308.6	362.7	440.1	425.6	-
	結腸	C18	77.1	0.0	0.0	0.0	0.5	0.6	2.2	2.1	7.2	12.0	21.4	34.9	65.5	102.0	152.0	209.7	258.7	326.1	336.0	-
	直腸	C19-C20	37.9	0.0	0.0	0.0	0.2	0.6	1.6	3.3	7.1	10.1	17.5	34.0	43.8	77.5	98.2	99.0	104.0	114.0	89.5	-
	肝および肝内胆管	C22	23.5	1.2	0.0	0.0	0.0	0.4	0.6	0.2	0.7	2.1	3.8	8.4	17.3	32.4	51.6	53.4	82.9	112.0	110.8	-
	胆のう・胆管	C23-C24	14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.2	1.6	2.8	5.6	11.3	18.7	31.7	58.9	76.5	98.3	-
	膵臓	C25	31.8	0.0	0.0	0.3	0.7	0.8	0.4	0.4	1.9	4.4	7.6	14.9	22.2	38.5	60.0	90.5	111.7	129.5	151.5	-
	喉頭	C32	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.9	3.3	3.5	10.9	10.3	12.9	12.0	10.2	-
	肺	C33-C34	86.6	0.0	0.0	0.0	0.2	0.4	0.2	2.7	2.6	8.0	15.6	29.1	57.8	105.5	185.1	268.6	338.3	357.9	341.6	-
	皮膚	C43-C44	18.0	0.0	0.0	0.3	0.0	0.2	0.4	1.9	3.8	3.3	4.9	8.4	10.7	19.3	24.8	41.4	56.2	72.8	124.7	-
	乳房	C50	80.9	0.0	0.0	0.0	0.0	0.4	3.0	13.7	34.0	76.9	121.6	115.9	115.4	132.2	151.3	154.8	145.4	153.0	160.8	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	16.4	0.0	0.0	0.0	0.2	0.2	0.4	0.0	0.2	1.2	2.5	6.1	7.9	17.4	28.4	46.2	55.4	73.1	100.6	-
	腎・尿路（膀胱除く）	C64-C66 C68	22.2	0.0	0.0	0.0	0.0	0.2	0.4	1.0	2.9	7.2	9.9	16.6	23.8	33.8	42.8	58.6	67.9	82.2	77.6	-
	脳・中枢神経系	C70-C72	4.3	2.0	3.3	1.3	0.7	1.5	2.4	2.1	1.7	3.3	3.2	2.7	4.4	5.1	7.1	8.1	9.7	8.3	12.5	-
	甲状腺	C73	13.7	0.0	0.3	0.8	0.7	5.8	3.7	10.4	13.3	15.4	13.0	19.1	18.9	20.7	22.8	27.4	21.2	21.5	16.9	-
	悪性リンパ腫	C81-C85 C96	25.9	0.9	0.5	2.6	2.1	1.9	3.6	4.1	6.2	5.0	11.0	14.6	26.4	40.2	52.0	59.1	87.1	93.1	89.8	-
	多発性骨髄腫	C88-C90	5.5	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.2	0.9	1.3	2.3	3.5	6.1	12.7	14.0	21.0	24.4	23.8	-
	白血病	C91-C95	10.2	7.5	5.7	4.2	3.1	2.1	3.4	4.3	3.3	4.7	5.9	8.1	9.3	13.5	15.8	22.6	21.4	31.8	29.9	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

神奈川県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96 D00-D09	949.9	16.4	15.3	10.7	14.0	19.6	36.2	48.0	80.6	134.2	225.9	415.3	751.7	1,389.1	2,221.9	3,073.4	3,802.2	4,162.3	4,343.0	-
	食道	C15 D001	40.7	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.7	6.7	17.4	34.5	77.7	115.6	135.4	166.8	161.6	143.0	-
	大腸（結腸・直腸）*2	C18-C20 D010-D012	187.0	0.0	0.0	0.0	0.5	1.1	5.2	6.3	24.7	33.0	66.9	127.5	200.3	336.4	471.5	584.7	666.4	714.6	619.3	-
	結腸 *2	C18 D010	123.6	0.0	0.0	0.0	0.5	0.4	3.0	2.2	13.4	18.4	42.0	71.7	122.0	197.2	289.3	391.2	473.4	519.2	478.9	-
	直腸 *2	C19-C20 D011-D012	63.4	0.0	0.0	0.0	0.0	0.7	2.2	4.1	11.4	14.7	24.9	55.9	78.4	139.3	182.2	193.4	193.0	195.4	140.4	-
	肺	C33-C34 D021-D022	119.3	0.0	0.0	0.0	0.5	0.7	0.0	3.0	3.3	9.2	20.0	34.9	78.0	144.1	286.7	405.5	527.1	547.7	616.7	-
	皮膚	C43-C44 D030-D049	21.7	0.0	0.0	0.5	0.0	0.4	0.4	2.2	3.3	2.9	5.4	7.6	13.2	21.5	30.4	52.9	82.5	121.9	198.2	-
	乳房	C50 D05	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.0	0.8	2.4	1.6	1.9	1.8	7.0	8.6	7.0	-
	膀胱	C67 D090	49.6	0.0	0.0	0.0	0.5	0.0	1.1	0.4	2.0	3.7	6.9	15.8	31.8	57.9	100.0	163.1	204.8	249.7	321.1	-
	女	全部位	C00-C96 D00-D09	722.2	20.7	10.6	15.5	13.2	34.7	95.4	204.0	296.1	445.7	601.3	697.6	792.4	995.0	1,237.2	1,451.0	1,673.1	1,914.6	1,965.2
食道		C15 D001	8.7	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.7	0.6	3.6	5.6	11.3	16.6	22.3	19.3	25.1	25.8	22.2	-
大腸（結腸・直腸）*2		C18-C20 D010-D012	125.5	0.0	0.0	0.0	1.0	1.6	3.3	6.9	15.7	31.4	50.4	85.2	132.0	177.6	246.1	283.0	351.3	436.4	412.2	-
結腸 *2		C18 D010	91.7	0.0	0.0	0.0	0.5	1.2	2.5	4.0	11.0	19.5	30.6	55.0	93.5	114.9	168.1	212.1	266.2	334.8	329.6	-
直腸 *2		C19-C20 D011-D012	33.8	0.0	0.0	0.0	0.5	0.4	0.8	2.8	4.6	11.9	19.7	30.2	38.5	62.7	78.0	70.9	85.1	101.5	82.6	-
肺		C33-C34 D021-D022	59.6	0.0	0.0	0.0	0.0	0.8	3.2	2.8	8.2	12.7	28.1	42.9	77.6	102.5	166.7	166.7	198.5	220.7	206.5	-
皮膚		C43-C44 D030-D049	21.4	0.0	0.0	0.0	0.0	0.4	2.4	5.7	4.3	6.5	12.1	12.0	22.8	27.3	47.4	58.5	68.2	120.4	-	-
乳房		C50 D05	180.0	0.0	0.0	0.0	0.0	1.2	7.9	33.9	80.1	188.4	289.1	277.5	268.7	298.8	325.5	325.8	290.9	282.3	248.7	-
子宮		C53-C55 D06	74.9	0.0	0.0	0.0	0.5	9.7	59.0	111.7	131.3	125.0	119.7	122.8	108.4	94.2	78.0	76.5	59.6	58.6	43.5	-
子宮頸部		C53 D06	46.3	0.0	0.0	0.0	0.5	8.5	57.7	106.5	120.3	103.0	80.8	59.8	39.6	35.3	26.2	31.4	24.4	22.2	20.0	-
膀胱	C67 D090	13.7	0.0	0.0	0.0	0.0	0.4	0.8	0.8	0.4	2.4	2.9	6.2	4.7	14.9	22.0	32.7	41.8	51.5	67.8	-	
総数 *3	全部位	C00-C96 D00-D09	835.7	18.5	13.0	13.1	13.6	26.8	64.1	122.8	185.0	285.4	408.9	550.6	771.3	1,194.5	1,718.8	2,217.4	2,640.5	2,887.1	2,753.2	-
	食道	C15 D001	24.6	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	1.2	5.2	11.8	23.3	47.5	67.9	74.1	89.5	84.5	62.2	-
	大腸（結腸・直腸）*2	C18-C20 D010-D012	156.1	0.0	0.0	0.0	0.7	1.3	4.3	6.6	20.3	32.2	58.9	107.2	167.4	258.0	356.3	425.5	494.4	556.7	480.8	-
	結腸 *2	C18 D010	107.6	0.0	0.0	0.0	0.5	0.8	2.8	3.1	12.2	18.9	36.5	63.7	108.2	156.6	227.4	296.7	360.3	414.6	379.1	-
	直腸 *2	C19-C20 D011-D012	48.5	0.0	0.0	0.0	0.2	0.6	1.6	3.5	8.1	13.3	22.4	43.5	59.2	101.4	129.0	128.8	134.1	142.1	101.7	-
	肺	C33-C34 D021-D022	89.4	0.0	0.0	0.0	0.2	0.4	0.4	3.1	3.1	8.7	16.5	31.6	61.1	111.3	192.6	279.5	347.8	362.2	342.4	-
	皮膚	C43-C44 D030-D049	21.6	0.0	0.0	0.3	0.0	0.2	0.4	2.3	4.5	3.6	5.9	9.8	12.6	22.1	28.8	50.0	69.4	91.4	146.2	-
	乳房	C50 D05	91.0	0.0	0.0	0.0	0.0	0.6	3.7	16.4	38.8	91.6	140.9	133.5	130.6	148.4	167.2	172.8	161.9	163.9	168.6	-
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
膀胱	C67 D090	31.6	0.0	0.0	0.0	0.2	0.2	1.0	0.6	1.2	3.1	4.9	11.2	18.7	36.7	60.1	94.3	115.9	137.2	151.7	-	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

神奈川県

2019年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	66,721	17.7	31.9	0.1	46.6	3.7
口腔・咽頭	C00-C14	1,672	1.9	25.8	0.0	68.8	3.5
食道	C15	1,969	16.2	31.6	0.0	49.7	2.5
胃	C16	7,725	20.5	36.0	0.1	40.3	3.2
大腸（結腸・直腸）	C18-C20	10,371	20.5	24.2	0.0	52.4	3.0
結腸	C18	6,925	20.1	26.7	0.1	50.3	2.8
直腸	C19-C20	3,446	21.1	19.2	0.0	56.4	3.3
肝および肝内胆管	C22	2,056	5.9	59.1	0.1	30.2	4.7
胆のう・胆管	C23-C24	1,255	5.3	34.3	0.2	57.7	2.5
膵臓	C25	2,840	5.7	34.8	0.0	57.6	1.9
喉頭	C32	307	1.6	20.8	0.0	74.6	2.9
肺	C33-C34	7,689	19.1	42.4	0.1	35.9	2.5
皮膚	C43-C44	1,645	0.4	13.6	0.0	84.7	1.3
乳房	C50	7,358	27.1	15.1	0.0	52.1	5.6
乳房（女性のみ）	C50	7,302	27.3	15.0	0.0	52.1	5.6
子宮	C53-C55	2,033	14.7	19.6	0.0	62.1	3.5
子宮頸部	C53	725	20.6	16.0	0.0	58.1	5.4
子宮体部	C54	1,290	11.5	21.8	0.0	64.6	2.2
卵巣	C56	778	5.8	22.0	0.3	66.7	5.3
前立腺	C61	7,336	33.5	39.8	0.1	21.4	5.1
膀胱	C67	1,478	4.3	23.1	0.0	67.9	4.6
腎・尿路（膀胱除く）	C64-C66 C68	2,011	13.1	48.4	0.1	33.6	4.8
脳・中枢神経系	C70-C72	383	2.1	17.8	0.0	76.0	4.2
甲状腺	C73	1,255	19.0	42.9	0.1	31.5	6.5
悪性リンパ腫	C81-C85 C96	2,344	7.0	32.0	0.1	57.8	3.0
多発性骨髄腫	C88-C90	495	5.5	54.1	0.2	37.4	2.8
白血病	C91-C95	925	10.5	41.0	0.0	44.9	3.7

*1 DCOを除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

神奈川県

2019年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	75,512	19.1	32.5	0.1	44.9	3.4
食道	C15 D001	2,237	16.4	35.9	0.0	45.3	2.4
大腸（結腸・直腸）*2	C18-C20 D010-D012	14,153	24.9	27.5	0.0	45.1	2.4
結腸 *2	C18 D010	9,732	25.0	29.6	0.1	43.0	2.3
直腸 *2	C19-C20 D011-D012	4,421	24.7	22.8	0.0	49.7	2.8
肺	C33-C34 D021-D022	7,942	19.4	42.9	0.1	35.1	2.5
皮膚	C43-C44 D030-D049	1,974	0.5	14.6	0.0	83.8	1.1
乳房	C50 D05	8,286	29.1	16.1	0.0	49.7	5.2
乳房（女性のみ）	C50 D05	8,224	29.3	15.9	0.0	49.6	5.2
子宮	C53-C55 D06	3,436	25.6	29.7	0.0	41.9	2.9
子宮頸部	C53 D06	2,128	34.2	34.7	0.0	28.1	3.1
膀胱	C67 D090	2,873	5.0	26.5	0.0	65.4	3.1

*1 DCOを除く総数

*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

A. 上皮内がんを除く

神奈川県

2019年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	65,306	49.1	9.3	14.1	18.4	9.0	23.4
口腔・咽頭	C00-C14	1,672	41.4	13.5	32.3	4.5	8.2	45.8
食道	C15	1,969	44.4	8.2	26.8	14.5	6.1	35.0
胃	C16	7,725	60.1	9.1	8.0	16.4	6.4	17.1
大腸（結腸・直腸）	C18-C20	10,371	47.1	16.0	11.4	19.1	6.3	27.4
結腸	C18	6,925	46.6	14.8	12.1	20.1	6.3	26.9
直腸	C19-C20	3,446	47.9	18.5	9.9	17.1	6.5	28.3
肝および肝内胆管	C22	2,056	60.7	3.0	8.2	14.2	13.9	11.2
胆のう・胆管	C23-C24	1,255	16.0	2.2	41.5	24.2	16.0	43.7
膵臓	C25	2,840	19.3	7.0	20.5	45.6	7.6	27.5
喉頭	C32	307	70.4	12.1	10.4	1.6	5.5	22.5
肺	C33-C34	7,689	33.7	8.5	10.8	38.9	8.1	19.3
皮膚	C43-C44	1,645	79.9	1.2	8.0	1.2	5.2	9.1
乳房	C50	7,358	60.0	22.0	4.1	6.2	7.7	26.1
乳房（女性のみ）	C50	7,302	60.1	21.9	4.0	6.2	7.8	25.9
子宮	C53-C55	2,033	57.2	3.8	22.5	9.5	6.9	26.4
子宮頸部	C53	725	38.8	4.1	37.4	10.3	9.4	41.5
子宮体部	C54	1,290	68.0	3.7	14.3	9.0	5.0	18.0
卵巣	C56	778	18.9	1.2	52.4	17.2	10.3	53.6
前立腺	C61	7,336	61.7	1.1	16.6	11.9	8.8	17.7
膀胱	C67	1,478	67.9	2.0	12.9	5.4	11.5	14.9
腎・尿路（膀胱除く）	C64-C66 C68	2,011	57.2	1.2	18.2	12.4	11.0	19.3
脳・中枢神経系	C70-C72	383	64.2	0.0	11.2	2.3	22.2	11.2
甲状腺	C73	1,255	37.2	31.7	16.1	3.7	11.2	47.8
悪性リンパ腫	C81-C85 C96	2,312	26.4	0.3	14.7	43.5	15.1	15.0
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

神奈川県

2019年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	74,097	11.8	43.3	8.2	12.4	16.2	8.1	20.6
食道	C15 D001	2,237	11.6	39.1	7.2	23.6	12.7	5.7	30.8
大腸 (結腸・直腸) *3	C18-C20 D010-D012	14,153	26.7	34.5	11.7	8.3	14.0	4.7	20.1
結腸 *3	C18 D010	9,732	28.8	33.2	10.5	8.6	14.3	4.6	19.1
直腸 *3	C19-C20 D011-D012	4,421	22.2	37.4	14.4	7.7	13.3	5.1	22.1
肺	C33-C34 D021-D022	7,942	3.1	32.6	8.2	10.5	37.7	7.8	18.7
皮膚	C43-C44 D030-D049	1,974	19.7	67.1	1.0	6.7	1.0	4.5	7.7
乳房	C50 D05	8,286	10.9	53.2	19.5	3.6	5.5	7.2	23.1
乳房 (女性のみ)	C50 D05	8,224	10.9	53.3	19.5	3.6	5.5	7.2	23.0
子宮	C53-C55 D06	3,436	40.1	33.8	2.3	13.3	5.6	4.9	15.6
子宮頸部	C53 D06	2,128	64.7	13.2	1.4	12.7	3.5	4.4	14.1
膀胱	C67 D090	2,873	47.7	34.9	1.0	6.6	2.8	6.9	7.7

*1 DCO、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

神奈川県

2019年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	65,306	1.1	49.3	7.5	12.3	17.9	11.9	19.8
口腔・咽頭	C00-C14	1,672	0.7	37.9	14.4	30.9	4.5	11.6	45.3
食道	C15	1,969	3.5	40.7	7.7	26.4	14.4	7.5	34.0
胃	C16	7,725	0.1	61.9	7.7	6.7	15.1	8.5	14.4
大腸（結腸・直腸）	C18-C20	10,371	2.0	41.9	15.6	11.6	18.1	10.8	27.2
結腸	C18	6,925	2.2	40.6	15.0	12.3	18.8	11.1	27.3
直腸	C19-C20	3,446	1.6	44.5	16.7	10.3	16.7	10.2	27.0
肝および肝内胆管	C22	2,056	0.0	60.5	2.9	8.2	13.8	14.5	11.1
胆のう・胆管	C23-C24	1,255	0.2	16.3	2.1	35.9	22.9	22.8	37.9
膵臓	C25	2,840	0.1	22.9	3.9	18.8	45.0	9.4	22.6
喉頭	C32	307	0.3	68.1	11.4	11.4	1.6	7.2	22.8
肺	C33-C34	7,689	0.5	33.1	7.1	10.2	38.4	10.7	17.3
皮膚	C43-C44	1,645	5.3	73.9	0.8	7.6	1.0	11.4	8.4
乳房	C50	7,358	3.3	64.3	13.2	4.2	6.3	8.7	17.4
乳房（女性のみ）	C50	7,302	3.3	64.3	13.2	4.1	6.3	8.8	17.3
子宮	C53-C55	2,033	1.7	57.3	3.0	18.1	8.3	11.7	21.0
子宮頸部	C53	725	4.6	38.3	2.8	33.1	10.2	11.0	35.9
子宮体部	C54	1,290	0.2	68.3	3.1	9.7	7.2	11.6	12.8
卵巣	C56	778	0.0	24.7	1.0	33.4	16.1	24.8	34.4
前立腺	C61	7,336	0.0	65.4	0.9	12.1	11.9	9.6	13.1
膀胱	C67	1,478	1.1	65.1	1.6	13.2	5.3	13.7	14.8
腎・尿路（膀胱除く）	C64-C66 C68	2,011	0.7	59.2	1.5	11.7	12.3	14.5	13.3
脳・中枢神経系	C70-C72	383	0.0	62.9	0.0	11.7	2.3	23.0	11.7
甲状腺	C73	1,255	0.1	53.8	18.1	8.0	4.1	16.0	26.1
悪性リンパ腫	C81-C85 C96	2,312	0.0	25.9	0.1	14.6	43.9	15.5	14.7
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

神奈川県

2019年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	74,097	9.4	44.9	6.6	10.9	15.8	12.5	17.5
食道	C15 D001	2,237	12.2	37.7	6.8	23.2	12.7	7.5	30.0
大腸 (結腸・直腸) *3	C18-C20 D010-D012	14,153	16.7	34.5	11.4	8.5	13.3	15.6	20.0
結腸 *3	C18 D010	9,732	17.9	33.1	10.7	8.7	13.4	16.1	19.5
直腸 *3	C19-C20 D011-D012	4,421	14.1	37.5	13.0	8.1	13.0	14.3	21.1
肺	C33-C34 D021-D022	7,942	1.7	33.4	6.8	9.9	37.2	10.9	16.8
皮膚	C43-C44 D030-D049	1,974	18.8	62.7	0.7	6.4	0.9	10.5	7.1
乳房	C50 D05	8,286	12.4	58.3	11.8	3.7	5.6	8.2	15.5
乳房 (女性のみ)	C50 D05	8,224	12.4	58.3	11.8	3.6	5.6	8.3	15.4
子宮	C53-C55 D06	3,436	39.1	34.1	1.7	10.7	4.9	9.4	12.4
子宮頸部	C53 D06	2,128	63.0	13.5	0.9	11.3	3.5	7.8	12.2
膀胱	C67 D090	2,873	39.5	39.4	0.9	7.0	2.7	10.6	7.9

*1 DCO、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

A. 上皮内がんを除く

神奈川県

2019年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	40,446	57.1	10.7	11.2	4.2	16.6	22.0
口腔・咽頭	C00-C14	979	53.4	7.3	19.8	0.5	19.0	27.1
食道	C15	898	70.7	4.6	7.0	0.9	16.8	11.6
胃	C16	5,977	69.7	9.7	7.5	3.1	10.1	17.1
大腸（結腸・直腸）	C18-C20	8,637	51.8	17.4	11.2	10.7	8.9	28.6
結腸	C18	5,864	50.9	16.3	12.7	11.7	8.5	28.9
直腸	C19-C20	2,773	53.6	19.8	8.1	8.6	10.0	27.8
肝および肝内胆管	C22	742	54.2	1.5	2.4	1.8	40.2	3.9
胆のう・胆管	C23-C24	585	16.8	1.4	52.0	5.1	24.8	53.3
膵臓	C25	801	27.5	16.1	18.2	4.7	33.5	34.3
喉頭	C32	105	49.5	12.4	16.2	0.0	21.9	28.6
肺	C33-C34	3,446	58.1	8.6	8.5	3.1	21.7	17.0
皮膚	C43-C44	1,530	79.9	1.0	6.9	0.7	6.9	7.9
乳房	C50	5,605	65.8	20.3	2.1	0.5	11.2	22.4
乳房（女性のみ）	C50	5,559	66.0	20.1	2.0	0.5	11.3	22.2
子宮	C53-C55	1,611	66.6	4.0	14.0	4.3	11.1	17.9
子宮頸部	C53	422	55.9	4.5	15.4	1.4	22.7	19.9
子宮体部	C54	1,176	70.7	3.8	13.5	5.4	6.5	17.3
卵巣	C56	620	22.4	1.0	53.1	10.2	13.4	54.0
前立腺	C61	2,549	48.8	0.7	17.5	0.2	32.8	18.2
膀胱	C67	1,238	49.2	1.0	5.9	3.8	40.1	6.9
腎・尿路（膀胱除く）	C64-C66 C68	1,564	64.5	0.4	17.6	2.9	14.6	18.1
脳・中枢神経系	C70-C72	274	60.6	0.0	8.4	0.7	30.3	8.4
甲状腺	C73	1,106	32.5	34.5	16.5	2.1	14.3	51.1
悪性リンパ腫	C81-C85 C96	368	18.8	1.4	4.9	6.0	69.0	6.3
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

神奈川県

2019年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	48,860	16.9	47.3	8.9	9.3	3.5	14.2	18.2
食道	C15 D001	1,120	18.4	56.7	3.7	5.6	0.7	14.9	9.3
大腸 (結腸・直腸) *3	C18-C20 D010-D012	12,404	30.2	36.0	12.1	7.8	7.5	6.4	19.9
結腸 *3	C18 D010	8,659	32.1	34.5	11.0	8.6	7.9	5.9	19.6
直腸 *3	C19-C20 D011-D012	3,745	25.8	39.7	14.6	6.0	6.4	7.5	20.6
肺	C33-C34 D021-D022	3,691	6.6	54.3	8.0	7.9	2.9	20.3	15.9
皮膚	C43-C44 D030-D049	1,828	18.9	67.5	0.9	5.9	0.6	6.3	6.7
乳房	C50 D05	6,477	12.8	57.0	17.6	1.8	0.5	10.4	19.4
乳房 (女性のみ)	C50 D05	6,425	12.8	57.1	17.4	1.8	0.5	10.5	19.2
子宮	C53-C55 D06	2,871	41.5	37.4	2.2	7.8	2.4	8.6	10.1
子宮頸部	C53 D06	1,682	70.8	14.0	1.1	3.9	0.4	9.8	5.0
膀胱	C67 D090	2,589	50.1	23.5	0.5	2.8	1.8	21.2	3.3

*1 DC0、「660:手術なし・術前治療後」、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

神奈川県

2019年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96	66,721	26.8	20.2	9.6	12.4	27.9	11.9	1.9	21.2
口腔・咽頭	C00-C14	1,672	44.8	0.2	6.2	35.5	29.9	0.1	0.2	20.1
食道	C15	1,969	6.7	17.3	28.4	24.3	39.1	0.1	0.8	19.8
胃	C16	7,725	19.5	15.9	38.5	0.6	18.4	0.0	0.5	20.1
大腸（結腸・直腸）	C18-C20	10,371	20.4	49.6	13.4	2.1	28.2	0.1	0.7	15.5
結腸	C18	6,925	23.0	49.3	11.6	0.5	26.5	0.1	0.7	16.0
直腸	C19-C20	3,446	15.3	50.2	17.0	5.3	31.5	0.2	0.6	14.3
肝および肝内胆管	C22	2,056	15.9	6.7	0.0	5.0	30.0	0.0	29.0	35.1
胆のう・胆管	C23-C24	1,255	33.6	4.5	0.8	2.2	26.4	0.2	2.0	43.1
膵臓	C25	2,840	22.0	2.8	0.0	3.3	49.8	0.5	0.8	38.9
喉頭	C32	307	16.9	0.0	12.4	62.9	26.1	0.3	2.3	13.4
肺	C33-C34	7,689	4.1	31.7	0.0	17.7	36.4	0.0	0.6	28.1
皮膚	C43-C44	1,645	88.0	0.2	0.0	2.9	2.3	0.1	0.9	9.5
乳房	C50	7,358	78.8	0.2	0.0	30.9	29.1	54.4	0.4	10.0
乳房（女性のみ）	C50	7,302	78.8	0.2	0.0	31.0	29.2	54.4	0.4	10.1
子宮	C53-C55	2,033	50.0	23.0	0.4	17.7	37.7	0.6	0.0	13.1
子宮頸部	C53	725	39.0	9.2	0.8	44.3	42.3	0.1	0.1	19.0
子宮体部	C54	1,290	56.6	30.9	0.2	3.0	35.4	0.9	0.0	9.0
卵巣	C56	778	75.4	5.5	0.0	0.6	66.8	0.0	0.6	15.4
前立腺	C61	7,336	1.4	24.0	0.8	19.9	1.6	49.4	0.6	19.4
膀胱	C67	1,478	8.4	7.6	77.3	6.2	43.9	0.4	17.1	15.9
腎・尿路（膀胱除く）	C64-C66 C68	2,011	11.8	57.2	0.7	2.7	13.9	0.1	0.7	22.1
脳・中枢神経系	C70-C72	383	61.9	0.5	0.0	52.5	49.6	0.5	2.3	25.1
甲状腺	C73	1,255	76.3	1.1	0.3	9.5	1.9	9.8	0.3	20.2
悪性リンパ腫	C81-C85 C96	2,344	5.6	1.5	0.2	9.8	62.1	2.6	1.5	28.7
多発性骨髄腫	C88-C90	495	0.4	0.2	0.2	4.4	67.3	1.8	2.2	31.1
白血病	C91-C95	925	0.0	0.1	0.0	5.9	71.0	2.6	2.7	28.0

*1 DCOを除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

神奈川県

2019年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96 D00-D09	75,512	26.9	18.7	15.3	11.4	25.5	10.7	2.1	19.3
食道	C15 D001	2,237	5.9	15.3	34.2	21.5	34.5	0.1	0.9	19.8
大腸（結腸・直腸）*2	C18-C20 D010-D012	14,153	15.4	37.6	34.7	1.5	20.7	0.1	0.5	11.6
結腸 *2	C18 D010	9,732	16.8	36.5	35.1	0.3	18.9	0.1	0.6	11.7
直腸 *2	C19-C20 D011-D012	4,421	12.3	40.0	34.0	4.2	24.6	0.2	0.5	11.3
肺	C33-C34 D021-D022	7,942	4.0	33.7	0.0	17.1	35.2	0.0	0.6	27.3
皮膚	C43-C44 D030-D049	1,974	88.0	0.2	0.0	2.6	2.0	0.2	1.7	9.3
乳房	C50 D05	8,286	80.1	0.2	0.0	30.8	25.9	50.0	0.3	9.7
乳房（女性のみ）	C50 D05	8,224	80.0	0.2	0.0	31.0	26.0	49.9	0.3	9.7
子宮	C53-C55 D06	3,436	60.2	17.3	1.3	10.5	22.3	0.4	1.5	12.5
子宮頸部	C53 D06	2,128	62.7	9.0	1.9	15.2	14.5	0.1	2.4	14.1
膀胱	C67 D090	2,873	4.9	4.5	85.1	3.3	44.8	0.7	16.9	9.6

*1 DCOを除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲 (%) : 部位別

A. 上皮内がんを除く

神奈川県

2019年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	36,729	88.4	10.4	1.2
口腔・咽頭	C00-C14	847	85.1	12.6	2.2
食道	C15	1,006	89.8	9.0	1.2
胃	C16	5,478	94.1	4.9	1.0
大腸（結腸・直腸）	C18-C20	8,182	89.2	9.5	1.3
結腸	C18	5,489	88.9	10.0	1.1
直腸	C19-C20	2,693	89.9	8.6	1.5
肝および肝内胆管	C22	463	88.6	10.2	1.3
胆のう・胆管	C23-C24	476	80.7	17.6	1.7
膵臓	C25	705	86.0	12.3	1.7
喉頭	C32	90	77.8	18.9	3.3
肺	C33-C34	2,751	92.9	6.1	0.9
皮膚	C43-C44	1,452	94.6	4.2	1.2
乳房	C50	5,814	94.0	5.4	0.6
乳房（女性のみ）	C50	5,766	94.0	5.4	0.6
子宮	C53-C55	1,469	93.5	5.9	0.7
子宮頸部	C53	341	92.4	7.0	0.6
子宮体部	C54	1,122	93.8	5.5	0.7
卵巣	C56	608	73.0	25.3	1.6
前立腺	C61	1,913	82.1	17.2	0.7
膀胱	C67	1,196	39.5	57.9	2.6
腎・尿路（膀胱除く）	C64-C66 C68	1,393	94.5	4.7	0.8
脳・中枢神経系	C70-C72	239	50.2	44.8	5.0
甲状腺	C73	975	91.0	7.8	1.2
悪性リンパ腫	C81-C85 C96	170	51.2	35.9	12.9
多発性骨髄腫	C88-C90	4	0.0	50.0	50.0
白血病	C91-C95	1	0.0	100.0	0.0

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DCOを除く総数

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

神奈川県

2019年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	44,955	89.5	9.2	1.3
食道	C15 D001	1,213	91.0	7.7	1.3
大腸（結腸・直腸）*2	C18-C20 D010-D012	11,929	91.6	6.9	1.5
結腸 *2	C18 D010	8,268	91.6	6.9	1.5
直腸 *2	C19-C20 D011-D012	3,661	91.6	6.8	1.6
肺	C33-C34 D021-D022	2,995	93.4	5.7	0.9
皮膚	C43-C44 D030-D049	1,742	95.2	3.8	1.0
乳房	C50 D05	6,655	94.2	5.2	0.6
乳房（女性のみ）	C50 D05	6,601	94.2	5.1	0.6
子宮	C53-C55 D06	2,660	93.5	5.1	1.4
子宮頸部	C53 D06	1,532	93.3	4.8	1.9
膀胱	C67 D090	2,523	63.6	34.0	2.3

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

神奈川県

2019年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.36	0.34	0.35	2.5	3.2	2.8	1.7	2.4	2.0	88.7	88.7	88.7	86.3	85.9	86.2
口腔・咽頭	C00-C14	0.33	0.30	0.32	0.8	2.0	1.2	0.7	1.8	1.0	94.8	94.1	94.6	93.3	91.3	92.7
食道	C15	0.44	0.46	0.45	1.4	3.0	1.7	1.1	3.0	1.5	96.7	94.7	96.3	96.6	94.4	96.2
胃	C16	0.32	0.36	0.33	2.0	3.4	2.4	1.3	2.5	1.6	96.0	93.4	95.2	95.9	93.1	95.1
大腸（結腸・直腸）	C18-C20	0.30	0.33	0.31	2.2	3.3	2.7	1.6	2.5	2.0	94.6	90.9	93.1	94.5	90.7	92.9
結腸	C18	0.31	0.34	0.32	2.5	3.8	3.1	1.8	2.9	2.3	93.8	89.7	92.0	93.7	89.5	91.8
直腸	C19-C20	0.28	0.29	0.29	1.7	2.1	1.8	1.2	1.3	1.3	96.0	93.9	95.2	96.0	93.9	95.2
肝および肝内胆管	C22	0.65	0.72	0.67	5.6	10.1	6.9	3.6	7.6	4.8	41.3	33.1	38.9	40.1	31.7	37.6
胆のう・胆管	C23-C24	0.80	0.86	0.82	5.2	8.7	6.7	3.4	6.6	4.8	76.4	66.1	72.0	66.5	58.6	63.1
膵臓	C25	0.79	0.82	0.81	3.9	5.6	4.7	2.4	3.5	2.9	71.2	63.6	67.6	64.9	56.0	60.6
喉頭	C32	0.14	0.26	0.15	0.4	3.7	0.7	0.0	0.0	0.0	95.4	88.9	94.8	94.6	88.9	94.1
肺	C33-C34	0.61	0.54	0.58	4.6	6.1	5.1	3.0	4.6	3.5	81.3	78.7	80.4	73.2	70.7	72.4
皮膚	C43-C44	0.06	0.07	0.07	0.7	0.5	0.6	0.7	0.4	0.5	98.5	98.2	98.3	98.5	98.2	98.3
乳房	C50	0.09	0.15	0.15	1.8	1.2	1.3	1.8	1.1	1.1	98.2	96.3	96.3	98.2	95.8	95.8
子宮	C53-C55	-	0.22	0.22	-	1.1	1.1	-	1.0	1.0	-	96.9	96.9	-	95.1	95.1
子宮頸部	C53	-	0.25	0.25	-	0.8	0.8	-	0.8	0.8	-	97.0	97.0	-	92.9	92.9
子宮体部	C54	-	0.13	0.13	-	0.6	0.6	-	0.5	0.5	-	98.4	98.4	-	97.8	97.8
卵巣	C56	-	0.40	0.40	-	3.1	3.1	-	2.0	2.0	-	91.8	91.8	-	86.6	86.6
前立腺	C61	0.11	-	0.11	1.2	-	1.2	1.0	-	1.0	92.3	-	92.3	92.2	-	92.2
膀胱	C67	0.34	0.47	0.37	2.6	5.5	3.2	1.9	3.2	2.2	92.3	85.3	90.7	88.7	79.9	86.6
腎・尿路（膀胱除く）	C64-C66 C68	0.27	0.30	0.28	1.6	2.9	2.0	1.0	2.6	1.5	87.3	80.6	85.3	83.3	76.8	81.3
脳・中枢神経系	C70-C72	0.48	0.51	0.49	0.9	4.0	2.3	0.5	4.0	2.0	84.6	72.3	79.0	84.6	72.3	79.0
甲状腺	C73	0.12	0.08	0.09	0.9	0.5	0.6	0.9	0.5	0.6	96.5	98.0	97.6	88.7	86.3	86.9
悪性リンパ腫	C81-C85 C96	0.39	0.34	0.37	2.4	4.0	3.1	1.3	2.0	1.6	95.1	93.7	94.5	93.3	91.1	92.3
多発性骨髄腫	C88-C90	0.50	0.51	0.50	2.9	6.1	4.3	1.4	4.3	2.8	93.2	85.3	89.6	86.7	80.1	83.7
白血病	C91-C95	0.67	0.51	0.60	1.6	3.9	2.6	1.1	2.4	1.6	95.3	95.5	95.4	86.6	85.8	86.3

*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

神奈川県

2019年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.33	0.29	0.31	2.3	2.8	2.5	1.5	2.1	1.8	89.8	90.2	90.0	87.7	87.7	87.7
食道	C15 D001	0.40	0.39	0.39	1.3	2.5	1.5	1.0	2.5	1.3	97.0	95.5	96.8	97.0	95.3	96.7
大腸 (結腸・直腸) *2	C18-C20 D010-D012	0.21	0.25	0.23	1.6	2.5	2.0	1.1	1.9	1.5	96.2	93.0	94.9	96.1	92.8	94.8
結腸 *2	C18 D010	0.21	0.26	0.23	1.7	2.9	2.2	1.3	2.2	1.7	95.8	92.2	94.3	95.7	92.0	94.1
直腸 *2	C19-C20 D011-D012	0.22	0.23	0.22	1.3	1.7	1.4	0.9	1.1	1.0	96.9	95.1	96.3	96.9	95.1	96.3
肺	C33-C34 D021-D022	0.59	0.51	0.57	4.5	5.8	5.0	2.9	4.4	3.4	81.6	79.8	81.0	73.7	72.2	73.2
皮膚	C43-C44 D030-D049	0.05	0.06	0.06	0.6	0.4	0.5	0.6	0.3	0.5	98.7	98.4	98.5	98.7	98.4	98.5
乳房	C50 D05	0.08	0.13	0.13	1.6	1.1	1.1	1.6	1.0	1.0	98.4	96.7	96.7	98.4	96.2	96.2
子宮	C53-C55 D06	-	0.13	0.13	-	0.7	0.7	-	0.6	0.6	-	98.2	98.2	-	96.9	96.9
子宮頸部	C53 D06	-	0.09	0.09	-	0.3	0.3	-	0.3	0.3	-	99.0	99.0	-	97.2	97.2
膀胱	C67 D090	0.18	0.26	0.19	1.3	3.0	1.7	1.0	1.7	1.1	96.0	91.7	95.1	93.6	88.7	92.5

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 部位別、性別

神奈川県

2019年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	14,275	9,699	23,974	100.0	100.0	100.0	318.4	214.9	266.5	143.8	82.8	109.8	96.9	58.3	75.4	10.2	6.2	8.1
口腔・咽頭	C00-C14	395	149	544	2.8	1.5	2.3	8.8	3.3	6.0	4.3	1.1	2.6	2.9	0.7	1.8	0.3	0.1	0.2
食道	C15	737	155	892	5.2	1.6	3.7	16.4	3.4	9.9	7.9	1.4	4.5	5.4	1.0	3.1	0.7	0.1	0.4
胃	C16	1,793	829	2,622	12.6	8.5	10.9	40.0	18.4	29.1	17.3	6.2	11.2	11.5	4.3	7.5	1.1	0.4	0.8
大腸（結腸・直腸）	C18-C20	1,828	1,458	3,286	12.8	15.0	13.7	40.8	32.3	36.5	19.6	11.5	15.3	13.5	8.1	10.6	1.5	0.9	1.2
結腸	C18	1,197	1,094	2,291	8.4	11.3	9.6	26.7	24.2	25.5	12.3	8.3	10.1	8.4	5.8	7.0	0.9	0.6	0.7
直腸	C19-C20	631	364	995	4.4	3.8	4.2	14.1	8.1	11.1	7.3	3.2	5.1	5.1	2.3	3.7	0.6	0.2	0.4
肝および肝内胆管	C22	993	461	1,454	7.0	4.8	6.1	22.2	10.2	16.2	10.1	2.9	6.3	6.9	1.9	4.2	0.8	0.2	0.5
胆のう・胆管	C23-C24	603	482	1,085	4.2	5.0	4.5	13.5	10.7	12.1	5.6	3.1	4.2	3.6	2.0	2.7	0.3	0.2	0.2
膵臓	C25	1,212	1,144	2,356	8.5	11.8	9.8	27.0	25.3	26.2	12.8	9.0	10.8	8.7	6.1	7.3	1.0	0.7	0.8
喉頭	C32	39	7	46	0.3	0.1	0.2	0.9	0.2	0.5	0.4	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
肺	C33-C34	3,247	1,412	4,659	22.7	14.6	19.4	72.4	31.3	51.8	32.2	10.9	20.6	21.4	7.3	13.7	2.3	0.8	1.5
皮膚	C43-C44	51	59	110	0.4	0.6	0.5	1.1	1.3	1.2	0.5	0.5	0.5	0.4	0.4	0.4	0.0	0.0	0.0
乳房	C50	5	1,087	1,092	0.0	11.2	4.6	0.1	24.1	12.1	0.1	13.1	6.7	0.0	9.8	5.0	0.0	1.2	0.6
子宮	C53-C55	-	442	442	-	4.6	1.8	-	9.8	-	-	5.5	-	-	4.1	-	-	0.5	-
子宮頸部	C53	-	184	184	-	1.9	0.8	-	4.1	-	-	2.5	-	-	1.9	-	-	0.2	-
子宮体部	C54	-	164	164	-	1.7	0.7	-	3.6	-	-	1.9	-	-	1.3	-	-	0.2	-
卵巣	C56	-	318	318	-	3.3	1.3	-	7.0	-	-	3.9	-	-	2.9	-	-	0.3	-
前立腺	C61	844	-	844	5.9	-	3.5	18.8	-	-	7.1	-	-	4.6	-	-	0.4	-	-
膀胱	C67	400	163	563	2.8	1.7	2.3	8.9	3.6	6.3	3.4	0.9	2.0	2.2	0.6	1.3	0.2	0.0	0.1
腎・尿路（膀胱除く）	C64-C66 C68	380	185	565	2.7	1.9	2.4	8.5	4.1	6.3	3.6	1.3	2.3	2.4	0.8	1.5	0.2	0.1	0.1
脳・中枢神経系	C70-C72	103	90	193	0.7	0.9	0.8	2.3	2.0	2.1	1.7	1.2	1.5	1.4	1.0	1.2	0.1	0.1	0.1
甲状腺	C73	42	70	112	0.3	0.7	0.5	0.9	1.6	1.2	0.4	0.5	0.5	0.3	0.3	0.3	0.0	0.0	0.0
悪性リンパ腫	C81-C85 C96	509	366	875	3.6	3.8	3.6	11.4	8.1	9.7	5.0	2.9	3.8	3.3	2.0	2.6	0.3	0.2	0.3
多発性骨髄腫	C88-C90	138	117	255	1.0	1.2	1.1	3.1	2.6	2.8	1.3	0.8	1.0	0.9	0.5	0.7	0.1	0.0	0.1
白血病	C91-C95	373	195	568	2.6	2.0	2.4	8.3	4.3	6.3	4.2	1.8	2.9	2.9	1.4	2.1	0.3	0.1	0.2

*1 総数は男女および性別不詳の合計（死亡の場所が不詳及び外国を含む）

表10. 年齢階級別死亡数： 部位別、性別

神奈川県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	14,275	2	2	3	3	7	8	20	25	59	152	266	456	765	1,525	2,293	2,858	2,670	2,042	941	163	15	0
	口腔・咽頭	C00-C14	395	0	0	0	0	0	1	0	0	2	9	9	21	27	38	85	82	56	44	18	3	0	0
	食道	C15	737	0	0	0	0	0	0	0	0	0	9	16	37	54	82	163	176	100	67	28	5	0	0
	胃	C16	1,793	0	0	0	0	1	0	1	4	3	10	27	57	73	188	265	354	372	287	128	22	1	0
	大腸（結腸・直腸）	C18-C20	1,828	0	0	0	0	0	0	1	4	12	32	60	81	125	232	278	331	316	215	112	26	3	0
	結腸	C18	1,197	0	0	0	0	0	0	0	1	9	18	35	47	65	142	174	217	223	158	82	23	3	0
	直腸	C19-C20	631	0	0	0	0	0	0	1	3	3	14	25	34	60	90	104	114	93	57	30	3	0	0
	肝および肝内胆管	C22	993	0	0	0	0	0	0	0	3	5	11	9	32	68	118	162	184	185	161	50	5	0	0
	胆のう・胆管	C23-C24	603	0	0	0	0	0	0	1	1	1	5	7	12	21	47	83	125	136	111	46	7	0	0
	膵臓	C25	1,212	0	0	0	0	0	1	0	0	8	18	24	52	76	144	216	255	208	151	47	11	1	0
	喉頭	C32	39	0	0	0	0	0	0	0	0	0	0	2	1	1	7	5	11	5	2	4	1	0	0
	肺	C33-C34	3,247	0	0	0	0	0	0	1	2	8	26	48	70	167	366	583	711	611	426	201	26	1	0
	皮膚	C43-C44	51	0	0	0	0	0	0	0	0	0	1	5	2	3	5	5	4	10	6	5	3	2	0
	乳房	C50	5	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	0	0	1	0	0	0
	前立腺	C61	844	0	0	0	0	0	0	0	1	0	0	2	8	23	54	101	169	176	165	118	24	3	0
	膀胱	C67	400	0	0	0	0	0	0	0	0	0	3	1	4	11	30	53	64	83	81	61	9	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	380	0	0	0	0	0	0	0	0	1	3	7	5	18	33	57	81	65	69	33	7	1	0
	脳・中枢神経系	C70-C72	103	1	0	2	1	2	1	5	2	7	2	9	11	12	13	10	8	13	3	1	0	0	0
	甲状腺	C73	42	0	0	0	0	0	0	0	0	1	0	1	2	2	10	5	9	8	3	1	0	0	
	悪性リンパ腫	C81-C85 C96	509	0	0	0	0	0	1	1	0	2	4	12	20	24	49	63	91	119	88	30	4	1	0
	多発性骨髄腫	C88-C90	138	0	0	0	0	0	0	0	1	0	3	3	2	6	10	19	29	32	22	8	3	0	0
	白血病	C91-C95	373	0	2	0	0	2	2	5	2	3	8	7	15	20	43	60	79	67	44	12	2	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

神奈川県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	9,699	2	6	2	4	2	7	14	45	95	198	273	367	499	855	1,169	1,465	1,650	1,598	1,033	363	52	0
	口腔・咽頭	C00-C14	149	0	0	0	0	0	0	0	2	0	1	5	1	7	11	10	19	36	24	22	8	3	0
	食道	C15	155	0	0	0	0	0	0	0	1	0	2	3	10	10	18	20	27	18	29	13	2	2	0
	胃	C16	829	0	0	0	0	0	2	1	6	7	10	17	22	31	47	91	131	149	153	122	35	5	0
	大腸（結腸・直腸）	C18-C20	1,458	0	0	0	0	0	0	1	8	12	25	31	52	60	140	167	170	233	253	211	84	11	0
	結腸	C18	1,094	0	0	0	0	0	0	0	4	8	17	19	31	41	111	122	125	176	198	169	67	6	0
	直腸	C19-C20	364	0	0	0	0	0	0	1	4	4	8	12	21	19	29	45	45	57	55	42	17	5	0
	肝および肝内胆管	C22	461	0	0	0	0	0	0	0	0	0	2	3	1	15	27	48	75	108	109	51	22	0	0
	胆のう・胆管	C23-C24	482	0	0	0	0	0	0	0	0	0	1	6	12	9	29	42	92	83	116	62	24	6	0
	膵臓	C25	1,144	0	0	0	0	0	0	0	2	7	7	22	25	43	119	163	201	235	183	101	35	1	0
	喉頭	C32	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	1	1	0	0
	肺	C33-C34	1,412	0	0	0	0	0	0	0	2	7	16	20	32	64	111	195	259	267	251	134	44	10	0
	皮膚	C43-C44	59	0	0	0	0	0	0	0	1	1	2	2	4	2	6	2	8	10	5	6	9	1	0
	乳房	C50	1,087	0	0	0	0	0	0	4	7	24	57	86	102	107	140	147	117	115	83	62	28	8	0
	子宮	C53-C55	442	0	0	0	0	1	1	3	5	14	33	29	35	44	47	55	53	55	40	24	2	1	0
	子宮頸部	C53	184	0	0	0	0	0	1	3	4	8	24	15	12	20	14	23	18	18	16	8	0	0	0
	子宮体部	C54	164	0	0	0	0	0	0	0	1	3	4	7	19	14	22	22	23	24	14	11	0	0	0
	卵巣	C56	318	0	0	0	0	0	0	3	4	6	20	21	26	28	41	50	42	30	21	21	5	0	0
	膀胱	C67	163	0	0	0	0	0	0	0	0	0	0	0	3	3	5	7	26	29	45	36	9	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	185	0	0	0	0	0	0	0	2	1	1	1	6	5	9	18	26	35	41	28	11	1	0
	脳・中枢神経系	C70-C72	90	0	3	0	1	0	1	1	2	6	4	6	2	7	13	12	5	16	9	2	0	0	0
	甲状腺	C73	70	0	0	0	0	0	0	0	0	1	0	0	1	4	4	9	15	13	14	7	2	0	0
	悪性リンパ腫	C81-C85 C96	366	0	1	1	1	0	1	0	1	4	3	4	9	16	27	40	63	70	66	47	11	1	0
	多発性骨髄腫	C88-C90	117	0	0	0	0	0	0	0	0	0	1	1	2	3	6	9	22	30	24	16	3	0	0
	白血病	C91-C95	195	1	1	0	2	1	1	1	1	2	3	5	3	14	17	21	29	39	36	12	6	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

神奈川県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	23,974	4	8	5	7	9	15	34	70	154	350	539	823	1,264	2,380	3,462	4,323	4,320	3,640	1,974	526	67	0
	口腔・咽頭	C00-C14	544	0	0	0	0	0	1	0	2	2	10	14	22	34	49	95	101	92	68	40	11	3	0
	食道	C15	892	0	0	0	0	0	0	0	1	0	11	19	47	64	100	183	203	118	96	41	7	2	0
	胃	C16	2,622	0	0	0	0	1	2	2	10	10	20	44	79	104	235	356	485	521	440	250	57	6	0
	大腸（結腸・直腸）	C18-C20	3,286	0	0	0	0	0	0	2	12	24	57	91	133	185	372	445	501	549	468	323	110	14	0
	結腸	C18	2,291	0	0	0	0	0	0	0	5	17	35	54	78	106	253	296	342	399	356	251	90	9	0
	直腸	C19-C20	995	0	0	0	0	0	0	2	7	7	22	37	55	79	119	149	159	150	112	72	20	5	0
	肝および肝内胆管	C22	1,454	0	0	0	0	0	0	0	3	5	13	12	33	83	145	210	259	293	270	101	27	0	0
	胆のう・胆管	C23-C24	1,085	0	0	0	0	0	0	1	1	1	6	13	24	30	76	125	217	219	227	108	31	6	0
	膵臓	C25	2,356	0	0	0	0	0	1	0	2	15	25	46	77	119	263	379	456	443	334	148	46	2	0
	喉頭	C32	46	0	0	0	0	0	0	0	0	0	0	2	1	1	7	5	12	7	4	5	2	0	0
	肺	C33-C34	4,659	0	0	0	0	0	0	1	4	15	42	68	102	231	477	778	970	878	677	335	70	11	0
	皮膚	C43-C44	110	0	0	0	0	0	0	0	1	1	3	7	6	5	11	7	12	20	11	11	12	3	0
	乳房	C50	1,092	0	0	0	0	0	0	4	7	24	57	86	102	108	141	147	119	115	83	63	28	8	0
	子宮	C53-C55	442	0	0	0	0	1	1	3	5	14	33	29	35	44	47	55	53	55	40	24	2	1	0
	子宮頸部	C53	184	0	0	0	0	0	1	3	4	8	24	15	12	20	14	23	18	18	16	8	0	0	0
	子宮体部	C54	164	0	0	0	0	0	0	0	1	3	4	7	19	14	22	22	23	24	14	11	0	0	0
	卵巣	C56	318	0	0	0	0	0	0	3	4	6	20	21	26	28	41	50	42	30	21	21	5	0	0
	前立腺	C61	844	0	0	0	0	0	0	0	1	0	0	2	8	23	54	101	169	176	165	118	24	3	0
	膀胱	C67	563	0	0	0	0	0	0	0	0	0	3	1	7	14	35	60	90	112	126	97	18	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	565	0	0	0	0	0	0	0	2	2	4	8	11	23	42	75	107	100	110	61	18	2	0
	脳・中枢神経系	C70-C72	193	1	3	2	2	2	2	6	4	13	6	15	13	19	26	22	13	29	12	3	0	0	0
	甲状腺	C73	112	0	0	0	0	0	0	0	0	1	1	0	2	6	6	19	20	22	22	10	3	0	0
	悪性リンパ腫	C81-C85 C96	875	0	1	1	1	0	2	1	1	6	7	16	29	40	76	103	154	189	154	77	15	2	0
	多発性骨髄腫	C88-C90	255	0	0	0	0	0	0	0	1	0	4	4	4	9	16	28	51	62	46	24	6	0	0
	白血病	C91-C95	568	1	3	0	2	3	3	6	3	5	11	12	18	34	60	81	108	106	80	24	8	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

神奈川県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	318.4	1.2	1.1	1.5	1.4	2.7	3.2	7.8	8.7	17.4	38.1	73.5	156.2	312.2	569.0	843.0	1,253.5	1,780.0	2,772.8	.
	口腔・咽頭	C00-C14	8.8	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.6	2.3	2.5	7.2	11.0	14.2	31.3	36.0	37.3	57.0	.
	食道	C15	16.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	4.4	12.7	22.0	30.6	59.9	77.2	66.7	87.7	.
	胃	C16	40.0	0.0	0.0	0.0	0.0	0.4	0.0	0.4	1.4	0.9	2.5	7.5	19.5	29.8	70.1	97.4	155.3	248.0	384.2	.
	大腸（結腸・直腸）	C18-C20	40.8	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.4	3.5	8.0	16.6	27.7	51.0	86.6	102.2	145.2	210.7	312.3	.
	結腸	C18	26.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.6	4.5	9.7	16.1	26.5	53.0	64.0	95.2	148.7	233.3	.
	直腸	C19-C20	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.0	0.9	3.5	6.9	11.6	24.5	33.6	38.2	50.0	62.0	78.9	.
	肝および肝内胆管	C22	22.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.5	2.8	2.5	11.0	27.8	44.0	59.6	80.7	123.3	189.5	.
	胆のう・胆管	C23-C24	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.3	1.3	1.9	4.1	8.6	17.5	30.5	54.8	90.7	143.9	.
	膵臓	C25	27.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	2.4	4.5	6.6	17.8	31.0	53.7	79.4	111.8	138.7	184.2	.
	喉頭	C32	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.4	2.6	1.8	4.8	3.3	6.1	.
	肺	C33-C34	72.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.7	2.4	6.5	13.3	24.0	68.2	136.6	214.3	311.8	407.3	573.7	.
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.4	0.7	1.2	1.9	1.8	1.8	6.7	14.0	.
	乳房	C50	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0	0.9	0.0	0.9	.
	前立腺	C61	18.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.6	2.7	9.4	20.1	37.1	74.1	117.3	271.9	.
	膀胱	C67	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.3	1.4	4.5	11.2	19.5	28.1	55.3	132.5	.
	腎・尿路（膀胱除く）	C64-C66 C68	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	1.9	1.7	7.3	12.3	21.0	35.5	43.3	96.5	.
	脳・中枢神経系	C70-C72	2.3	0.6	0.0	1.0	0.5	0.8	0.4	2.0	0.7	2.1	0.5	2.5	3.8	4.9	4.9	3.7	3.5	8.7	3.5	.
	甲状腺	C73	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.8	0.7	3.7	2.2	6.0	10.5	.
	悪性リンパ腫	C81-C85 C96	11.4	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0	0.6	1.0	3.3	6.8	9.8	18.3	23.2	39.9	79.3	107.9	.
	多発性骨髄腫	C88-C90	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.8	0.8	0.7	2.4	3.7	7.0	12.7	21.3	28.9	.
	白血病	C91-C95	8.3	0.0	1.1	0.0	0.0	0.8	0.8	2.0	0.7	0.9	2.0	1.9	5.1	8.2	16.0	22.1	34.6	44.7	50.9	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

神奈川県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	214.9	1.2	3.4	1.1	2.0	0.8	3.1	5.9	16.7	29.8	52.5	82.7	135.9	210.5	305.4	383.3	534.7	833.3	1,324.3	.
	口腔・咽頭	C00-C14	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.3	1.5	0.4	3.0	3.9	3.3	6.9	18.2	24.8	.
	食道	C15	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.5	0.9	3.7	4.2	6.4	6.6	9.9	9.1	20.0	.
	胃	C16	18.4	0.0	0.0	0.0	0.0	0.0	0.9	0.4	2.2	2.2	2.7	5.2	8.1	13.1	16.8	29.8	47.8	75.3	137.0	.
	大腸（結腸・直腸）	C18-C20	32.3	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3.0	3.8	6.6	9.4	19.3	25.3	50.0	54.8	62.0	117.7	243.0	.
	結腸	C18	24.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.5	4.5	5.8	11.5	17.3	39.6	40.0	45.6	88.9	191.3	.
	直腸	C19-C20	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.5	1.3	2.1	3.6	7.8	8.0	10.4	14.8	16.4	28.8	51.7	.
	肝および肝内胆管	C22	10.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.9	0.4	6.3	9.6	15.7	27.4	54.5	79.1	.
	胆のう・胆管	C23-C24	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.8	4.4	3.8	10.4	13.8	33.6	41.9	90.4	.
	膵臓	C25	25.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.2	1.9	6.7	9.3	18.1	42.5	53.4	73.4	118.7	139.1	.
	喉頭	C32	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.0	1.7	.
	肺	C33-C34	31.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.2	4.2	6.1	11.9	27.0	39.6	63.9	94.5	134.8	190.9	.
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.5	0.6	1.5	0.8	2.1	0.7	2.9	5.1	9.1	.
	乳房	C50	24.1	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2.6	7.5	15.1	26.1	37.8	45.1	50.0	48.2	42.7	58.1	78.7	.
	子宮	C53-C55	9.8	0.0	0.0	0.0	0.0	0.4	0.4	1.3	1.9	4.4	8.8	8.8	13.0	18.6	16.8	18.0	19.3	27.8	29.1	.
	子宮頸部	C53	4.1	0.0	0.0	0.0	0.0	0.0	0.4	1.3	1.5	2.5	6.4	4.5	4.4	8.4	5.0	7.5	6.6	9.1	10.4	.
	子宮体部	C54	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.9	1.1	2.1	7.0	5.9	7.9	7.2	8.4	12.1	10.9	.
	卵巣	C56	7.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.5	1.9	5.3	6.4	9.6	11.8	14.6	16.4	15.3	15.2	20.4	.
	膀胱	C67	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.3	1.8	2.3	9.5	14.6	39.1	.
	腎・尿路（膀胱除く）	C64-C66 C68	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.3	0.3	2.2	2.1	3.2	5.9	9.5	17.7	35.2	.
	脳・中枢神経系	C70-C72	2.0	0.0	1.7	0.0	0.5	0.0	0.4	0.4	0.7	1.9	1.1	1.8	0.7	3.0	4.6	3.9	1.8	8.1	4.8	.
	甲状腺	C73	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.4	1.7	1.4	3.0	5.5	6.6	10.0	.
	悪性リンパ腫	C81-C85 C96	8.1	0.0	0.6	0.5	0.5	0.0	0.4	0.0	0.4	1.3	0.8	1.2	3.3	6.8	9.6	13.1	23.0	35.4	54.3	.
	多発性骨髄腫	C88-C90	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.7	1.3	2.1	3.0	8.0	15.2	18.7	.
	白血病	C91-C95	4.3	0.6	0.6	0.0	1.0	0.4	0.4	0.4	0.4	0.6	0.8	1.5	1.1	5.9	6.1	6.9	10.6	19.7	23.5	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

神奈川県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	266.5	1.2	2.2	1.3	1.7	1.8	3.1	6.9	12.5	23.4	45.1	77.9	146.4	262.2	434.3	600.0	861.2	1,241.4	1,804.4	.
	口腔・咽頭	C00-C14	6.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.3	1.3	2.0	3.9	7.1	8.9	16.5	20.1	26.4	35.5	.
	食道	C15	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.4	2.7	8.4	13.3	18.2	31.7	40.4	33.9	42.4	.
	胃	C16	29.1	0.0	0.0	0.0	0.0	0.2	0.4	0.4	1.8	1.5	2.6	6.4	14.1	21.6	42.9	61.7	96.6	149.7	218.9	.
	大腸（結腸・直腸）	C18-C20	36.5	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.1	3.6	7.3	13.2	23.7	38.4	67.9	77.1	99.8	157.8	266.0	.
	結腸	C18	25.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.6	4.5	7.8	13.9	22.0	46.2	51.3	68.1	114.7	205.2	.
	直腸	C19-C20	11.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.3	1.1	2.8	5.3	9.8	16.4	21.7	25.8	31.7	43.1	60.8	.
	肝および肝内胆管	C22	16.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.8	1.7	1.7	5.9	17.2	26.5	36.4	51.6	84.2	115.7	.
	胆のう・胆管	C23-C24	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.8	1.9	4.3	6.2	13.9	21.7	43.2	62.9	108.1	.
	膵臓	C25	26.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.4	2.3	3.2	6.6	13.7	24.7	48.0	65.7	90.8	127.3	154.1	.
	喉頭	C32	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.2	1.3	0.9	2.4	2.0	3.2	.
	肺	C33-C34	51.8	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	2.3	5.4	9.8	18.1	47.9	87.0	134.8	193.2	252.3	317.7	.
	皮膚	C43-C44	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.4	1.0	1.1	1.0	2.0	1.2	2.4	5.7	10.8	.
	乳房	C50	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.3	3.6	7.3	12.4	18.1	22.4	25.7	25.5	23.7	33.0	52.9	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	1.2	2.9	6.4	10.4	17.9	32.2	70.1	.
	腎・尿路（膀胱除く）	C64-C66 C68	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.5	1.2	2.0	4.8	7.7	13.0	21.3	28.7	55.5	.
	脳・中枢神経系	C70-C72	2.1	0.3	0.8	0.5	0.5	0.4	0.4	1.2	0.7	2.0	0.8	2.2	2.3	3.9	4.7	3.8	2.6	8.3	4.4	.
	甲状腺	C73	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.4	1.2	1.1	3.3	4.0	6.3	10.2	.
	悪性リンパ腫	C81-C85 C96	9.7	0.0	0.3	0.3	0.2	0.0	0.4	0.2	0.2	0.9	0.9	2.3	5.2	8.3	13.9	17.9	30.7	54.3	72.1	.
	多発性骨髄腫	C88-C90	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.5	0.6	0.7	1.9	2.9	4.9	10.2	17.8	22.1	.
	白血病	C91-C95	6.3	0.3	0.8	0.0	0.5	0.6	0.6	1.2	0.5	0.8	1.4	1.7	3.2	7.1	10.9	14.0	21.5	30.5	32.6	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表42. 市町村別罹患数：部位別、性別

B. 上皮がんを除く

	神奈川県															2019年							
市区町村	全部位			大腸(結腸・直腸)※2			結腸※2			直腸※2			肺			乳房			子宮	子宮頸部			
	C00-C96	D00-D09	総数※1	C18-C20	D010-D012	総数※1	C18	D010	総数※1	C19-C20	D011-D012	総数※1	C33-C34	D021-D022	総数※1	C50	D05	総数※1	女	C53-C55	D06	C53	D06
	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	女	女	女	女	女
神奈川	43,554	33,315	76,869	8,573	5,789	14,362	5,668	4,229	9,897	2,905	1,560	4,465	5,471	2,751	8,222	63	8,305	8,368	3,457	2,134			
神奈川県内市区町村不定	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
横浜市	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
横浜市 鶴見区	1,352	1,016	2,368	279	168	447	205	117	322	74	51	125	163	77	240	2	250	252	123	74			
横浜市 神奈川区	1,088	891	1,979	216	182	398	153	144	297	63	38	101	148	55	203	2	220	222	109	69			
横浜市 西区	432	366	798	95	68	163	67	53	120	28	15	43	54	31	85	3	109	112	50	39			
横浜市 中区	852	567	1,419	199	98	297	132	66	198	67	32	99	112	37	149	2	148	150	66	46			
横浜市 南区	1,088	804	1,892	244	140	384	175	109	284	69	31	100	132	101	233	2	168	170	85	58			
横浜市 保土ヶ谷区	1,052	761	1,813	274	157	431	200	109	309	74	48	122	140	66	206	2	192	194	61	32			
横浜市 磯子区	894	692	1,586	165	113	278	111	86	197	54	27	81	112	61	173	0	163	163	86	44			
横浜市 金沢区	1,116	762	1,878	211	145	356	146	114	260	65	31	96	141	59	200	4	195	199	71	47			
横浜市 港北区	1,401	1,195	2,596	264	188	452	174	126	300	90	62	152	191	94	285	0	306	306	138	96			
横浜市 戸塚区	1,318	1,013	2,331	205	147	352	143	113	256	62	34	96	165	88	253	1	248	249	95	55			
横浜市 港南区	1,202	875	2,077	262	158	420	171	124	295	91	34	125	142	74	216	2	212	214	61	36			
横浜市 旭区	1,283	940	2,223	256	158	414	172	124	296	84	34	118	146	86	232	3	252	255	84	44			
横浜市 緑区	836	639	1,475	166	112	278	117	76	193	49	36	85	77	56	133	1	160	161	59	36			
横浜市 瀬谷区	666	485	1,151	123	94	217	74	64	138	49	30	79	110	41	151	0	118	118	44	32			
横浜市 栄区	638	466	1,104	105	88	193	73	60	133	32	28	60	80	39	119	0	115	115	44	25			
横浜市 泉区	741	557	1,298	116	102	218	84	71	155	32	31	63	107	57	164	4	128	132	43	23			
横浜市 青葉区	1,360	1,120	2,480	225	194	419	144	142	286	81	52	133	142	72	214	3	282	285	117	61			
横浜市 都筑区	706	632	1,338	119	95	214	74	76	150	45	19	64	76	48	124	3	176	179	87	57			
川崎市	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
川崎市 川崎区	1,363	910	2,273	300	155	455	185	117	302	115	38	153	170	80	250	0	210	210	102	66			
川崎市 幸区	745	618	1,363	167	112	279	109	77	186	58	35	93	94	59	153	0	152	152	59	34			
川崎市 中原区	822	778	1,600	153	121	274	92	91	183	61	30	91	103	53	156	1	233	234	113	84			
川崎市 高津区	906	768	1,674	206	127	333	139	85	224	67	42	109	116	53	169	3	221	224	91	57			
川崎市 多摩区	782	681	1,463	130	113	243	83	72	155	47	41	88	106	49	155	1	184	185	80	41			
川崎市 宮前区	997	807	1,804	182	127	309	121	81	202	61	46	107	126	65	191	0	217	217	85	52			
川崎市 麻生区	765	620	1,385	123	108	231	79	78	157	44	30	74	94	46	140	2	170	172	50	26			
相模原市 緑区	844	611	1,455	173	104	277	105	77	182	68	27	95	108	54	162	1	150	151	69	34			
相模原市 中央区	1,157	818	1,975	210	141	351	134	100	234	76	41	117	167	65	232	0	184	184	87	56			
相模原市 南区	1,242	989	2,231	276	209	485	182	159	341	94	50	144	160	65	225	1	235	236	91	56			
横須賀市	2,154	1,687	3,841	414	284	698	281	208	489	133	76	209	280	155	435	4	412	416	159	100			
平塚市	1,264	942	2,206	287	166	453	192	124	316	95	42	137	162	83	245	1	207	208	142	95			
鎌倉市	937	769	1,706	176	116	292	123	83	206	53	33	86	108	54	162	1	219	220	62	26			
藤沢市	1,760	1,397	3,157	314	242	556	205	180	385	109	62	171	213	114	327	2	343	345	131	79			
小田原市	1,020	727	1,747	199	129	328	123	95	218	76	34	110	135	73	208	5	163	168	65	37			
茅ヶ崎市	1,197	923	2,120	230	153	383	140	109	249	90	44	134	128	72	200	0	214	214	86	64			
逗子市	321	272	593	58	61	119	39	46	85	19	15	34	42	20	62	0	80	80	28	11			
相模原市	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
三浦市	315	192	507	64	32	96	39	23	62	25	9	34	55	25	80	1	41	42	16	11			
秦野市	848	606	1,454	165	117	282	100	86	186	65	31	96	100	43	143	0	149	149	58	34			
厚木市	1,066	757	1,823	207	130	337	132	93	225	75	37	112	142	65	207	2	192	194	85	60			
大和市	1,029	832	1,861	188	147	335	112	106	218	76	41	117	130	61	191	0	209	209	87	61			
伊勢原市	509	293	802	99	53	152	67	37	104	32	16	48	61	27	88	0	60	60	34	21			
海老名市	607	411	1,018	121	67	188	79	52	131	42	15	57	73	34	107	0	102	102	53	30			
座間市	617	477	1,094	149	88	237	89	72	161	60	16	76	82	44	126	0	130	130	45	27			
南足柄市	204	168	372	42	30	72	26	25	51	16	5	21	21	18	39	1	31	32	22	14			
綾瀬市	401	286	687	81	49	130	50	30	80	31	19	50	53	21	74	0	73	73	23	13			
三浦郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
三浦郡 葉山町	187	163	350	36	23	59	23	15	38	13	8	21	18	16	34	1	41	42	14	6			
高座郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
高座郡 寒川町	256	177	433	43	28	71	30	23	53	13	5	18	38	17	55	0	47	47	23	19			
中郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
中郡 大磯町	185	129	314	35	20	55	24	15	39	11	5	16	22	9	31	0	34	34	11	7			
中郡 二宮町	154	98	252	34	20	54	21	14	35	13	6	19	20	7	27	0	28	28	13	8			
足柄上郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
足柄上郡 中井町	54	33	87	10	1	11	7	1	8	3	0	3	5										

表62. 医療圏別、保健所別罹患数：部位別、性別

A. 上皮内がんを除く

神奈川県 2019年

市区町村	全部位 C00-C96			胃 C16			大腸(結腸・直腸) C18-C20			結腸 C18			直腸 C19-C20			肝および肝内胆管 C22			肺 C33-C34			乳房 C50			子宮 C53-C55	子宮頸部 C53	子宮体部 C54	前立腺 C61
	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	女	女	女	男
神奈川	39,189	28,889	68,078	5,557	2,297	7,854	6,096	4,484	10,580	3,869	3,221	7,090	2,227	1,263	3,490	1,518	641	2,159	5,364	2,605	7,969	57	7,383	7,440	2,054	731	1,296	7,412
医療圏不定	1	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
横浜北部	6,095	4,722	10,817	870	338	1,208	901	739	1,640	587	521	1,108	314	218	532	214	104	318	781	385	1,166	10	1,236	1,246	356	116	236	1,213
横浜西部	4,936	3,594	8,530	703	267	970	745	559	1,304	489	403	892	256	156	412	190	65	255	711	341	1,052	11	941	952	223	71	150	940
横浜南部	5,097	3,552	8,649	737	317	1,054	793	545	1,338	518	410	928	275	135	410	248	85	333	698	347	1,045	10	870	880	241	84	157	912
川崎北部	3,108	2,490	5,598	429	185	614	455	361	816	293	231	524	162	130	292	119	53	172	430	206	636	6	691	697	197	67	124	598
川崎南部	2,625	1,966	4,591	386	162	548	445	294	739	259	210	469	186	84	270	119	49	168	361	184	545	1	530	531	131	41	89	421
横須賀・三浦	3,505	2,711	6,216	473	236	709	523	414	937	339	303	642	184	111	295	134	47	181	498	257	755	7	704	711	186	61	121	665
湘南東部	2,920	2,208	5,128	396	176	572	423	336	759	258	238	496	165	98	263	95	44	139	375	192	567	1	547	548	155	77	77	613
湘南西部	2,710	1,804	4,514	374	146	520	475	314	789	305	228	533	170	86	256	95	32	127	360	160	520	1	433	434	146	53	91	541
県央	3,583	2,512	6,095	513	194	707	588	387	975	361	279	640	227	108	335	132	78	210	508	224	732	2	654	656	187	81	104	671
相模原	2,906	2,071	4,977	447	184	631	457	328	785	274	241	515	183	87	270	99	48	147	425	175	600	1	504	505	145	44	99	530
県西	1,703	1,259	2,962	228	92	320	291	207	498	186	157	343	105	50	155	73	36	109	217	134	351	7	273	280	87	36	48	308
保健所不定	1	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
相模原市	2,906	2,071	4,977	447	184	631	457	328	785	274	241	515	183	87	270	99	48	147	425	175	600	1	504	505	145	44	99	530
川崎	1,210	800	2,010	179	72	251	210	125	335	122	93	215	88	32	120	65	20	85	164	75	239	0	192	192	56	20	35	189
幸	663	540	1,203	106	44	150	113	80	193	66	54	120	47	26	73	24	17	41	94	58	152	0	134	134	38	13	25	116
中原	752	626	1,378	101	46	147	122	89	211	71	63	134	51	26	77	30	12	42	103	51	154	1	204	205	37	8	29	116
高津	808	658	1,466	101	49	150	149	94	243	100	57	157	49	37	86	34	16	50	114	53	167	3	191	194	56	22	29	138
宮前	895	695	1,590	131	46	177	128	96	224	83	60	143	45	36	81	36	15	51	123	63	186	0	183	183	55	22	32	164
多摩	709	593	1,302	103	38	141	88	89	177	54	55	109	34	34	68	23	13	36	102	48	150	1	165	166	52	13	39	136
麻生	696	544	1,240	94	52	146	90	82	172	56	59	115	34	23	57	26	9	35	91	42	133	2	152	154	34	10	24	160
横浜市	16,128	11,868	27,996	2,310	922	3,232	2,439	1,843	4,282	1,594	1,334	2,928	845	509	1,354	652	254	906	2,190	1,073	3,263	31	3,047	3,078	820	271	543	3,065
横須賀市	1,911	1,478	3,389	271	140	411	278	223	501	181	161	342	97	62	159	78	31	109	279	147	426	4	378	382	93	34	58	352
藤沢市	1,596	1,248	2,844	204	95	299	224	199	423	140	141	281	84	58	142	52	25	77	210	108	318	1	303	304	102	50	52	317
平塚	2,710	1,804	4,514	374	146	520	475	314	789	305	228	533	170	86	256	95	32	127	360	160	520	1	433	434	146	53	91	541
鎌倉	1,594	1,233	2,827	202	96	298	245	191	436	158	142	300	87	49	136	56	16	72	219	110	329	3	326	329	93	27	63	313
小田原	1,703	1,259	2,962	228	92	320	291	207	498	186	157	343	105	50	155	73	36	109	217	134	351	7	273	280	87	36	48	308
厚木	3,583	2,512	6,095	513	194	707	588	387	975	361	279	640	227	108	335	132	78	210	508	224	732	2	654	656	187	81	104	671
茅ヶ崎	1,324	960	2,284	192	81	273	199	137	336	118	97	215	81	40	121	43	19	62	165	84	249	0	244	244	53	27	25	296

※1 総数は男女および性別不詳の合計

表62. 医療圏別、保健所別罹患数：部位別、性別

B. 上皮内がんを含む

神奈川県

2019年

市区町村	全部位			大腸(結腸・直腸)※2			結腸※2			直腸※2			肺			乳房			子宮		子宮頸部
	C00-C96 D00-D09			C18-C20 D010-D012			C18 D010			C19-C20 D011-D012			C33-C34 D021-D022			C50 D05			C53-C55 D06		C53 D06
	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	女	女	
神奈川	43,554	33,315	76,869	8,573	5,789	14,362	5,668	4,229	9,897	2,905	1,560	4,465	5,471	2,751	8,222	63	8,305	8,368	3,457	2,134	
医療圏不定	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
横浜北部	6,743	5,493	12,236	1,269	939	2,208	867	681	1,548	402	258	660	797	402	1,199	11	1,394	1,405	633	393	
横浜西部	5,492	4,122	9,614	1,069	726	1,795	740	534	1,274	329	192	521	722	369	1,091	13	1,047	1,060	377	225	
横浜南部	5,790	4,166	9,956	1,186	742	1,928	808	559	1,367	378	183	561	719	371	1,090	10	1,001	1,011	413	256	
川崎北部	3,450	2,876	6,326	641	475	1,116	422	316	738	219	159	378	442	213	655	6	792	798	306	176	
川崎南部	2,930	2,306	5,236	620	388	1,008	386	285	671	234	103	337	367	192	559	1	595	596	274	184	
横須賀・三浦	3,914	3,083	6,997	748	516	1,264	505	375	880	243	141	384	503	270	773	7	793	800	279	154	
湘南東部	3,213	2,497	5,710	587	423	1,010	375	312	687	212	111	323	379	203	582	2	604	606	240	162	
湘南西部	2,960	2,068	5,028	620	376	996	404	276	680	216	100	316	365	169	534	1	478	479	258	165	
県央	3,955	2,885	6,840	795	499	1,294	496	363	859	299	136	435	521	238	759	2	730	732	305	199	
相模原	3,243	2,418	5,661	659	454	1,113	421	336	757	238	118	356	435	184	619	2	569	571	247	146	
県西	1,863	1,401	3,264	379	251	630	244	192	436	135	59	194	221	140	361	8	302	310	125	74	
保健所不定	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
相模原市	3,243	2,418	5,661	659	454	1,113	421	336	757	238	118	356	435	184	619	2	569	571	247	146	
川崎	1,363	910	2,273	300	155	455	185	117	302	115	38	153	170	80	250	0	210	210	102	66	
幸	745	618	1,363	167	112	279	109	77	186	58	35	93	94	59	153	0	152	152	59	34	
中原	822	778	1,600	153	121	274	92	91	183	61	30	91	103	53	156	1	233	234	113	84	
高津	906	768	1,674	206	127	333	139	85	224	67	42	109	116	53	169	3	221	224	91	57	
宮前	997	807	1,804	182	127	309	121	81	202	61	46	107	126	65	191	0	217	217	85	52	
多摩	782	681	1,463	130	113	243	83	72	155	47	41	88	106	49	155	1	184	185	80	41	
麻生	765	620	1,385	123	108	231	79	78	157	44	30	74	94	46	140	2	170	172	50	26	
横浜市	18,025	13,781	31,806	3,524	2,407	5,931	2,415	1,774	4,189	1,109	633	1,742	2,238	1,142	3,380	34	3,442	3,476	1,423	874	
横須賀市	2,154	1,687	3,841	414	284	698	281	208	489	133	76	209	280	155	435	4	412	416	159	100	
藤沢市	1,760	1,397	3,157	314	242	556	205	180	385	109	62	171	213	114	327	2	343	345	131	79	
平塚	2,960	2,068	5,028	620	376	996	404	276	680	216	100	316	365	169	534	1	478	479	258	165	
鎌倉	1,760	1,396	3,156	334	232	566	224	167	391	110	65	175	223	115	338	3	381	384	120	54	
小田原	1,863	1,401	3,264	379	251	630	244	192	436	135	59	194	221	140	361	8	302	310	125	74	
厚木	3,955	2,885	6,840	795	499	1,294	496	363	859	299	136	435	521	238	759	2	730	732	305	199	
茅ヶ崎	1,453	1,100	2,553	273	181	454	170	132	302	103	49	152	166	89	255	0	261	261	109	83	

※1 総数は男女および性別不詳の合計

※2 粘膜がんを含む

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 詳細部位別、性別

神奈川県

2019年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	000-C96 000-D47	44,819	34,910	79,729	100.0	100.0	100.0	977.5	756.8	866.8	519.9	444.7	472.4	368.8	337.6	346.7	43.6	36.5	39.7
全部位	000-C96	39,189	28,889	68,078	87.4	82.8	85.4	854.7	626.3	740.1	448.9	347.6	389.9	316.5	260.5	283.2	37.5	28.8	32.8
口唇	000	8	1	9	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
舌根<基底>部	001	49	9	58	0.1	0.0	0.1	1.1	0.2	0.6	0.6	0.1	0.4	0.4	0.1	0.3	0.1	0.0	0.0
その他および部位不明の舌	002	219	153	372	0.5	0.4	0.5	4.8	3.3	4.0	3.0	2.1	2.6	2.3	1.6	1.9	0.3	0.2	0.2
歯肉	003	119	105	224	0.3	0.3	0.3	2.6	2.3	2.4	1.3	0.8	1.0	0.9	0.6	0.7	0.1	0.1	0.1
口腔底	004	42	9	51	0.1	0.0	0.1	0.9	0.2	0.6	0.5	0.1	0.3	0.4	0.1	0.2	0.1	0.0	0.0
口蓋	005	51	20	71	0.1	0.1	0.1	1.1	0.4	0.8	0.7	0.3	0.5	0.5	0.2	0.3	0.1	0.0	0.0
その他および部位不明の口腔	006	26	38	64	0.1	0.1	0.1	0.6	0.8	0.7	0.3	0.4	0.4	0.2	0.3	0.3	0.0	0.0	0.0
耳下腺	007	45	35	80	0.1	0.1	0.1	1.0	0.8	0.9	0.7	0.4	0.5	0.5	0.3	0.4	0.1	0.0	0.0
その他および部位不明の大唾液腺	008	28	27	55	0.1	0.1	0.1	0.6	0.6	0.6	0.4	0.3	0.3	0.3	0.2	0.3	0.0	0.0	0.0
扁桃	009	45	15	60	0.1	0.0	0.1	1.0	0.3	0.7	0.6	0.2	0.4	0.5	0.2	0.3	0.1	0.0	0.0
中咽頭	C10	161	32	193	0.4	0.1	0.2	3.5	0.7	2.1	2.0	0.4	1.2	1.5	0.3	0.9	0.2	0.0	0.1
鼻<上>咽頭	C11	44	19	63	0.1	0.1	0.1	1.0	0.4	0.7	0.6	0.3	0.5	0.5	0.2	0.4	0.1	0.0	0.0
梨状陥凹<洞>	C12	227	15	242	0.5	0.0	0.3	5.0	0.3	2.6	2.8	0.2	1.5	2.1	0.2	1.1	0.3	0.0	0.2
下咽頭	C13	128	15	143	0.3	0.0	0.2	2.8	0.3	1.6	1.5	0.2	0.8	1.1	0.1	0.6	0.1	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	C14	4	0	4	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	C15	1,660	338	1,998	3.7	1.0	2.5	36.2	7.3	21.7	19.4	3.7	11.1	13.7	2.7	8.0	1.7	0.3	1.0
胃	C16	5,557	2,297	7,854	12.4	6.6	9.9	121.2	49.8	85.4	59.4	21.4	39.0	40.2	14.9	26.7	4.8	1.7	3.2
小腸	C17	167	100	267	0.4	0.3	0.3	3.6	2.2	2.9	2.1	1.1	1.5	1.5	0.8	1.1	0.2	0.1	0.1
結腸	C18	3,869	3,221	7,090	8.6	9.2	8.9	84.4	69.8	77.1	44.0	30.7	36.9	30.7	21.7	25.9	3.7	2.5	3.1
直腸S状結腸移行部	C19	565	338	903	1.3	1.0	1.1	12.3	7.3	9.8	7.2	3.9	5.5	5.2	2.9	4.0	0.7	0.3	0.5
直腸	C20	1,662	925	2,587	3.7	2.6	3.2	36.2	20.1	28.1	21.9	10.8	16.2	16.1	8.1	12.0	2.0	0.9	1.5
肛門および肛門管	C21	38	26	64	0.1	0.1	0.1	0.8	0.6	0.7	0.5	0.3	0.4	0.3	0.2	0.3	0.0	0.0	0.0
肝および肝内胆管	C22	1,518	641	2,159	3.4	1.8	2.7	33.1	13.9	23.5	17.1	5.2	10.8	12.0	3.6	7.6	1.4	0.3	0.9
胆のう	C23	196	221	417	0.4	0.6	0.5	4.3	4.8	4.5	1.9	1.7	1.8	1.2	1.2	1.2	0.1	0.1	0.1
その他および部位不明の胆道	C24	559	342	901	1.2	1.0	1.1	12.2	7.4	9.8	5.5	2.3	3.8	3.6	1.5	2.5	0.4	0.1	0.2
膵臓	C25	1,526	1,399	2,925	3.4	4.0	3.7	33.3	30.3	31.8	17.3	12.5	14.8	12.1	8.7	10.3	1.5	1.0	1.2
その他および部位不明の消化器	C26	226	220	446	0.5	0.6	0.6	4.9	4.8	4.8	3.0	2.7	2.8	2.2	2.0	2.1	0.3	0.2	0.3
鼻腔および中耳	C30	47	24	71	0.1	0.1	0.1	1.0	0.5	0.8	0.7	0.3	0.5	0.6	0.2	0.4	0.1	0.0	0.0
副鼻腔	C31	51	23	74	0.1	0.1	0.1	1.1	0.5	0.8	0.7	0.2	0.4	0.5	0.2	0.3	0.1	0.0	0.0
喉頭	C32	280	27	307	0.6	0.1	0.4	6.1	0.6	3.3	3.1	0.2	1.6	2.2	0.1	1.1	0.3	0.0	0.1
気管	C33	2	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	5,362	2,603	7,965	12.0	7.5	10.0	116.9	56.4	86.6	58.0	24.5	40.0	39.6	17.0	27.6	4.8	2.0	3.4
胸腺	C37	112	132	244	0.2	0.4	0.3	2.4	2.9	2.7	1.7	1.8	1.8	1.3	1.4	1.3	0.1	0.2	0.2
心臓、縦隔および胸膜	C38	37	15	52	0.1	0.0	0.1	0.8	0.3	0.6	0.6	0.2	0.4	0.5	0.2	0.3	0.0	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	C40	15	18	33	0.0	0.1	0.0	0.3	0.4	0.4	0.3	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	36	16	52	0.1	0.0	0.1	0.8	0.3	0.6	0.6	0.2	0.4	0.5	0.2	0.3	0.0	0.0	0.0
皮膚の悪性黒色腫	C43	58	66	124	0.1	0.2	0.2	1.3	1.4	1.3	0.7	0.8	0.8	0.5	0.6	0.6	0.1	0.1	0.1
皮膚のその他	C44	782	748	1,530	1.7	2.1	1.9	17.1	16.2	16.6	8.1	6.7	7.3	5.6	4.7	5.1	0.6	0.5	0.5
中皮腫	C45	93	20	113	0.2	0.1	0.1	2.0	0.4	1.2	1.0	0.2	0.6	0.7	0.2	0.4	0.1	0.0	0.1
カポジ肉腫	C46	4	0	4	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	2	6	8	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
後腹膜および腹膜	C48	40	121	161	0.1	0.3	0.2	0.9	2.6	1.8	0.7	1.6	1.2	0.6	1.3	1.0	0.1	0.1	0.1
その他の結合組織および軟部組織	C49	141	103	244	0.3	0.3	0.3	3.1	2.2	2.7	2.1	1.5	1.8	1.8	1.3	1.5	0.2	0.1	0.1
乳房	C50	57	7,383	7,440	0.1	21.1	9.3	1.2	160.0	80.9	0.6	108.3	54.4	0.4	82.9	41.4	0.0	9.2	4.6
外陰	C51	-	74	74	-	0.2	0.1	-	1.6	-	-	0.7	-	-	0.5	-	-	0.0	-
陰	C52	-	19	19	-	0.1	0.0	-	0.4	-	-	0.2	-	-	0.2	-	-	0.0	-
子宮頸部	C53	-	731	731	-	2.1	0.9	-	15.8	-	-	12.7	-	-	10.0	-	-	1.0	-
子宮体部	C54	-	1,296	1,296	-	3.7	1.6	-	28.1	-	-	20.7	-	-	16.0	-	-	1.8	-
子宮部位不明	C55	-	27	27	-	0.1	0.0	-	0.6	-	-	0.3	-	-	0.2	-	-	0.0	-
卵巣	C56	-	794	794	-	2.3	1.0	-	17.2	-	-	12.9	-	-	10.3	-	-	1.1	-
その他および部位不明の女性性器	C57	-	37	37	-	0.1	0.0	-	0.8	-	-	0.5	-	-	0.4	-	-	0.0	-
胎盤	C58	-	2	2	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
陰茎	C60	38	-	38	0.1	-	0.0	0.8	-	-	0.4	-	-	0.3	-	-	0.0	-	-
前立腺	C61	7,412	-	7,412	16.5	-	9.3	161.7	-	-	79.7	-	-	54.0	-	-	7.0	-	-
精巣	C62	192	-	192	0.4	-	0.2	4.2	-	-	4.4	-	-	3.8	-	-	0.3	-	-
その他および部位不明の男性性器	C63	43	-	43	0.1	-	0.1	0.9	-	-	0.5	-	-	0.3	-	-	0.0	-	-
腎盂を除く腎	C64	1,020	420	1,440	2.3	1.2	1.8	22.2	9.1	15.7	13.5	4.9	9.1	9.9	3.6	6.7	1.2	0.4	0.8
腎盂	C65	233	87	320	0.5	0.2	0.4	5.1	1.9	3.5	2.4	0.7	1.5	1.6	0.4	1.0	0.2	0.0	0.1
尿管	C66	167	100	267	0.4	0.3	0.3	3.6	2.2	2.9	1.5	0.7	1.1	1.0	0.4	0.7	0.1	0.0	0.1
膀胱	C67	1,163	348	1,511	2.6	1.0	1.9	25.4	7.5	16.4	12.0	2.8	7.0	8.2	1.9	4.8	0.9	0.2	0.6
その他および部位不明の泌尿器	C68	10	5	15	0.0	0.0	0.0	0.2	0.1	0.2	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
眼および付属器	C69	13	10	23	0.0	0.0	0.0	0.3	0.2	0.3	0.3								

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 詳細部位別、性別

神奈川県

2019年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	4,365	4,426	8,791	9.7	12.7	11.0	95.2	95.9	95.6	53.5	73.6	62.2	38.1	57.5	46.8	4.8	5.8	5.2
口腔、食道および胃	D00	294	90	384	0.7	0.3	0.5	6.4	2.0	4.2	3.5	1.1	2.2	2.5	0.8	1.6	0.3	0.1	0.2
食道	D001	204	64	268	0.5	0.2	0.3	4.4	1.4	2.9	2.3	0.8	1.5	1.6	0.5	1.0	0.2	0.1	0.1
その他および部位不明の消化器	D01	2,574	1,363	3,937	5.7	3.9	4.9	56.1	29.5	42.8	33.5	16.7	24.8	24.3	12.1	18.1	3.1	1.5	2.3
結腸	D010	1,799	1,008	2,807	4.0	2.9	3.5	39.2	21.9	30.5	23.2	12.3	17.5	16.8	8.9	12.7	2.1	1.1	1.6
直腸S状結腸移行部	D011	178	83	261	0.4	0.2	0.3	3.9	1.8	2.8	2.5	1.1	1.8	1.8	0.8	1.3	0.2	0.1	0.2
直腸	D012	500	214	714	1.1	0.6	0.9	10.9	4.6	7.8	6.6	2.5	4.5	4.9	1.8	3.3	0.6	0.2	0.4
中耳および呼吸器系	D02	129	149	278	0.3	0.4	0.3	2.8	3.2	3.0	1.7	1.9	1.8	1.2	1.5	1.3	0.2	0.2	0.2
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	107	146	253	0.2	0.4	0.3	2.3	3.2	2.8	1.4	1.9	1.7	1.0	1.4	1.2	0.1	0.2	0.2
上皮内黒色腫	D03	13	21	34	0.0	0.1	0.0	0.3	0.5	0.4	0.2	0.4	0.3	0.1	0.3	0.2	0.0	0.0	0.0
皮膚のその他	D04	144	151	295	0.3	0.4	0.4	3.1	3.3	3.2	1.3	1.2	1.3	0.8	0.8	0.8	0.1	0.1	0.1
乳房	D05	6	922	928	0.0	2.6	1.2	0.1	20.0	10.1	0.1	15.1	7.5	0.1	11.7	5.8	0.0	1.3	0.6
子宮頸部	D06	-	1,403	1,403	-	4.0	1.8	-	30.4	-	-	33.8	-	-	27.9	-	-	2.3	-
その他および部位不明の性器	D07	12	19	31	0.0	0.1	0.0	0.3	0.4	0.3	0.1	0.3	0.2	0.1	0.2	0.2	0.0	0.0	0.0
その他および部位不明	D09	1,193	308	1,501	2.7	0.9	1.9	26.0	6.7	16.3	13.1	3.1	7.8	9.0	2.2	5.4	1.1	0.3	0.7
膀胱	D090	1,113	282	1,395	2.5	0.8	1.7	24.3	6.1	15.2	12.2	2.8	7.2	8.3	2.0	5.0	1.0	0.2	0.6
良性腫瘍	D32-D35	458	792	1,250	1.0	2.3	1.6	10.0	17.2	13.6	7.3	11.8	9.6	6.3	9.9	8.1	0.6	1.0	0.8
髄膜	D32	176	518	694	0.4	1.5	0.9	3.8	11.2	7.5	2.2	6.3	4.3	1.6	4.7	3.2	0.2	0.5	0.4
脳および中枢神経系	D33	124	122	246	0.3	0.3	0.3	2.7	2.6	2.7	2.5	2.3	2.4	2.6	2.5	2.6	0.2	0.2	0.2
下垂体	D352	156	152	308	0.3	0.4	0.4	3.4	3.3	3.3	2.6	3.2	2.8	2.0	2.8	2.4	0.2	0.2	0.2
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	2	0	2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	740	523	1,263	1.7	1.5	1.6	16.1	11.3	13.7	8.9	6.2	7.4	6.5	4.9	5.6	0.7	0.5	0.6
髄膜	D42	22	32	54	0.0	0.1	0.1	0.5	0.7	0.6	0.3	0.4	0.3	0.2	0.3	0.2	0.0	0.0	0.0
脳および中枢神経系	D43	77	96	173	0.2	0.3	0.2	1.7	2.1	1.9	1.4	1.5	1.5	1.3	1.4	1.3	0.1	0.1	0.1
下垂体	D443	8	13	21	0.0	0.0	0.0	0.2	0.3	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.0	0.0	0.0
頭蓋咽頭管	D444	12	7	19	0.0	0.0	0.0	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0
松果体	D445	1	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D45	51	19	70	0.1	0.1	0.1	1.1	0.4	0.8	0.8	0.2	0.5	0.6	0.1	0.4	0.1	0.0	0.0
骨髄異形成症候群	D46	433	208	641	1.0	0.6	0.8	9.4	4.5	7.0	4.4	2.0	3.1	2.9	1.4	2.1	0.3	0.2	0.2
慢性骨髄増殖性疾患	D471	25	32	57	0.1	0.1	0.1	0.5	0.7	0.6	0.3	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0
本態性(出血性)血小板血症	D473	95	97	192	0.2	0.3	0.2	2.1	2.1	2.1	1.1	1.2	1.2	0.8	1.0	0.9	0.1	0.1	0.1

*1 総数は男女および性別不詳の合計

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 詳細部位別、性別 神奈川県 2019年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	000-C97 000-D47	14,727	10,057	24,784	100.0	100.0	100.0	328.5	222.8	275.5	148.0	85.3	113.0	99.7	60.1	77.6	10.4	6.3	8.3
全部位	000-C97	14,275	9,699	23,974	96.9	96.4	96.7	318.4	214.9	266.5	143.8	82.8	109.8	96.9	58.3	75.4	10.2	6.2	8.1
口唇	000	1	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	001	1	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の舌	002	56	37	93	0.4	0.4	0.4	1.2	0.8	1.0	0.6	0.3	0.4	0.4	0.2	0.3	0.0	0.0	0.0
歯肉	003	40	38	78	0.3	0.4	0.3	0.9	0.8	0.9	0.4	0.2	0.3	0.3	0.1	0.2	0.0	0.0	0.0
口腔底	004	11	3	14	0.1	0.0	0.1	0.2	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
口蓋	005	4	0	4	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の口腔	006	16	13	29	0.1	0.1	0.1	0.4	0.3	0.3	0.2	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
耳下腺	007	18	10	28	0.1	0.1	0.1	0.4	0.2	0.3	0.2	0.1	0.1	0.2	0.0	0.1	0.0	0.0	0.0
その他および部位不明の大唾液腺	008	11	5	16	0.1	0.0	0.1	0.2	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
扁桃	009	1	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中咽頭	010	71	19	90	0.5	0.2	0.4	1.6	0.4	1.0	0.8	0.2	0.5	0.6	0.1	0.3	0.1	0.0	0.0
鼻<上>咽頭	011	13	2	15	0.1	0.0	0.1	0.3	0.0	0.2	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
梨状陥凹<洞>	012	1	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下咽頭	013	112	13	125	0.8	0.1	0.5	2.5	0.3	1.4	1.2	0.1	0.7	0.8	0.1	0.5	0.1	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	014	39	6	45	0.3	0.1	0.2	0.9	0.1	0.5	0.4	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
食道	015	737	155	892	5.0	1.5	3.6	16.4	3.4	9.9	7.9	1.4	4.5	5.4	1.0	3.1	0.7	0.1	0.4
胃	016	1,793	829	2,622	12.2	8.2	10.6	40.0	18.4	29.1	17.3	6.2	11.2	11.5	4.3	7.5	1.1	0.4	0.8
小腸	017	47	30	77	0.3	0.3	0.3	1.0	0.7	0.9	0.5	0.3	0.4	0.4	0.2	0.3	0.0	0.0	0.0
結腸	018	1,197	1,094	2,291	8.1	10.9	9.2	26.7	24.2	25.5	12.3	8.3	10.1	8.4	5.8	7.0	0.9	0.6	0.7
直腸S状結腸移行部	019	13	10	23	0.1	0.1	0.1	0.3	0.2	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
直腸	020	618	354	972	4.2	3.5	3.9	13.8	7.8	10.8	7.1	3.1	5.0	5.0	2.2	3.6	0.6	0.2	0.4
肛門および肛門管	021	11	14	25	0.1	0.1	0.1	0.2	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
肝および肝内胆管	022	993	461	1,454	6.7	4.6	5.9	22.2	10.2	16.2	10.1	2.9	6.3	6.9	1.9	4.2	0.8	0.2	0.5
胆のう	023	160	182	342	1.1	1.8	1.4	3.6	4.0	3.8	1.4	1.2	1.3	0.9	0.8	0.9	0.1	0.1	0.1
その他および部位不明の胆道	024	443	300	743	3.0	3.0	3.0	9.9	6.6	8.3	4.1	1.9	2.9	2.7	1.2	1.9	0.2	0.1	0.2
膵臓	025	1,212	1,144	2,356	8.2	11.4	9.5	27.0	25.3	26.2	12.8	9.0	10.8	8.7	6.1	7.3	1.0	0.7	0.8
その他および部位不明の消化器	026	3	9	12	0.0	0.1	0.0	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
鼻腔および中耳	030	9	9	18	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
副鼻腔	031	38	20	58	0.3	0.2	0.2	0.8	0.4	0.6	0.4	0.1	0.3	0.3	0.1	0.2	0.0	0.0	0.0
喉頭	032	39	7	46	0.3	0.1	0.2	0.9	0.2	0.5	0.4	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
気管	033	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	034	3,247	1,412	4,659	22.0	14.0	18.8	72.4	31.3	51.8	32.2	10.9	20.6	21.4	7.3	13.7	2.3	0.8	1.5
胸腺	037	15	9	24	0.1	0.1	0.1	0.3	0.2	0.3	0.2	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
心臓、縦隔および胸腺	038	8	5	13	0.1	0.0	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	039	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	040	6	3	9	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	041	13	5	18	0.1	0.0	0.1	0.3	0.1	0.2	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
皮膚の悪性黒色腫	043	23	27	50	0.2	0.3	0.2	0.5	0.6	0.6	0.2	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0
皮膚のその他	044	28	32	60	0.2	0.3	0.2	0.6	0.7	0.7	0.3	0.2	0.2	0.2	0.1	0.2	0.0	0.0	0.0
中皮腫	045	78	15	93	0.5	0.1	0.4	1.7	0.3	1.0	0.8	0.1	0.4	0.5	0.1	0.3	0.1	0.0	0.0
カボジ肉腫	046	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	047	4	1	5	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	048	17	66	83	0.1	0.7	0.3	0.4	1.5	0.9	0.2	0.7	0.5	0.1	0.5	0.3	0.0	0.1	0.0
その他の結合組織および軟部組織	049	45	26	71	0.3	0.3	0.3	1.0	0.6	0.8	0.5	0.3	0.4	0.4	0.2	0.3	0.0	0.0	0.0
乳房	050	5	1,087	1,092	0.0	10.8	4.4	0.1	24.1	12.1	0.1	13.1	6.7	0.0	9.8	5.0	0.0	1.2	0.6
外陰	051	-	18	18	-	0.2	0.1	-	0.4	-	-	0.1	-	-	0.1	-	-	0.0	-
陰	052	-	7	7	-	0.1	0.0	-	0.2	-	-	0.1	-	-	0.0	-	-	0.0	-
子宮頸部	053	-	184	184	-	1.8	0.7	-	4.1	-	-	2.5	-	-	1.9	-	-	0.2	-
子宮体部	054	-	164	164	-	1.6	0.7	-	3.6	-	-	1.9	-	-	1.3	-	-	0.2	-
子宮部位不明	055	-	94	94	-	0.9	0.4	-	2.1	-	-	1.1	-	-	0.8	-	-	0.1	-
卵巣	056	-	318	318	-	3.2	1.3	-	7.0	-	-	3.9	-	-	2.9	-	-	0.3	-
その他および部位不明の女性性器	057	-	9	9	-	0.1	0.0	-	0.2	-	-	0.1	-	-	0.1	-	-	0.0	-
胎盤	058	-	1	1	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
陰茎	060	14	-	14	0.1	-	0.1	0.3	-	-	0.1	-	-	-	0.1	-	-	0.0	-
前立腺	061	844	-	844	5.7	-	3.4	18.8	-	-	7.1	-	-	-	4.6	-	-	0.4	-
精巣	062	4	-	4	0.0	-	0.0	0.1	-	-	0.1	-	-	-	0.1	-	-	0.0	-
その他および部位不明の男性性器	063	1	-	1	0.0	-	0.0	0.0	-	-	0.0	-	-	-	0.0	-	-	0.0	-
腎盂を除く腎	064	184	88	272	1.2	0.9	1.1	4.1	1.9	3.0	1.8	0.6	1.2	1.2	0.5	0.8	0.1	0.0	0.1
腎盂	065	94	47	141	0.6	0.5	0.6	2.1	1.0	1.6	0.8	0.3	0.5	0.6	0.2	0.4	0.1	0.0	0.0
尿管	066	88	44	132	0.6	0.4	0.5	2.0	1.0	1.5	0.8	0.2	0.5	0.5	0.1	0.3	0.0	0.0	0.0
膀胱	067	400	163	563	2.7	1.6	2.3	8.9	3.6	6.3	3.4	0.9	2.0	2.2	0.6	1.3	0.2	0.0	0.1
その他および部位不明の泌尿器	068	14	6	20	0.1	0.1	0.1	0.3	0.1	0.2	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
眼および付属器	069	2	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
髄膜	070	4	3	7	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.							

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 詳細部位別、性別

神奈川県

2019年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率			累積死亡率(0-74歳)				
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口		世界人口		男	女	総数 *1	
											男	女	総数 *1	男				女
上皮内がん	D00-D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
口腔、食道および胃	D00	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	D001	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の消化器	D01	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
結腸	D010	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸S状結腸移行部	D011	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸	D012	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中耳および呼吸器系	D02	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上皮内黒色腫	D03	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
皮膚のその他	D04	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
乳房	D05	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮頸部	D06	-	0	0	-	0.0	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-
その他および部位不明の性器	D07	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明	D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
膀胱	D090	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
良性腫瘍	D32-D35	14	23	37	0.1	0.2	0.1	0.3	0.5	0.4	0.1	0.2	0.2	0.1	0.1	0.1	0.0	0.0
髄膜	D32	11	18	29	0.1	0.2	0.1	0.2	0.4	0.3	0.1	0.2	0.1	0.1	0.1	0.1	0.0	0.0
脳および中枢神経系	D33	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下垂体	D352	3	1	4	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	313	185	498	2.1	1.8	2.0	7.0	4.1	5.5	3.0	1.4	2.1	1.9	1.0	1.4	0.2	0.1
髄膜	D42	1	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	59	70	129	0.4	0.7	0.5	1.3	1.6	1.4	0.6	0.6	0.6	0.5	0.5	0.5	0.0	0.0
下垂体	D443	4	1	5	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D444	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D445	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D45	0	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	212	85	297	1.4	0.8	1.2	4.7	1.9	3.3	1.9	0.5	1.1	1.2	0.3	0.7	0.1	0.0
慢性骨髄増殖性疾患	D471	9	5	14	0.1	0.0	0.1	0.2	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
本態性(出血性)血小板血症	D473	5	4	9	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

*1 総数は男女および性別不詳の合計

付表3. 初回治療内容割合詳細 (%) : 部位別

A. 上皮内がんを除く

神奈川県

2019年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			治療あり 他の組合せ *5	治療なし ・不明	
								+放射線	-その他 *	+放射線	+薬物	+その他 *4			+放射線 +薬物
全部位	C00-C96	66,721	27.0	7.2	1.0	3.1	15.0	4.4	0.6	1.1	14.4	0.3	3.7	1.0	21.2
口腔・咽頭	C00-C14	1,672	32.8	4.8	0.1	6.9	3.4	18.8	0.0	5.2	3.2	0.0	4.4	0.2	20.1
食道	C15	1,969	7.2	25.4	0.8	6.5	6.8	15.1	0.0	0.4	14.9	0.1	2.3	0.7	19.8
胃	C16	7,725	22.4	35.6	2.6	0.4	8.0	0.2	0.1	0.0	10.1	0.1	0.0	0.3	20.1
大腸（結腸・直腸）	C18-C20	10,371	42.5	9.4	3.4	0.3	4.5	0.5	0.0	0.2	22.0	0.2	1.0	0.5	15.5
結腸	C18	6,925	45.5	7.6	3.5	0.2	4.2	0.1	0.0	0.1	22.1	0.2	0.0	0.5	16.0
直腸	C19-C20	3,446	36.5	12.9	3.2	0.5	5.3	1.5	0.0	0.4	21.9	0.2	2.9	0.3	14.3
肝および肝内胆管	C22	2,056	19.1	0.0	0.0	3.6	10.7	0.5	15.9	0.1	1.7	0.8	0.1	12.4	35.1
胆のう・胆管	C23-C24	1,255	26.5	0.6	0.1	1.0	16.3	0.3	0.0	0.6	9.3	0.4	0.3	1.6	43.1
膵臓	C25	2,840	9.7	0.0	0.0	0.8	33.1	1.8	0.1	0.0	14.3	0.0	0.6	0.7	38.9
喉頭	C32	307	11.4	7.5	0.0	33.9	1.6	20.8	0.0	5.2	1.0	1.3	2.9	1.0	13.4
肺	C33-C34	7,689	26.9	0.0	0.0	7.8	19.0	8.7	0.1	0.2	7.6	0.0	0.9	0.5	28.1
皮膚	C43-C44	1,645	85.0	0.0	0.0	1.0	0.3	0.5	0.0	1.2	1.3	0.5	0.2	0.4	9.5
乳房	C50	7,358	11.2	0.0	0.0	0.7	9.5	0.6	0.0	4.6	38.2	0.0	24.8	0.3	10.0
乳房（女性のみ）	C50	7,302	11.1	0.0	0.0	0.7	9.5	0.6	0.0	4.6	38.1	0.0	24.9	0.3	10.1
子宮	C53-C55	2,033	42.4	0.0	0.3	4.1	2.2	8.3	0.0	1.7	24.2	0.0	3.6	0.0	13.1
子宮頸部	C53	725	25.5	0.0	0.7	8.8	2.3	22.8	0.0	3.3	8.0	0.1	9.4	0.0	19.0
子宮体部	C54	1,290	52.2	0.0	0.2	1.6	2.2	0.3	0.0	0.8	33.5	0.0	0.4	0.0	9.0
卵巣	C56	778	17.5	0.0	0.0	0.0	5.8	0.3	0.4	0.1	60.0	0.1	0.3	0.1	15.4
前立腺	C61	7,336	22.4	0.4	0.1	7.1	34.5	12.5	0.1	0.2	2.8	0.0	0.1	0.5	19.4
膀胱	C67	1,478	1.7	22.4	3.9	0.9	1.6	0.3	0.0	2.5	31.4	8.2	2.4	8.9	15.9
腎・尿路（膀胱除く）	C64-C66 C68	2,011	61.1	0.2	0.2	1.3	5.8	0.9	0.0	0.4	7.1	0.1	0.1	0.6	22.1
脳・中枢神経系	C70-C72	383	15.9	0.0	0.0	4.2	1.8	6.0	0.0	3.9	3.9	0.3	36.8	2.1	25.1
甲状腺	C73	1,255	61.3	0.3	0.0	0.4	1.4	0.2	0.0	5.9	7.1	0.2	2.9	0.2	20.2
悪性リンパ腫	C81-C85 C96	2,344	2.7	0.0	0.0	4.4	53.8	4.5	0.3	0.1	3.4	0.0	0.9	1.1	28.7
多発性骨髄腫	C88-C90	495	0.4	0.0	0.0	0.8	61.6	3.4	1.8	0.0	0.4	0.0	0.0	0.4	31.1
白血病	C91-C95	925	0.1	0.0	0.0	0.1	64.3	4.8	1.2	0.0	0.0	0.0	0.0	1.5	28.0

*1 DCOを除く総数

*2 外科的、鏡視下治療のいずれかが「1:あり」

*3 化学療法、内分泌療法のいずれかが「1:あり」

*4 その他治療が「1:あり」

*5 左記以外の治療組合せ

付表3. 初回治療内容割合詳細 (%) : 部位別

B. 上皮内がんを含む

神奈川県

2019年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			治療あり 他の組合せ *5	治療なし ・不明	
								+放射線	-その他 *	+放射線	+薬物	+その他 *4			+放射線 +薬物
全部位	C00-C96 D00-D09	75,512	27.4	12.1	0.9	2.7	13.2	3.9	0.5	1.3	13.5	0.5	3.4	1.2	19.3
食道	C15 D001	2,237	6.5	31.4	0.7	5.9	6.0	13.4	0.0	0.3	13.1	0.2	2.0	0.7	19.8
大腸 (結腸・直腸) *4	C18-C20 D010-D012	14,153	32.7	31.6	2.6	0.2	3.3	0.4	0.0	0.2	16.1	0.2	0.7	0.3	11.6
結腸 *4	C18 D010	9,732	34.1	32.1	2.6	0.1	3.0	0.1	0.0	0.1	15.7	0.2	0.0	0.4	11.7
直腸 *4	C19-C20 D011-D012	4,421	29.6	30.6	2.6	0.4	4.1	1.1	0.0	0.3	17.1	0.2	2.3	0.3	11.3
肺	C33-C34 D021-D022	7,942	29.1	0.0	0.0	7.6	18.4	8.4	0.1	0.2	7.4	0.0	0.9	0.5	27.3
皮膚	C43-C44 D030-D049	1,974	84.9	0.0	0.0	0.9	0.3	0.5	0.0	1.1	1.3	0.8	0.2	0.9	9.3
乳房	C50 D05	8,286	15.9	0.0	0.0	0.7	8.6	0.6	0.0	6.7	34.9	0.0	22.6	0.3	9.7
乳房 (女性のみ)	C50 D05	8,224	15.8	0.0	0.0	0.7	8.6	0.6	0.0	6.8	34.8	0.0	22.7	0.3	9.7
子宮	C53-C55 D06	3,436	58.6	0.8	0.4	2.5	1.3	4.9	0.0	1.0	14.3	0.1	2.1	1.4	12.5
子宮頸部	C53 D06	2,128	62.8	1.4	0.5	3.1	0.8	7.8	0.0	1.2	2.8	0.2	3.2	2.2	14.1
膀胱	C67 D090	2,873	1.5	30.5	2.1	0.5	1.0	0.2	0.0	1.4	35.0	8.2	1.3	8.6	9.6

*1 DCOを除く総数

*2 外科的、鏡視下治療のいずれかが「1:あり」

*3 化学療法、内分泌療法のいずれかが「1:あり」

*4 その他治療が「1:あり」

*5 左記以外の治療組合せ