

表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2018年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96	38,538	28,508	67,047	100.0	100.0	100.0	842.2	619.6	730.6	449.7	346.0	389.3	316.5	258.9	282.3	37.7	28.8	32.9
口腔・咽頭	C00-C14	1,139	464	1,603	3.0	1.6	2.4	24.9	10.1	17.5	15.1	5.5	10.1	11.0	4.1	7.5	1.4	0.4	0.9
食道	C15	1,683	378	2,062	4.4	1.3	3.1	36.8	8.2	22.5	19.9	4.1	11.6	13.9	3.0	8.2	1.8	0.4	1.1
胃	C16	5,736	2,486	8,222	14.9	8.7	12.3	125.3	54.0	89.6	63.0	23.2	41.7	42.7	16.1	28.6	5.1	1.9	3.4
大腸（結腸・直腸）	C18-C20	5,846	4,323	10,169	15.2	15.2	15.2	127.8	94.0	110.8	71.1	44.3	57.1	50.5	31.7	40.7	6.2	3.8	4.9
結腸	C18	3,608	3,072	6,680	9.4	10.8	10.0	78.8	66.8	72.8	41.9	29.9	35.5	29.1	21.1	24.9	3.5	2.5	3.0
直腸	C19-C20	2,238	1,251	3,489	5.8	4.4	5.2	48.9	27.2	38.0	29.3	14.4	21.6	21.4	10.5	15.8	2.7	1.2	2.0
肝および肝内胆管	C22	1,669	722	2,391	4.3	2.5	3.6	36.5	15.7	26.1	18.9	6.1	12.1	13.1	4.2	8.5	1.5	0.4	1.0
胆のう・胆管	C23-C24	730	585	1,315	1.9	2.1	2.0	16.0	12.7	14.3	7.6	4.2	5.8	5.1	2.8	3.9	0.5	0.3	0.4
膵臓	C25	1,462	1,296	2,758	3.8	4.5	4.1	31.9	28.2	30.1	16.8	11.7	14.1	11.7	8.1	9.8	1.4	0.9	1.2
喉頭	C32	313	27	340	0.8	0.1	0.5	6.8	0.6	3.7	3.5	0.3	1.8	2.4	0.2	1.2	0.3	0.0	0.2
肺	C33-C34	5,077	2,656	7,733	13.2	9.3	11.5	110.9	57.7	84.3	56.3	26.0	40.0	38.6	18.3	27.8	4.8	2.3	3.5
皮膚	C43-C44	884	746	1,630	2.3	2.6	2.4	19.3	16.2	17.8	9.6	6.6	7.9	6.6	4.6	5.5	0.7	0.5	0.6
乳房	C50	41	7,157	7,198	0.1	25.1	10.7	0.9	155.6	78.4	0.5	107.3	53.8	0.4	82.4	41.1	0.0	9.2	4.6
子宮	C53-C55	-	2,008	2,008	-	7.0	3.0	-	43.6	-	-	33.5	-	-	26.1	-	-	2.8	-
子宮頸部	C53	-	716	716	-	2.5	1.1	-	15.6	-	-	12.7	-	-	9.9	-	-	1.0	-
子宮体部	C54	-	1,266	1,266	-	4.4	1.9	-	27.5	-	-	20.6	-	-	16.0	-	-	1.8	-
卵巣	C56	-	766	766	-	2.7	1.1	-	16.6	-	-	12.0	-	-	9.5	-	-	1.0	-
前立腺	C61	7,174	-	7,174	18.6	-	10.7	156.8	-	-	78.2	-	-	52.7	-	-	6.8	-	-
膀胱	C67	1,174	353	1,527	3.0	1.2	2.3	25.7	7.7	16.6	12.5	2.8	7.3	8.5	1.9	5.0	1.0	0.2	0.6
腎・尿路（膀胱除く）	C64-C66 C68	1,409	609	2,018	3.7	2.1	3.0	30.8	13.2	22.0	17.9	6.1	11.8	13.0	4.4	8.6	1.6	0.5	1.0
脳・中枢神経系	C70-C72	191	178	369	0.5	0.6	0.6	4.2	3.9	4.0	3.0	2.4	2.8	2.5	2.1	2.3	0.2	0.2	0.2
甲状腺	C73	343	874	1,217	0.9	3.1	1.8	7.5	19.0	13.3	5.4	14.8	10.0	4.2	12.0	8.0	0.5	1.2	0.8
悪性リンパ腫	C81-C85 C96	1,319	1,092	2,411	3.4	3.8	3.6	28.8	23.7	26.3	16.8	12.8	14.6	12.3	9.6	10.9	1.4	1.1	1.2
多発性骨髄腫	C88-C90	243	219	462	0.6	0.8	0.7	5.3	4.8	5.0	2.8	2.3	2.5	1.9	1.7	1.7	0.2	0.2	0.2
白血病	C91-C95	594	374	968	1.5	1.3	1.4	13.0	8.1	10.5	9.1	5.6	7.3	7.9	5.1	6.5	0.7	0.4	0.6

\*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

B. 上皮内がんを含む

神奈川県

2018年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96 D00-D09	42,532	32,705	75,238	100.0	100.0	100.0	929.5	710.8	819.9	499.7	417.3	448.7	352.1	314.7	327.1	42.2	34.3	37.8
食道	C15 D001	1,839	420	2,260	4.3	1.3	3.0	40.2	9.1	24.6	21.8	4.6	12.8	15.2	3.3	9.0	2.0	0.4	1.2
大腸（結腸・直腸）*2	C18-C20 D010-D012	8,122	5,482	13,604	19.1	16.8	18.1	177.5	119.1	148.2	101.2	58.5	79.0	72.4	42.0	56.7	9.0	5.0	7.0
結腸 *2	C18 D010	5,311	3,898	9,209	12.5	11.9	12.2	116.1	84.7	100.3	64.1	39.8	51.4	45.2	28.3	36.4	5.5	3.4	4.5
直腸 *2	C19-C20 D011-D012	2,811	1,584	4,395	6.6	4.8	5.8	61.4	34.4	47.9	37.1	18.7	27.6	27.1	13.7	20.2	3.4	1.6	2.5
肺	C33-C34 D021-D022	5,153	2,781	7,934	12.1	8.5	10.5	112.6	60.4	86.5	57.3	27.6	41.3	39.3	19.5	28.7	4.9	2.4	3.6
皮膚	C43-C44 D030-D049	1,040	917	1,957	2.4	2.8	2.6	22.7	19.9	21.3	11.2	7.9	9.4	7.7	5.5	6.5	0.8	0.6	0.7
乳房	C50 D05	46	8,103	8,149	0.1	24.8	10.8	1.0	176.1	88.8	0.6	123.2	61.6	0.4	94.8	47.2	0.1	10.5	5.2
子宮	C53-C55 D06	-	3,394	3,394	-	10.4	4.5	-	73.8	-	-	67.3	-	-	54.0	-	-	5.1	-
子宮頸部	C53 D06	-	2,102	2,102	-	6.4	2.8	-	45.7	-	-	46.5	-	-	37.9	-	-	3.3	-
膀胱	C67 D090	2,226	596	2,822	5.2	1.8	3.8	48.6	13.0	30.8	24.4	5.4	14.3	16.7	3.7	9.8	2.0	0.4	1.2

\*1 総数は男女および性別不詳の合計

\*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

神奈川県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	38,538	37	8	30	24	66	84	132	202	405	773	1,200	1,908	2,958	5,820	7,380	7,517	5,710	3,098	1,002	161	23	0
	口腔・咽頭	C00-C14	1,139	0	0	0	1	6	3	8	12	20	41	63	96	123	194	212	182	114	50	11	3	0	0
	食道	C15	1,683	0	0	0	0	0	0	0	1	8	25	51	105	156	296	361	354	206	91	26	2	1	0
	胃	C16	5,736	0	0	0	0	1	2	4	11	29	62	118	214	421	852	1,099	1,268	970	516	152	16	1	0
	大腸（結腸・直腸）	C18-C20	5,846	0	0	1	0	3	7	24	37	81	187	247	371	524	904	1,093	1,027	785	398	138	17	2	0
	結腸	C18	3,608	0	0	1	0	0	3	10	21	45	95	140	189	260	508	674	695	543	301	107	15	1	0
	直腸	C19-C20	2,238	0	0	0	0	3	4	14	16	36	92	107	182	264	396	419	332	242	97	31	2	1	0
	肝および肝内胆管	C22	1,669	1	0	1	0	0	1	4	0	10	32	51	90	140	236	282	315	286	159	50	11	0	0
	胆のう・胆管	C23-C24	730	0	0	0	0	0	0	0	0	6	8	17	18	50	88	116	147	147	89	33	11	0	0
	膵臓	C25	1,462	0	0	0	0	0	0	2	4	16	30	47	83	108	217	292	274	212	128	43	6	0	0
	喉頭	C32	313	0	0	0	0	0	0	0	0	0	5	5	13	24	59	59	70	42	26	9	0	1	0
	肺	C33-C34	5,077	0	0	0	0	2	0	4	15	34	56	137	194	357	777	1,060	1,002	794	458	159	27	1	0
	皮膚	C43-C44	884	0	0	0	1	3	4	5	4	11	23	32	31	45	86	129	157	161	126	52	12	2	0
	乳房	C50	41	0	0	0	0	0	1	0	0	1	1	2	3	6	3	8	9	4	1	2	0	0	0
	前立腺	C61	7,174	0	0	0	0	1	0	0	1	2	26	93	259	487	1,199	1,620	1,662	1,133	506	153	24	8	0
	膀胱	C67	1,174	0	0	0	0	1	0	0	4	8	9	23	43	80	154	209	227	195	158	46	13	4	0
	腎・尿路（膀胱除く）	C64-C66 C68	1,409	2	1	1	0	1	0	6	15	21	54	81	110	133	239	223	225	167	89	36	4	1	0
	脳・中枢神経系	C70-C72	191	2	0	4	0	3	4	5	11	13	11	11	22	12	21	16	25	15	12	3	1	0	0
	甲状腺	C73	343	0	0	0	3	6	3	12	16	20	34	22	40	28	41	53	33	16	13	3	0	0	0
	悪性リンパ腫	C81-C85 C96	1,319	0	2	4	2	7	15	9	19	25	53	64	77	101	194	224	213	177	100	27	6	0	0
	多発性骨髄腫	C88-C90	243	0	0	0	0	0	0	0	0	3	8	10	16	14	28	42	50	42	26	4	0	0	0
	白血病	C91-C95	594	14	3	11	13	12	11	12	13	25	31	27	34	45	69	75	72	69	43	13	2	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

神奈川県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	28,508	19	16	14	40	60	127	249	514	1,066	1,830	1,920	1,804	2,068	3,409	3,881	3,826	3,417	2,549	1,277	369	53	0
	口腔・咽頭	C00-C14	464	0	0	1	1	4	2	5	10	17	22	32	29	34	49	43	64	58	48	37	6	2	0
	食道	C15	378	0	0	0	0	0	0	0	0	1	9	28	30	33	60	57	56	40	40	22	2	0	0
	胃	C16	2,486	0	0	0	0	0	7	5	22	39	54	70	83	104	306	414	423	426	314	176	38	5	0
	大腸（結腸・直腸）	C18-C20	4,323	0	0	0	2	2	7	7	30	75	127	190	225	272	545	725	687	632	475	241	72	9	0
	結腸	C18	3,072	0	0	0	2	2	3	1	17	37	71	124	133	170	397	527	492	481	369	185	54	7	0
	直腸	C19-C20	1,251	0	0	0	0	0	4	6	13	38	56	66	92	102	148	198	195	151	106	56	18	2	0
	肝および肝内胆管	C22	722	2	1	0	0	0	2	2	4	6	8	16	15	33	57	103	112	172	115	58	16	0	0
	胆のう・胆管	C23-C24	585	0	0	0	0	0	0	1	0	4	7	7	12	17	39	60	101	114	125	65	31	2	0
	膵臓	C25	1,296	0	0	0	0	1	0	2	5	18	19	27	50	67	165	179	231	223	184	94	30	1	0
	喉頭	C32	27	0	0	0	0	0	0	0	0	0	0	1	1	3	8	2	5	5	1	1	0	0	0
	肺	C33-C34	2,656	0	0	0	0	1	2	4	7	26	54	76	109	174	377	492	496	385	282	130	32	9	0
	皮膚	C43-C44	746	0	0	0	0	1	5	5	8	4	21	21	22	31	54	116	119	111	111	70	38	9	0
	乳房	C50	7,157	0	0	0	0	3	18	74	214	523	950	782	605	673	889	824	663	469	281	140	44	5	0
	子宮	C53-C55	2,008	0	0	0	0	2	18	48	103	144	249	294	238	198	223	156	143	101	60	24	4	3	0
	子宮頸部	C53	716	0	0	0	0	1	10	40	70	78	103	84	57	40	67	47	44	36	23	13	1	2	0
	子宮体部	C54	1,266	0	0	0	0	1	8	8	33	66	146	209	181	157	155	107	92	63	32	6	2	0	0
	卵巣	C56	766	0	2	1	5	6	6	10	13	52	97	90	92	75	80	69	61	46	36	21	4	0	0
	膀胱	C67	353	0	0	0	0	0	0	0	1	1	6	3	10	19	38	36	59	81	54	35	8	2	0
	腎・尿路（膀胱除く）	C64-C66 C68	609	0	0	0	1	0	1	0	6	10	17	25	34	39	66	96	82	112	87	26	7	0	0
	脳・中枢神経系	C70-C72	178	3	4	0	2	1	2	7	6	7	9	10	3	9	16	30	20	30	15	3	1	0	0
	甲状腺	C73	874	0	0	1	9	24	29	34	45	62	78	88	77	72	92	88	81	47	32	9	4	2	0
	悪性リンパ腫	C81-C85 C96	1,092	0	1	3	4	5	9	22	13	21	27	58	67	91	136	151	166	149	115	43	10	1	0
	多発性骨髄腫	C88-C90	219	0	0	0	0	0	0	0	0	4	5	14	10	18	32	36	32	27	31	8	2	0	0
	白血病	C91-C95	374	10	7	4	8	4	9	8	5	20	23	21	15	24	43	40	43	47	23	15	4	1	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

神奈川県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	67,047	56	24	44	64	126	211	381	716	1,471	2,603	3,120	3,712	5,026	9,230	11,261	11,343	9,127	5,647	2,279	530	76	0
	口腔・咽頭	C00-C14	1,603	0	0	1	2	10	5	13	22	37	63	95	125	157	243	255	246	172	98	48	9	2	0
	食道	C15	2,062	0	0	0	0	0	0	0	1	9	34	79	135	189	357	418	410	246	131	48	4	1	0
	胃	C16	8,222	0	0	0	0	1	9	9	33	68	116	188	297	525	1,158	1,513	1,691	1,396	830	328	54	6	0
	大腸（結腸・直腸）	C18-C20	10,169	0	0	1	2	5	14	31	67	156	314	437	596	796	1,449	1,818	1,714	1,417	873	379	89	11	0
	結腸	C18	6,680	0	0	1	2	2	6	11	38	82	166	264	322	430	905	1,201	1,187	1,024	670	292	69	8	0
	直腸	C19-C20	3,489	0	0	0	0	3	8	20	29	74	148	173	274	366	544	617	527	393	203	87	20	3	0
	肝および肝内胆管	C22	2,391	3	1	1	0	0	3	6	4	16	40	67	105	173	293	385	427	458	274	108	27	0	0
	胆のう・胆管	C23-C24	1,315	0	0	0	0	0	0	1	0	10	15	24	30	67	127	176	248	261	214	98	42	2	0
	膵臓	C25	2,758	0	0	0	0	1	0	4	9	34	49	74	133	175	382	471	505	435	312	137	36	1	0
	喉頭	C32	340	0	0	0	0	0	0	0	0	0	5	6	14	27	67	61	75	47	27	10	0	1	0
	肺	C33-C34	7,733	0	0	0	0	3	2	8	22	60	110	213	303	531	1,154	1,552	1,498	1,179	740	289	59	10	0
	皮膚	C43-C44	1,630	0	0	0	1	4	9	10	12	15	44	53	53	76	140	245	276	272	237	122	50	11	0
	乳房	C50	7,198	0	0	0	0	3	19	74	214	524	951	784	608	679	892	832	672	473	282	142	44	5	0
	子宮	C53-C55	2,008	0	0	0	0	2	18	48	103	144	249	294	238	198	223	156	143	101	60	24	4	3	0
	子宮頸部	C53	716	0	0	0	0	1	10	40	70	78	103	84	57	40	67	47	44	36	23	13	1	2	0
	子宮体部	C54	1,266	0	0	0	0	1	8	8	33	66	146	209	181	157	155	107	92	63	32	6	2	0	0
	卵巣	C56	766	0	2	1	5	6	6	10	13	52	97	90	92	75	80	69	61	46	36	21	4	0	0
	前立腺	C61	7,174	0	0	0	0	1	0	0	1	2	26	93	259	487	1,199	1,620	1,662	1,133	506	153	24	8	0
	膀胱	C67	1,527	0	0	0	0	1	0	0	5	9	15	26	53	99	192	245	286	276	212	81	21	6	0
	腎・尿路（膀胱除く）	C64-C66 C68	2,018	2	1	1	1	1	1	6	21	31	71	106	144	172	305	319	307	279	176	62	11	1	0
	脳・中枢神経系	C70-C72	369	5	4	4	2	4	6	12	17	20	20	21	25	21	37	46	45	45	27	6	2	0	0
	甲状腺	C73	1,217	0	0	1	12	30	32	46	61	82	112	110	117	100	133	141	114	63	45	12	4	2	0
	悪性リンパ腫	C81-C85 C96	2,411	0	3	7	6	12	24	31	32	46	80	122	144	192	330	375	379	326	215	70	16	1	0
	多発性骨髄腫	C88-C90	462	0	0	0	0	0	0	0	0	7	13	24	26	32	60	78	82	69	57	12	2	0	0
	白血病	C91-C95	968	24	10	15	21	16	20	20	18	45	54	48	49	69	112	115	115	116	66	28	6	1	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

神奈川県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96 D00-D09	42,532	37	8	31	24	68	88	143	215	484	885	1,402	2,176	3,362	6,477	8,156	8,249	6,215	3,267	1,057	164	24	0
	食道	C15 D001	1,839	0	0	0	0	0	0	0	2	10	26	56	114	172	315	392	399	227	95	28	2	1	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	8,122	0	0	2	0	4	8	32	46	137	266	402	552	789	1,301	1,535	1,391	1,025	463	150	17	2	0
	結腸 *2	C18 D010	5,311	0	0	2	0	0	4	15	27	81	154	252	320	453	788	1,033	976	727	348	115	15	1	0
	直腸 *2	C19-C20 D011-D012	2,811	0	0	0	0	4	4	17	19	56	112	150	232	336	513	502	415	298	115	35	2	1	0
	肺	C33-C34 D021-D022	5,153	0	0	0	0	2	1	4	16	36	58	139	196	362	799	1,076	1,019	799	459	159	27	1	0
	皮膚	C43-C44 D030-D049	1,040	0	0	0	1	3	4	5	5	17	24	36	38	54	102	145	193	188	145	64	13	3	0
	乳房	C50 D05	46	0	0	0	0	0	1	0	0	1	1	2	3	8	3	9	10	5	1	2	0	0	0
	膀胱	C67 D090	2,226	0	0	0	0	1	0	3	5	16	29	46	93	167	307	417	452	370	227	75	14	4	0
	女	全部位	C00-C96 D00-D09	32,705	19	16	14	42	76	260	537	851	1,507	2,286	2,231	2,040	2,306	3,800	4,317	4,247	3,700	2,709	1,318	375	54
食道		C15 D001	420	0	0	0	0	0	0	0	0	1	10	28	34	36	63	74	60	46	43	23	2	0	0
大腸（結腸・直腸）*2		C18-C20 D010-D012	5,482	0	0	0	2	2	7	16	39	108	185	261	314	364	721	933	904	755	540	249	73	9	0
結腸 *2		C18 D010	3,898	0	0	0	2	2	3	5	22	58	115	172	195	233	518	683	652	570	417	190	54	7	0
直腸 *2		C19-C20 D011-D012	1,584	0	0	0	0	0	4	11	17	50	70	89	119	131	203	250	252	185	123	59	19	2	0
肺		C33-C34 D021-D022	2,781	0	0	0	0	1	2	4	8	31	58	87	117	187	401	514	517	398	283	132	32	9	0
皮膚		C43-C44 D030-D049	917	0	0	0	1	1	5	5	9	6	24	26	26	33	64	136	146	150	148	85	42	10	0
乳房		C50 D05	8,103	0	0	0	0	5	22	91	254	633	1,126	901	677	748	985	922	736	510	300	144	44	5	0
子宮		C53-C55 D06	3,394	0	0	0	1	16	147	306	385	427	454	379	278	227	252	169	152	106	64	24	4	3	0
子宮頸部		C53 D06	2,102	0	0	0	1	15	139	298	352	361	308	169	97	69	96	60	53	41	27	13	1	2	0
膀胱	C67 D090	596	0	0	0	0	0	0	2	3	4	11	11	24	33	74	81	106	116	75	45	9	2	0	
総数 *3	全部位	C00-C96 D00-D09	75,238	56	24	45	66	144	348	680	1,066	1,991	3,171	3,633	4,216	5,668	10,278	12,473	12,496	9,915	5,976	2,375	539	78	0
	食道	C15 D001	2,260	0	0	0	0	0	0	0	2	11	36	84	148	208	379	466	459	273	138	51	4	1	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	13,604	0	0	2	2	6	15	48	85	245	451	663	866	1,153	2,022	2,468	2,295	1,780	1,003	399	90	11	0
	結腸 *2	C18 D010	9,209	0	0	2	2	2	7	20	49	139	269	424	515	686	1,306	1,716	1,628	1,297	765	305	69	8	0
	直腸 *2	C19-C20 D011-D012	4,395	0	0	0	0	4	8	28	36	106	182	239	351	467	716	752	667	483	238	94	21	3	0
	肺	C33-C34 D021-D022	7,934	0	0	0	0	3	3	8	24	67	116	226	313	549	1,200	1,590	1,536	1,197	742	291	59	10	0
	皮膚	C43-C44 D030-D049	1,957	0	0	0	2	4	9	10	14	23	48	62	64	87	166	281	339	338	293	149	55	13	0
	乳房	C50 D05	8,149	0	0	0	0	5	23	91	254	634	1,127	903	680	756	988	931	746	515	301	146	44	5	0
	子宮	C53-C55 D06	3,394	0	0	0	1	16	147	306	385	427	454	379	278	227	252	169	152	106	64	24	4	3	0
	子宮頸部	C53 D06	2,102	0	0	0	1	15	139	298	352	361	308	169	97	69	96	60	53	41	27	13	1	2	0
膀胱	C67 D090	2,822	0	0	0	0	1	0	5	8	20	40	57	117	200	381	498	558	486	302	120	23	6	0	

\*1 総数は年齢不詳を含む

\*2 粘膜がんを含む

\*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	842.2	20.6	4.2	15.2	11.1	24.4	32.6	48.0	66.2	111.6	190.9	338.0	669.5	1,207.3	1,993.2	2,806.1	3,432.4	3,884.4	4,003.7	-
	口腔・咽頭	C00-C14	24.9	0.0	0.0	0.0	0.5	2.2	1.2	2.9	3.9	5.5	10.1	17.7	33.7	50.2	66.4	80.6	83.1	77.6	59.8	-
	食道	C15	36.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.2	6.2	14.4	36.8	63.7	101.4	137.3	161.6	140.1	112.1	-
	胃	C16	125.3	0.0	0.0	0.0	0.0	0.4	0.8	1.5	3.6	8.0	15.3	33.2	75.1	171.8	291.8	417.9	579.0	659.9	640.2	-
	大腸（結腸・直腸）	C18-C20	127.8	0.0	0.0	0.5	0.0	1.1	2.7	8.7	12.1	22.3	46.2	69.6	130.2	213.9	309.6	415.6	468.9	534.0	518.7	-
	結腸	C18	78.8	0.0	0.0	0.5	0.0	0.0	1.2	3.6	6.9	12.4	23.5	39.4	66.3	106.1	174.0	256.3	317.4	369.4	396.3	-
	直腸	C19-C20	48.9	0.0	0.0	0.0	0.0	1.1	1.6	5.1	5.2	9.9	22.7	30.1	63.9	107.8	135.6	159.3	151.6	164.6	122.4	-
	肝および肝内胆管	C22	36.5	0.6	0.0	0.5	0.0	0.0	0.4	1.5	0.0	2.8	7.9	14.4	31.6	57.1	80.8	107.2	143.8	194.6	205.6	-
	胆のう・胆管	C23-C24	16.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2.0	4.8	6.3	20.4	30.1	44.1	67.1	100.0	124.3	-
	膵臓	C25	31.9	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	4.4	7.4	13.2	29.1	44.1	74.3	111.0	125.1	144.2	165.4	-
	喉頭	C32	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	4.6	9.8	20.2	22.4	32.0	28.6	33.6	-
	肺	C33-C34	110.9	0.0	0.0	0.0	0.0	0.7	0.0	1.5	4.9	9.4	13.8	38.6	68.1	145.7	266.1	403.0	457.5	540.1	602.8	-
	皮膚	C43-C44	19.3	0.0	0.0	0.0	0.5	1.1	1.6	1.8	1.3	3.0	5.7	9.0	10.9	18.4	29.5	49.0	71.7	109.5	179.4	-
	乳房	C50	0.9	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.3	0.2	0.6	1.1	2.4	1.0	3.0	4.1	2.7	2.8	-
	前立腺	C61	156.8	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.3	0.6	6.4	26.2	90.9	198.8	410.6	616.0	758.9	770.7	645.8	-
	膀胱	C67	25.7	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.3	2.2	2.2	6.5	15.1	32.7	52.7	79.5	103.7	132.7	206.5	-
	腎・尿路（膀胱除く）	C64-C66 C68	30.8	1.1	0.5	0.5	0.0	0.4	0.0	2.2	4.9	5.8	13.3	22.8	38.6	54.3	81.8	84.8	102.7	113.6	121.5	-
	脳・中枢神経系	C70-C72	4.2	1.1	0.0	2.0	0.0	1.1	1.6	1.8	3.6	3.6	2.7	3.1	7.7	4.9	7.2	6.1	11.4	10.2	15.0	-
	甲状腺	C73	7.5	0.0	0.0	0.0	1.4	2.2	1.2	4.4	5.2	5.5	8.4	6.2	14.0	11.4	14.0	20.2	15.1	10.9	15.0	-
	悪性リンパ腫	C81-C85 C96	28.8	0.0	1.0	2.0	0.9	2.6	5.8	3.3	6.2	6.9	13.1	18.0	27.0	41.2	66.4	85.2	97.3	120.4	124.3	-
	多発性骨髄腫	C88-C90	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.0	2.8	5.6	5.7	9.6	16.0	22.8	28.6	28.0	-
	白血病	C91-C95	13.0	7.8	1.6	5.6	6.0	4.4	4.3	4.4	4.3	6.9	7.7	7.6	11.9	18.4	23.6	28.5	32.9	46.9	54.2	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	619.6	11.1	8.7	7.4	19.4	24.3	54.7	98.0	179.7	310.8	477.8	592.6	678.2	858.1	1,114.1	1,315.6	1,471.5	1,743.4	1,939.7	-
	口腔・咽頭	C00-C14	10.1	0.0	0.0	0.5	0.5	1.6	0.9	2.0	3.5	5.0	5.7	9.9	10.9	14.1	16.0	14.6	24.6	29.6	42.5	-
	食道	C15	8.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.3	8.6	11.3	13.7	19.6	19.3	21.5	20.4	29.2	-
	胃	C16	54.0	0.0	0.0	0.0	0.0	0.0	3.0	2.0	7.7	11.4	14.1	21.6	31.2	43.2	100.0	140.3	162.7	217.3	243.4	-
	大腸（結腸・直腸）	C18-C20	94.0	0.0	0.0	0.0	1.0	0.8	3.0	2.8	10.5	21.9	33.2	58.6	84.6	112.9	178.1	245.8	264.2	322.4	363.9	-
	結腸	C18	66.8	0.0	0.0	0.0	1.0	0.8	1.3	0.4	5.9	10.8	18.5	38.3	50.0	70.5	129.7	178.6	189.2	245.4	280.8	-
	直腸	C19-C20	27.2	0.0	0.0	0.0	0.0	0.0	1.7	2.4	4.5	11.1	14.6	20.4	34.6	42.3	48.4	67.1	75.0	77.0	83.1	-
	肝および肝内胆管	C22	15.7	1.2	0.5	0.0	0.0	0.0	0.9	0.8	1.4	1.7	2.1	4.9	5.6	13.7	18.6	34.9	43.1	87.8	86.3	-
	胆のう・胆管	C23-C24	12.7	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.2	1.8	2.2	4.5	7.1	12.7	20.3	38.8	58.2	101.8	-
	膵臓	C25	28.2	0.0	0.0	0.0	0.0	0.4	0.0	0.8	1.7	5.2	5.0	8.3	18.8	27.8	53.9	60.7	88.8	113.8	141.1	-
	喉頭	C32	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	1.2	2.6	0.7	1.9	2.6	0.9	-
	肺	C33-C34	57.7	0.0	0.0	0.0	0.0	0.4	0.9	1.6	2.4	7.6	14.1	23.5	41.0	72.2	123.2	166.8	190.8	196.4	206.8	-
	皮膚	C43-C44	16.2	0.0	0.0	0.0	0.0	0.4	2.2	2.0	2.8	1.2	5.5	6.5	8.3	12.9	17.6	39.3	45.8	56.6	104.1	-
	乳房	C50	155.6	0.0	0.0	0.0	0.0	1.2	7.8	29.1	74.8	152.5	248.0	241.4	227.4	279.3	290.5	279.3	255.0	239.3	214.6	-
	子宮	C53-C55	43.6	0.0	0.0	0.0	0.0	0.8	7.8	18.9	36.0	42.0	65.0	90.7	89.5	82.2	72.9	52.9	55.0	51.5	41.6	-
	子宮頸部	C53	15.6	0.0	0.0	0.0	0.0	0.4	4.3	15.7	24.5	22.7	26.9	25.9	21.4	16.6	21.9	15.9	16.9	18.4	17.8	-
	子宮体部	C54	27.5	0.0	0.0	0.0	0.0	0.4	3.4	3.1	11.5	19.2	38.1	64.5	68.0	65.1	50.7	36.3	35.4	32.1	18.3	-
	卵巣	C56	16.6	0.0	1.1	0.5	2.4	2.4	2.6	3.9	4.5	15.2	25.3	27.8	34.6	31.1	26.1	23.4	23.5	23.5	27.9	-
	膀胱	C67	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.6	0.9	3.8	7.9	12.4	12.2	22.7	41.3	45.2	-
	腎・尿路（膀胱除く）	C64-C66 C68	13.2	0.0	0.0	0.0	0.5	0.0	0.4	0.0	2.1	2.9	4.4	7.7	12.8	16.2	21.6	32.5	31.5	57.1	54.8	-
	脳・中枢神経系	C70-C72	3.9	1.8	2.2	0.0	1.0	0.4	0.9	2.8	2.1	2.0	2.3	3.1	1.1	3.7	5.2	10.2	7.7	15.3	8.7	-
	甲状腺	C73	19.0	0.0	0.0	0.5	4.4	9.7	12.5	13.4	15.7	18.1	20.4	27.2	28.9	29.9	30.1	29.8	31.2	24.0	21.5	-
	悪性リンパ腫	C81-C85 C96	23.7	0.0	0.5	1.6	1.9	2.0	3.9	8.7	4.5	6.1	7.0	17.9	25.2	37.8	44.4	51.2	63.8	76.0	77.2	-
	多発性骨髄腫	C88-C90	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.3	4.3	3.8	7.5	10.5	12.2	12.3	13.8	18.7	-
	白血病	C91-C95	8.1	5.8	3.8	2.1	3.9	1.6	3.9	3.1	1.7	5.8	6.0	6.5	5.6	10.0	14.1	13.6	16.5	24.0	19.6	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計



表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	730.6	16.0	6.4	11.4	15.1	24.3	43.1	72.0	121.2	208.4	330.3	459.5	673.7	1,034.2	1,543.5	2,018.1	2,368.1	2,660.9	2,617.2	-
	口腔・咽頭	C00-C14	17.5	0.0	0.0	0.3	0.5	1.9	1.0	2.5	3.7	5.2	8.0	14.0	22.7	32.3	40.6	45.7	51.4	50.1	48.2	-
	食道	C15	22.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.3	4.3	11.6	24.5	38.9	59.7	74.9	85.6	71.7	56.4	-
	胃	C16	89.6	0.0	0.0	0.0	0.0	0.2	1.8	1.7	5.6	9.6	14.7	27.7	53.9	108.0	193.6	271.1	353.0	407.0	373.6	-
	大腸（結腸・直腸）	C18-C20	110.8	0.0	0.0	0.3	0.5	1.0	2.9	5.9	11.3	22.1	39.8	64.4	108.2	163.8	242.3	325.8	357.8	413.1	414.7	-
	結腸	C18	72.8	0.0	0.0	0.3	0.5	0.4	1.2	2.1	6.4	11.6	21.1	38.9	58.4	88.5	151.3	215.2	247.8	298.5	318.7	-
	直腸	C19-C20	38.0	0.0	0.0	0.0	0.0	0.6	1.6	3.8	4.9	10.5	18.8	25.5	49.7	75.3	91.0	110.6	110.0	114.6	96.0	-
	肝および肝内胆管	C22	26.1	0.9	0.3	0.3	0.0	0.0	0.6	1.1	0.7	2.3	5.1	9.9	19.1	35.6	49.0	69.0	89.1	133.5	125.5	-
	胆のう・胆管	C23-C24	14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.4	1.9	3.5	5.4	13.8	21.2	31.5	51.8	76.1	109.2	-
	膵臓	C25	30.1	0.0	0.0	0.0	0.0	0.2	0.0	0.8	1.5	4.8	6.2	10.9	24.1	36.0	63.9	84.4	105.4	126.8	149.1	-
	喉頭	C32	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.9	2.5	5.6	11.2	10.9	15.7	13.7	11.7	-
	肺	C33-C34	84.3	0.0	0.0	0.0	0.0	0.6	0.4	1.5	3.7	8.5	14.0	31.4	55.0	109.3	193.0	278.1	312.7	343.7	336.8	-
	皮膚	C43-C44	17.8	0.0	0.0	0.0	0.2	0.8	1.8	1.9	2.0	2.1	5.6	7.8	9.6	15.6	23.4	43.9	57.6	79.3	128.8	-
	乳房	C50	78.4	0.0	0.0	0.0	0.0	0.6	3.9	14.0	36.2	74.2	120.7	115.5	110.3	139.7	149.2	149.1	140.3	137.9	145.1	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	16.6	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.8	1.3	1.9	3.8	9.6	20.4	32.1	43.9	59.7	80.5	98.2	-
	腎・尿路（膀胱除く）	C64-C66 C68	22.0	0.6	0.3	0.3	0.2	0.2	0.2	1.1	3.6	4.4	9.0	15.6	26.1	35.4	51.0	57.2	64.1	81.3	76.7	-
	脳・中枢神経系	C70-C72	4.0	1.4	1.1	1.0	0.5	0.8	1.2	2.3	2.9	2.8	2.5	3.1	4.5	4.3	6.2	8.2	9.4	13.1	10.7	-
	甲状腺	C73	13.3	0.0	0.0	0.3	2.8	5.8	6.5	8.7	10.3	11.6	14.2	16.2	21.2	20.6	22.2	25.3	23.8	18.4	19.3	-
	悪性リンパ腫	C81-C85 C96	26.3	0.0	0.8	1.8	1.4	2.3	4.9	5.9	5.4	6.5	10.2	18.0	26.1	39.5	55.2	67.2	79.1	95.0	92.6	-
	多発性骨髄腫	C88-C90	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.6	3.5	4.7	6.6	10.0	14.0	17.1	20.1	21.8	-
	白血病	C91-C95	10.5	6.8	2.7	3.9	5.0	3.1	4.1	3.8	3.0	6.4	6.9	7.1	8.9	14.2	18.7	20.6	24.0	33.8	31.0	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

神奈川県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C96 D00-D09	929.5	20.6	4.2	15.7	11.1	25.1	34.1	52.0	70.5	133.3	218.5	394.9	763.5	1,372.2	2,218.2	3,101.1	3,766.7	4,227.9	4,216.8	-	
	食道	C15 D001	40.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.8	6.4	15.8	40.0	70.2	107.9	149.0	182.2	154.4	117.8	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	177.5	0.0	0.0	1.0	0.0	1.5	3.1	11.6	15.1	37.7	65.7	113.2	193.7	322.0	445.5	583.7	635.2	697.3	590.7	-	
	結腸 *2	C18 D010	116.1	0.0	0.0	1.0	0.0	0.0	1.6	5.5	8.9	22.3	38.0	71.0	112.3	184.9	269.9	392.8	445.7	494.6	447.7	-	
	直腸 *2	C19-C20 D011-D012	61.4	0.0	0.0	0.0	0.0	1.5	1.6	6.2	6.2	15.4	27.7	42.3	81.4	137.1	175.7	190.9	189.5	202.7	143.0	-	
	肺	C33-C34 D021-D022	112.6	0.0	0.0	0.0	0.0	0.7	0.4	1.5	5.2	9.9	14.3	39.2	68.8	147.8	273.6	409.1	465.3	543.5	603.7	-	
	皮膚	C43-C44 D030-D049	22.7	0.0	0.0	0.0	0.5	1.1	1.6	1.8	1.6	4.7	5.9	10.1	13.3	22.0	34.9	55.1	88.1	127.9	210.3	-	
	乳房	C50 D05	1.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.3	0.2	0.6	1.1	3.3	1.0	3.4	4.6	3.4	2.8	-
	膀胱	C67 D090	48.6	0.0	0.0	0.0	0.0	0.4	0.0	1.1	1.6	4.4	7.2	13.0	32.6	68.2	105.1	158.6	206.4	251.7	299.1	-	
	女	全部位	C00-C96 D00-D09	710.8	11.1	8.7	7.4	20.4	30.8	112.1	211.4	297.6	439.4	596.9	688.6	766.9	956.8	1,241.8	1,463.4	1,633.5	1,887.8	2,034.7	-
食道		C15 D001	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.6	8.6	12.8	14.9	20.6	25.1	23.1	23.5	31.1	-	
大腸（結腸・直腸）*2		C18-C20 D010-D012	119.1	0.0	0.0	0.0	1.0	0.8	3.0	6.3	13.6	31.5	48.3	80.6	118.0	151.0	235.6	316.3	347.7	385.2	397.7	-	
結腸 *2		C18 D010	84.7	0.0	0.0	0.0	1.0	0.8	1.3	2.0	7.7	16.9	30.0	53.1	73.3	96.7	169.3	231.5	250.8	290.8	305.0	-	
直腸 *2		C19-C20 D011-D012	34.4	0.0	0.0	0.0	0.0	0.0	1.7	4.3	5.9	14.6	18.3	27.5	44.7	54.4	66.3	84.7	96.9	94.4	92.7	-	
肺		C33-C34 D021-D022	60.4	0.0	0.0	0.0	0.0	0.4	0.9	1.6	2.8	9.0	15.1	26.9	44.0	77.6	131.0	174.2	198.8	203.1	208.2	-	
皮膚		C43-C44 D030-D049	19.9	0.0	0.0	0.0	0.5	0.4	2.2	2.0	3.1	1.7	6.3	8.0	9.8	13.7	20.9	46.1	56.2	76.5	130.1	-	
乳房		C50 D05	176.1	0.0	0.0	0.0	0.0	2.0	9.5	35.8	88.8	184.5	294.0	278.1	254.5	310.4	321.9	312.5	283.1	260.2	225.1	-	
子宮		C53-C55 D06	73.8	0.0	0.0	0.0	0.5	6.5	63.4	120.5	134.6	124.5	118.5	117.0	104.5	94.2	82.4	57.3	58.5	54.1	43.4	-	
子宮頸部		C53 D06	45.7	0.0	0.0	0.0	0.5	6.1	59.9	117.3	123.1	105.2	80.4	52.2	36.5	28.6	31.4	20.3	20.4	20.9	19.6	-	
膀胱	C67 D090	13.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.0	1.2	2.9	3.4	9.0	13.7	24.2	27.5	40.8	59.2	59.8	-		
総数 *3	全部位	C00-C96 D00-D09	819.9	16.0	6.4	11.7	15.6	27.8	71.0	128.5	180.4	282.0	402.4	535.1	765.2	1,166.3	1,718.7	2,235.3	2,608.8	2,890.7	2,750.9	-	
	食道	C15 D001	24.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.6	4.6	12.4	26.9	42.8	63.4	83.5	95.8	79.6	59.5	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	148.2	0.0	0.0	0.5	0.5	1.2	3.1	9.1	14.4	34.7	57.2	97.6	157.2	237.2	338.1	442.3	479.1	519.0	461.0	-	
	結腸 *2	C18 D010	100.3	0.0	0.0	0.5	0.5	0.4	1.4	3.8	8.3	19.7	34.1	62.4	93.5	141.2	218.4	307.5	339.9	378.1	351.8	-	
	直腸 *2	C19-C20 D011-D012	47.9	0.0	0.0	0.0	0.0	0.8	1.6	5.3	6.1	15.0	23.1	35.2	63.7	96.1	119.7	134.8	139.2	140.8	109.2	-	
	肺	C33-C34 D021-D022	86.5	0.0	0.0	0.0	0.0	0.6	0.6	1.5	4.1	9.5	14.7	33.3	56.8	113.0	200.7	284.9	320.7	349.0	338.0	-	
	皮膚	C43-C44 D030-D049	21.3	0.0	0.0	0.0	0.5	0.8	1.8	1.9	2.4	3.3	6.1	9.1	11.6	17.9	27.8	50.4	70.8	98.5	156.4	-	
	乳房	C50 D05	88.8	0.0	0.0	0.0	0.0	1.0	4.7	17.2	43.0	89.8	143.0	133.0	123.4	155.6	165.2	166.8	155.7	150.1	152.1	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
膀胱	C67 D090	30.8	0.0	0.0	0.0	0.0	0.2	0.0	0.9	1.4	2.8	5.1	8.4	21.2	41.2	63.7	89.2	116.5	141.7	138.3	-		

\*1 総数は年齢不詳を含む

\*2 粘膜がんを含む

\*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

## A. 上皮内がんを除く

神奈川県

2018年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	65,692	16.9	31.6	0.0	47.2	4.3
口腔・咽頭	C00-C14	1,586	2.3	22.1	0.0	71.4	4.2
食道	C15	2,037	15.3	32.3	0.0	49.5	2.8
胃	C16	8,083	20.1	35.4	0.0	40.4	4.1
大腸（結腸・直腸）	C18-C20	9,979	19.1	24.4	0.0	53.1	3.3
結腸	C18	6,541	19.6	27.0	0.0	50.1	3.3
直腸	C19-C20	3,438	18.1	19.4	0.0	59.0	3.5
肝および肝内胆管	C22	2,284	5.7	58.9	0.0	29.5	5.9
胆のう・胆管	C23-C24	1,243	4.3	37.4	0.0	55.7	2.7
膵臓	C25	2,667	5.6	32.8	0.0	59.5	2.1
喉頭	C32	338	1.5	19.2	0.0	73.7	5.6
肺	C33-C34	7,466	18.5	41.3	0.0	37.0	3.2
皮膚	C43-C44	1,618	0.4	12.4	0.0	86.1	1.1
乳房	C50	7,098	26.2	15.1	0.0	52.8	5.8
乳房（女性のみ）	C50	7,057	26.4	15.0	0.0	52.7	5.8
子宮	C53-C55	1,987	12.9	18.3	0.0	64.1	4.7
子宮頸部	C53	709	20.2	15.0	0.0	59.4	5.5
子宮体部	C54	1,262	9.0	20.2	0.0	67.2	3.6
卵巣	C56	749	5.9	22.2	0.0	68.4	3.6
前立腺	C61	7,093	31.1	41.5	0.1	21.1	6.1
膀胱	C67	1,490	4.2	22.4	0.0	67.3	6.1
腎・尿路（膀胱除く）	C64-C66 C68	1,988	12.1	47.8	0.1	34.5	5.5
脳・中枢神経系	C70-C72	362	1.1	18.8	0.0	76.0	4.1
甲状腺	C73	1,208	22.4	44.2	0.1	28.3	5.0
悪性リンパ腫	C81-C85 C96	2,372	7.3	27.3	0.2	61.7	3.6
多発性骨髄腫	C88-C90	452	5.8	50.4	0.2	39.4	4.2
白血病	C91-C95	958	11.2	38.5	0.1	44.4	5.8

\*1 DCOを除く総数

表4. 発見経緯 (%) : 部位別

## B. 上皮内がんを含む

神奈川県

2018年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	73,883	18.3	32.1	0.0	45.5	4.0
食道	C15 D001	2,235	15.6	34.5	0.0	47.0	2.8
大腸（結腸・直腸）*2	C18-C20 D010-D012	13,414	23.5	27.4	0.0	46.3	2.8
結腸 *2	C18 D010	9,070	24.4	29.8	0.0	43.1	2.7
直腸 *2	C19-C20 D011-D012	4,344	21.5	22.5	0.0	53.0	2.9
肺	C33-C34 D021-D022	7,667	18.5	41.9	0.1	36.4	3.2
皮膚	C43-C44 D030-D049	1,945	0.4	12.9	0.0	85.8	0.9
乳房	C50 D05	8,049	28.2	16.3	0.0	50.2	5.4
乳房（女性のみ）	C50 D05	8,003	28.3	16.2	0.0	50.1	5.4
子宮	C53-C55 D06	3,373	25.6	27.8	0.0	43.0	3.6
子宮頸部	C53 D06	2,095	35.8	32.5	0.0	28.4	3.3
膀胱	C67 D090	2,785	4.7	26.1	0.0	64.9	4.2

\*1 DCOを除く総数

\*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

## A. 上皮内がんを除く

神奈川県

2018年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	64,278	48.2	9.1	13.9	18.3	10.3	23.1
口腔・咽頭	C00-C14	1,586	36.0	15.1	35.4	4.4	9.1	50.4
食道	C15	2,037	42.0	7.9	24.7	17.7	7.8	32.5
胃	C16	8,083	59.4	9.2	7.3	16.6	7.4	16.5
大腸（結腸・直腸）	C18-C20	9,979	46.9	17.1	11.3	17.7	7.0	28.3
結腸	C18	6,541	46.7	16.0	12.4	17.9	7.0	28.4
直腸	C19-C20	3,438	47.3	19.1	9.2	17.4	7.0	28.3
肝および肝内胆管	C22	2,284	60.5	2.2	7.9	13.1	16.2	10.2
胆のう・胆管	C23-C24	1,243	15.9	2.9	40.3	25.1	15.8	43.2
膵臓	C25	2,667	15.3	7.5	21.2	48.1	7.8	28.8
喉頭	C32	338	70.4	7.1	10.9	2.1	9.5	18.0
肺	C33-C34	7,466	32.5	8.2	10.9	39.1	9.2	19.1
皮膚	C43-C44	1,618	79.2	1.1	6.7	1.5	6.0	7.7
乳房	C50	7,098	59.9	21.1	4.2	6.1	8.7	25.3
乳房（女性のみ）	C50	7,057	60.0	21.2	4.1	6.1	8.6	25.3
子宮	C53-C55	1,987	56.2	4.1	22.0	9.5	8.3	26.1
子宮頸部	C53	709	38.6	4.7	37.0	10.3	9.4	41.6
子宮体部	C54	1,262	66.6	3.8	13.7	9.1	6.8	17.5
卵巣	C56	749	19.4	0.4	51.8	18.6	9.9	52.2
前立腺	C61	7,093	60.5	0.9	16.2	11.7	10.6	17.2
膀胱	C67	1,490	67.6	2.1	11.6	5.0	13.2	13.7
腎・尿路（膀胱除く）	C64-C66 C68	1,988	55.6	1.5	18.1	11.9	12.9	19.6
脳・中枢神経系	C70-C72	362	57.7	0.0	10.5	4.1	27.6	10.5
甲状腺	C73	1,208	36.5	23.3	21.2	5.0	14.1	44.5
悪性リンパ腫	C81-C85 C96	2,345	23.9	0.3	14.7	43.2	17.9	15.0
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

\*1 DC0、「777：該当せず」を除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

## B. 上皮内がんを含む

神奈川県

2018年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	72,469	11.2	42.7	8.1	12.4	16.2	9.3	20.5
食道	C15 D001	2,235	8.6	38.3	7.2	22.5	16.2	7.3	29.7
大腸 (結腸・直腸) *3	C18-C20 D010-D012	13,414	25.5	34.9	12.7	8.4	13.2	5.4	21.1
結腸 *3	C18 D010	9,070	27.8	33.7	11.5	8.9	12.9	5.2	20.5
直腸 *3	C19-C20 D011-D012	4,344	20.7	37.4	15.1	7.3	13.7	5.7	22.4
肺	C33-C34 D021-D022	7,667	2.5	31.7	8.0	10.6	38.1	9.1	18.6
皮膚	C43-C44 D030-D049	1,945	20.3	66.1	1.0	5.7	1.2	5.7	6.7
乳房	C50 D05	8,049	11.6	52.9	18.6	3.7	5.4	7.8	22.3
乳房 (女性のみ)	C50 D05	8,003	11.6	52.9	18.7	3.6	5.4	7.8	22.3
子宮	C53-C55 D06	3,373	40.5	33.1	2.4	13.0	5.6	5.5	15.4
子宮頸部	C53 D06	2,095	65.2	13.1	1.6	12.5	3.5	4.2	14.1
膀胱	C67 D090	2,785	45.3	36.2	1.1	6.2	2.7	8.5	7.3

\*1 DC0、「777:該当せず」を除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

## A. 上皮内がんを除く

神奈川県

2018年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	64,279	1.4	48.4	7.0	12.3	17.7	13.2	19.3
口腔・咽頭	C00-C14	1,586	1.0	34.1	14.9	34.4	4.3	11.3	49.2
食道	C15	2,037	4.1	38.2	6.7	24.9	17.3	8.9	31.6
胃	C16	8,083	0.1	60.3	7.9	6.4	15.0	10.3	14.2
大腸（結腸・直腸）	C18-C20	9,979	2.2	42.8	14.8	12.0	16.7	11.5	26.8
結腸	C18	6,541	2.4	41.8	14.1	13.2	16.6	11.8	27.3
直腸	C19-C20	3,438	1.8	44.8	16.1	9.6	16.9	10.8	25.8
肝および肝内胆管	C22	2,284	0.0	59.8	2.3	7.5	13.2	17.2	9.8
胆のう・胆管	C23-C24	1,243	0.0	14.8	2.3	34.8	22.9	25.1	37.2
膵臓	C25	2,667	0.2	20.7	3.4	18.9	47.0	9.9	22.2
喉頭	C32	338	0.3	68.9	7.4	9.5	2.4	11.5	16.9
肺	C33-C34	7,466	1.2	32.4	6.6	10.3	38.8	10.7	16.9
皮膚	C43-C44	1,618	6.6	72.3	0.8	5.7	1.4	13.2	6.6
乳房	C50	7,098	3.7	63.9	12.6	4.5	6.1	9.2	17.0
乳房（女性のみ）	C50	7,057	3.7	63.9	12.6	4.4	6.1	9.2	17.0
子宮	C53-C55	1,987	2.0	55.0	2.8	17.5	9.0	13.8	20.2
子宮頸部	C53	709	5.5	36.4	3.4	32.9	10.4	11.4	36.2
子宮体部	C54	1,262	0.0	65.9	2.5	9.0	8.2	14.4	11.4
卵巣	C56	749	0.0	25.1	1.1	32.7	17.2	23.9	33.8
前立腺	C61	7,093	0.0	63.7	0.8	12.3	11.7	11.4	13.1
膀胱	C67	1,490	2.6	64.6	1.5	11.2	4.8	15.3	12.7
腎・尿路（膀胱除く）	C64-C66 C68	1,988	1.1	57.7	1.5	11.7	11.9	16.2	13.2
脳・中枢神経系	C70-C72	362	0.0	57.2	0.0	11.3	2.8	28.7	11.3
甲状腺	C73	1,208	0.0	51.9	14.2	9.1	5.0	19.8	23.3
悪性リンパ腫	C81-C85 C96	2,345	0.0	23.2	0.3	14.6	43.4	18.6	14.9
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

\*1 DC0、「777：該当せず」を除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

神奈川県

2018年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	72,470	9.0	44.2	6.3	10.9	15.7	13.9	17.2
食道	C15 D001	2,235	10.2	36.5	6.1	22.7	15.7	8.7	28.8
大腸 (結腸・直腸) *3	C18-C20 D010-D012	13,414	14.6	35.5	11.0	8.9	12.4	17.5	19.9
結腸 *3	C18 D010	9,070	15.5	34.2	10.2	9.5	12.0	18.6	19.7
直腸 *3	C19-C20 D011-D012	4,344	12.8	38.3	12.8	7.6	13.4	15.1	20.4
肺	C33-C34 D021-D022	7,667	2.0	32.9	6.5	10.1	37.8	10.8	16.5
皮膚	C43-C44 D030-D049	1,945	19.5	60.8	0.7	4.9	1.2	12.8	5.7
乳房	C50 D05	8,049	13.1	57.8	11.1	3.9	5.4	8.7	15.0
乳房 (女性のみ)	C50 D05	8,003	13.1	57.9	11.1	3.9	5.4	8.6	15.0
子宮	C53-C55 D06	3,373	40.3	32.6	1.6	10.3	5.3	9.9	11.9
子宮頸部	C53 D06	2,095	64.8	12.7	1.1	11.1	3.5	6.7	12.3
膀胱	C67 D090	2,785	38.6	39.0	0.8	6.1	2.6	12.9	6.9

\*1 DCO、「777:該当せず」を除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む



表5-3. 進展度・術後 (%) : 部位別

## A. 上皮内がんを除く

神奈川県

2018年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	39,989	55.7	10.7	11.1	4.0	18.3	21.7
口腔・咽頭	C00-C14	923	46.6	10.1	22.5	0.5	20.3	32.6
食道	C15	914	67.2	4.7	5.9	1.4	20.8	10.6
胃	C16	6,268	68.7	9.7	6.8	3.4	11.4	16.5
大腸（結腸・直腸）	C18-C20	8,306	51.1	18.6	10.7	10.0	9.6	29.3
結腸	C18	5,589	50.0	17.6	12.4	10.6	9.4	30.0
直腸	C19-C20	2,717	53.4	20.6	7.2	8.8	9.9	27.8
肝および肝内胆管	C22	778	49.5	1.3	3.2	1.2	44.9	4.5
胆のう・胆管	C23-C24	621	18.4	3.1	46.5	6.6	25.4	49.6
膵臓	C25	889	25.4	18.9	17.7	4.6	33.4	36.6
喉頭	C32	138	55.8	2.9	15.9	0.0	25.4	18.8
肺	C33-C34	3,318	55.7	8.6	8.6	2.6	24.5	17.2
皮膚	C43-C44	1,521	79.0	0.9	6.0	0.8	8.0	6.8
乳房	C50	5,368	66.2	19.4	1.9	0.7	11.9	21.3
乳房（女性のみ）	C50	5,338	66.2	19.4	1.8	0.7	11.9	21.2
子宮	C53-C55	1,601	66.1	4.1	14.6	3.8	11.4	18.7
子宮頸部	C53	430	57.0	4.7	18.4	0.9	19.1	23.0
子宮体部	C54	1,158	70.0	3.9	13.3	4.9	7.9	17.2
卵巣	C56	560	25.5	0.4	53.2	7.3	13.6	53.6
前立腺	C61	2,518	45.1	0.4	16.7	0.4	37.3	17.2
膀胱	C67	1,270	47.0	1.4	5.4	2.1	44.0	6.9
腎・尿路（膀胱除く）	C64-C66 C68	1,569	61.1	0.8	17.5	3.3	17.4	18.3
脳・中枢神経系	C70-C72	268	50.4	0.0	9.3	3.4	36.9	9.3
甲状腺	C73	1,049	32.7	25.7	22.8	3.0	15.8	48.5
悪性リンパ腫	C81-C85 C96	426	21.1	0.0	3.8	7.7	67.4	3.8
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

\*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

## B. 上皮内がんを含む

神奈川県

2018年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	47,837	16.0	46.6	8.9	9.3	3.4	15.8	18.2
食道	C15 D001	1,082	15.2	56.7	4.0	5.0	1.2	17.9	9.0
大腸 (結腸・直腸) *3	C18-C20 D010-D012	11,712	28.9	36.3	13.2	7.6	7.1	7.0	20.8
結腸 *3	C18 D010	8,096	30.8	34.5	12.2	8.5	7.3	6.7	20.7
直腸 *3	C19-C20 D011-D012	3,616	24.6	40.2	15.5	5.4	6.6	7.7	20.9
肺	C33-C34 D021-D022	3,511	5.3	52.7	8.2	8.1	2.4	23.3	16.3
皮膚	C43-C44 D030-D049	1,810	19.0	66.6	0.9	5.1	0.7	7.7	6.0
乳房	C50 D05	6,267	13.8	56.7	16.6	1.6	0.6	10.8	18.2
乳房 (女性のみ)	C50 D05	6,232	13.8	56.7	16.6	1.5	0.6	10.8	18.2
子宮	C53-C55 D06	2,882	42.3	36.7	2.3	8.1	2.1	8.5	10.4
子宮頸部	C53 D06	1,711	71.3	14.3	1.2	4.6	0.2	8.4	5.8
膀胱	C67 D090	2,529	46.7	23.6	0.7	2.7	1.1	25.2	3.4

\*1 DC0、「660:手術なし・術前治療後」、「777:該当せず」を除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

## A. 上皮内がんを除く

神奈川県

2018年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96	65,692	27.5	18.6	9.6	11.8	27.9	11.4	2.2	22.3
口腔・咽頭	C00-C14	1,586	44.4	0.4	6.6	35.2	30.5	0.3	0.5	21.1
食道	C15	2,037	8.8	14.9	25.8	23.8	40.1	0.0	0.9	21.6
胃	C16	8,083	20.2	15.6	37.1	0.6	18.2	0.0	0.7	20.7
大腸（結腸・直腸）	C18-C20	9,979	23.5	47.2	12.9	2.1	28.1	0.1	0.6	16.0
結腸	C18	6,541	25.9	46.1	11.8	0.3	26.4	0.1	0.6	16.5
直腸	C19-C20	3,438	19.0	49.3	15.0	5.5	31.2	0.1	0.5	15.0
肝および肝内胆管	C22	2,284	15.0	4.6	0.1	6.0	29.0	0.1	30.0	37.0
胆のう・胆管	C23-C24	1,243	34.7	5.1	0.8	1.8	27.4	0.2	1.8	42.2
膵臓	C25	2,667	22.3	2.0	0.1	2.8	49.2	0.3	1.3	39.8
喉頭	C32	338	19.8	0.9	13.0	58.6	23.1	0.0	1.8	14.8
肺	C33-C34	7,466	4.7	29.6	0.0	14.7	36.7	0.1	0.8	30.1
皮膚	C43-C44	1,618	88.8	0.1	0.1	2.9	2.3	0.0	1.2	8.5
乳房	C50	7,098	77.8	0.2	0.1	29.9	30.3	53.3	0.6	10.5
乳房（女性のみ）	C50	7,057	77.8	0.2	0.1	30.0	30.4	53.3	0.6	10.5
子宮	C53-C55	1,987	49.9	23.7	0.5	17.2	37.7	0.6	0.1	13.1
子宮頸部	C53	709	39.9	12.3	0.3	43.6	43.4	0.0	0.0	15.8
子宮体部	C54	1,262	55.9	30.3	0.6	2.6	34.9	1.0	0.2	10.8
卵巣	C56	749	73.2	5.3	0.0	0.1	62.1	0.3	0.5	18.3
前立腺	C61	7,093	3.0	20.7	0.8	20.7	1.9	47.8	0.6	21.2
膀胱	C67	1,490	9.3	6.2	75.2	6.0	38.6	1.2	14.3	16.8
腎・尿路（膀胱除く）	C64-C66 C68	1,988	13.6	53.6	1.0	1.6	14.1	0.1	1.3	24.4
脳・中枢神経系	C70-C72	362	59.9	0.8	0.3	52.2	53.3	0.0	1.4	26.8
甲状腺	C73	1,208	75.7	0.8	0.1	9.4	1.3	12.3	0.4	21.9
悪性リンパ腫	C81-C85 C96	2,372	6.1	1.8	0.3	8.6	61.3	2.2	1.4	29.3
多発性骨髄腫	C88-C90	452	1.8	0.0	0.0	3.3	67.9	3.8	5.8	29.4
白血病	C91-C95	958	0.2	0.0	0.0	4.3	68.3	1.9	4.9	30.6

\*1 DCOを除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

神奈川県

2018年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96 D00-D09	73,883	27.8	17.3	14.8	11.0	25.5	10.4	2.4	20.3
食道	C15 D001	2,235	8.1	13.8	30.6	21.9	36.6	0.0	1.0	20.8
大腸（結腸・直腸）*2	C18-C20 D010-D012	13,414	17.9	36.2	33.4	1.5	20.9	0.1	0.4	12.3
結腸 *2	C18 D010	9,070	19.1	34.5	34.5	0.2	19.1	0.1	0.5	12.3
直腸 *2	C19-C20 D011-D012	4,344	15.4	39.8	31.3	4.4	24.8	0.0	0.4	12.2
肺	C33-C34 D021-D022	7,667	4.7	31.1	0.0	14.4	35.8	0.1	0.8	29.4
皮膚	C43-C44 D030-D049	1,945	87.8	0.1	0.1	2.4	2.0	0.0	1.8	9.3
乳房	C50 D05	8,049	79.4	0.2	0.0	30.2	26.8	49.1	0.6	9.9
乳房（女性のみ）	C50 D05	8,003	79.4	0.2	0.0	30.4	26.9	49.1	0.6	9.9
子宮	C53-C55 D06	3,373	62.7	17.2	0.6	10.2	22.3	0.4	1.3	11.4
子宮頸部	C53 D06	2,095	67.1	9.4	0.6	14.8	14.8	0.0	2.0	11.3
膀胱	C67 D090	2,785	5.8	3.9	83.5	3.3	39.3	1.1	15.9	10.7

\*1 DCOを除く総数

\*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

## A. 上皮内がんを除く

神奈川県

2018年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	35,615	88.7	10.2	1.1
口腔・咽頭	C00-C14	804	83.3	15.7	1.0
食道	C15	974	91.2	8.1	0.7
胃	C16	5,667	95.1	4.5	0.5
大腸（結腸・直腸）	C18-C20	7,891	90.1	8.8	1.1
結腸	C18	5,185	90.1	8.9	1.1
直腸	C19-C20	2,706	90.1	8.7	1.3
肝および肝内胆管	C22	449	88.6	9.6	1.8
胆のう・胆管	C23-C24	489	81.0	17.0	2.0
膵臓	C25	649	83.1	15.3	1.7
喉頭	C32	114	81.6	12.3	6.1
肺	C33-C34	2,560	94.0	5.4	0.5
皮膚	C43-C44	1,439	94.6	4.1	1.3
乳房	C50	5,540	93.7	5.7	0.6
乳房（女性のみ）	C50	5,507	93.6	5.7	0.7
子宮	C53-C55	1,445	92.5	6.9	0.6
子宮頸部	C53	359	91.6	7.2	1.1
子宮体部	C54	1,083	92.7	6.8	0.5
卵巣	C56	571	80.4	17.2	2.5
前立腺	C61	1,728	80.5	18.4	1.1
膀胱	C67	1,197	42.5	55.3	2.2
腎・尿路（膀胱除く）	C64-C66 C68	1,346	94.5	4.8	0.7
脳・中枢神経系	C70-C72	221	49.3	48.4	2.3
甲状腺	C73	924	87.9	10.1	2.1
悪性リンパ腫	C81-C85 C96	194	54.6	33.5	11.9
多発性骨髄腫	C88-C90	8	37.5	62.5	0.0
白血病	C91-C95	2	50.0	50.0	0.0

\*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

神奈川県

2018年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	43,284	89.8	9.0	1.2
食道	C15 D001	1,138	92.1	7.1	0.8
大腸（結腸・直腸）*2	C18-C20 D010-D012	11,279	92.0	6.5	1.5
結腸 *2	C18 D010	7,681	92.3	6.4	1.3
直腸 *2	C19-C20 D011-D012	3,598	91.4	6.9	1.7
肺	C33-C34 D021-D022	2,747	94.4	5.1	0.5
皮膚	C43-C44 D030-D049	1,710	94.6	4.0	1.3
乳房	C50 D05	6,408	93.9	5.4	0.6
乳房（女性のみ）	C50 D05	6,370	93.9	5.4	0.6
子宮	C53-C55 D06	2,667	92.6	5.5	1.9
子宮頸部	C53 D06	1,581	92.5	4.7	2.8
膀胱	C67 D090	2,424	66.4	31.5	2.1

\*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

\*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

## A. 上皮内がんを除く

神奈川県

2018年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で 「がん」が確認された症例 DCI (%)			死亡情報のみの 症例 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.37	0.35	0.36	2.7	3.7	3.1	1.7	2.5	2.0	88.4	88.0	88.2	85.8	85.0	85.5
口腔・咽頭	C00-C14	0.37	0.34	0.36	1.2	2.8	1.7	0.7	1.9	1.1	95.6	92.9	94.8	94.3	90.3	93.1
食道	C15	0.42	0.43	0.42	2.3	2.1	2.3	1.2	1.3	1.2	96.1	94.4	95.8	96.0	94.4	95.7
胃	C16	0.33	0.38	0.34	2.0	4.4	2.7	1.1	3.1	1.7	96.0	91.8	94.7	95.9	91.4	94.5
大腸（結腸・直腸）	C18-C20	0.31	0.34	0.32	2.1	3.5	2.7	1.4	2.5	1.9	94.6	91.1	93.2	94.4	90.9	92.9
結腸	C18	0.32	0.35	0.34	2.3	3.9	3.0	1.6	2.7	2.1	93.7	90.1	92.1	93.5	89.8	91.8
直腸	C19-C20	0.29	0.30	0.30	1.7	2.6	2.0	1.2	2.0	1.5	96.2	93.7	95.3	95.9	93.5	95.1
肝および肝内胆管	C22	0.63	0.67	0.64	5.7	10.2	7.1	3.4	7.1	4.5	38.8	29.2	35.9	37.7	28.7	35.0
胆のう・胆管	C23-C24	0.76	0.86	0.81	5.9	12.6	8.9	4.1	7.2	5.5	78.1	63.6	71.6	69.0	52.0	61.4
膵臓	C25	0.82	0.88	0.85	4.2	7.8	5.9	2.3	4.4	3.3	70.2	63.1	66.9	62.1	54.9	58.7
喉頭	C32	0.10	0.04	0.09	0.3	3.7	0.6	0.3	3.7	0.6	94.9	96.3	95.0	94.2	96.3	94.4
肺	C33-C34	0.63	0.52	0.59	5.0	6.1	5.3	3.1	4.1	3.5	81.2	79.6	80.6	72.0	71.5	71.8
皮膚	C43-C44	0.08	0.07	0.08	0.5	1.2	0.8	0.5	1.1	0.7	99.0	97.3	98.2	99.0	97.3	98.2
乳房	C50	0.15	0.16	0.16	0.0	1.6	1.6	0.0	1.4	1.4	97.6	96.1	96.1	95.1	95.7	95.7
子宮	C53-C55	-	0.22	0.22	-	1.3	1.3	-	1.0	1.0	-	96.5	96.5	-	94.8	94.8
子宮頸部	C53	-	0.24	0.24	-	1.3	1.3	-	1.0	1.0	-	96.5	96.5	-	94.1	94.1
子宮体部	C54	-	0.14	0.14	-	0.5	0.5	-	0.3	0.3	-	97.8	97.8	-	96.7	96.7
卵巣	C56	-	0.48	0.48	-	3.3	3.3	-	2.2	2.2	-	89.9	89.9	-	83.9	83.9
前立腺	C61	0.11	-	0.11	1.4	-	1.4	1.1	-	1.1	91.7	-	91.7	91.6	-	91.6
膀胱	C67	0.34	0.52	0.38	2.9	4.8	3.3	2.0	3.7	2.4	91.7	86.1	90.4	88.5	81.6	86.9
腎・尿路（膀胱除く）	C64-C66 C68	0.28	0.35	0.30	1.8	4.6	2.6	1.1	2.5	1.5	86.3	80.1	84.4	83.0	74.9	80.6
脳・中枢神経系	C70-C72	0.50	0.39	0.44	1.0	3.4	2.2	1.0	2.8	1.9	86.9	69.1	78.3	86.4	68.5	77.8
甲状腺	C73	0.10	0.08	0.09	0.0	1.3	0.9	0.0	1.0	0.7	98.0	97.0	97.3	87.8	84.2	85.2
悪性リンパ腫	C81-C85 C96	0.36	0.33	0.35	2.9	3.2	3.0	1.5	1.7	1.6	94.9	93.0	94.1	93.1	90.8	92.1
多発性骨髄腫	C88-C90	0.49	0.50	0.49	5.3	4.6	5.0	2.5	1.8	2.2	90.9	87.7	89.4	86.8	81.3	84.2
白血病	C91-C95	0.56	0.57	0.56	2.4	4.5	3.2	0.8	1.3	1.0	94.4	90.6	93.0	87.2	80.5	84.6

\*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

神奈川県

2018年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.33	0.30	0.32	2.4	3.2	2.8	1.5	2.2	1.8	89.5	89.5	89.5	87.1	86.9	87.0
食道	C15 D001	0.39	0.39	0.39	2.1	1.9	2.1	1.1	1.2	1.1	96.4	95.0	96.1	96.3	95.0	96.1
大腸 (結腸・直腸) *2	C18-C20 D010-D012	0.22	0.27	0.24	1.5	2.8	2.0	1.0	2.0	1.4	96.1	93.0	94.9	95.9	92.8	94.7
結腸 *2	C18 D010	0.22	0.28	0.24	1.6	3.1	2.2	1.1	2.1	1.5	95.7	92.2	94.2	95.5	91.9	94.0
直腸 *2	C19-C20 D011-D012	0.23	0.24	0.23	1.4	2.1	1.6	0.9	1.6	1.2	96.9	95.0	96.2	96.8	94.8	96.0
肺	C33-C34 D021-D022	0.62	0.50	0.58	4.9	5.8	5.2	3.1	3.9	3.4	81.5	80.5	81.1	72.4	72.7	72.5
皮膚	C43-C44 D030-D049	0.07	0.06	0.06	0.5	1.0	0.7	0.4	0.9	0.6	99.1	97.8	98.5	99.0	97.8	98.5
乳房	C50 D05	0.13	0.14	0.14	0.0	1.4	1.4	0.0	1.2	1.2	97.8	96.6	96.6	95.7	96.1	96.1
子宮	C53-C55 D06	-	0.13	0.13	-	0.8	0.8	-	0.6	0.6	-	97.9	97.9	-	96.7	96.7
子宮頸部	C53 D06	-	0.08	0.08	-	0.4	0.4	-	0.3	0.3	-	98.8	98.8	-	97.7	97.7
膀胱	C67 D090	0.18	0.31	0.20	1.5	2.9	1.8	1.1	2.2	1.3	95.6	91.8	94.8	93.8	88.3	92.6

\*1 総数は男女および性別不詳の合計

\*2 粘膜がんを含む



表9. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 部位別、性別

神奈川県

2018年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	14,152	9,878	24,030	100.0	100.0	100.0	315.6	219.1	267.2	146.5	86.7	113.1	98.8	61.1	77.7	10.4	6.4	8.4
口腔・咽頭	C00-C14	417	157	574	2.9	1.6	2.4	9.3	3.5	6.4	4.8	1.3	3.0	3.4	0.9	2.1	0.4	0.1	0.2
食道	C15	709	162	871	5.0	1.6	3.6	15.8	3.6	9.7	7.9	1.5	4.5	5.4	1.1	3.1	0.7	0.1	0.4
胃	C16	1,865	942	2,807	13.2	9.5	11.7	41.6	20.9	31.2	18.9	7.2	12.5	12.6	5.0	8.5	1.3	0.5	0.9
大腸（結腸・直腸）	C18-C20	1,826	1,461	3,287	12.9	14.8	13.7	40.7	32.4	36.6	19.9	12.2	15.7	13.6	8.5	10.9	1.5	0.9	1.2
結腸	C18	1,171	1,085	2,256	8.3	11.0	9.4	26.1	24.1	25.1	12.3	8.6	10.3	8.3	6.0	7.0	0.9	0.6	0.7
直腸	C19-C20	655	376	1,031	4.6	3.8	4.3	14.6	8.3	11.5	7.6	3.6	5.5	5.3	2.5	3.8	0.6	0.3	0.5
肝および肝内胆管	C22	1,044	487	1,531	7.4	4.9	6.4	23.3	10.8	17.0	10.6	3.5	6.8	7.0	2.3	4.5	0.7	0.2	0.5
胆のう・胆管	C23-C24	557	503	1,060	3.9	5.1	4.4	12.4	11.2	11.8	5.3	3.3	4.2	3.4	2.2	2.7	0.3	0.2	0.2
膵臓	C25	1,193	1,142	2,335	8.4	11.6	9.7	26.6	25.3	26.0	13.1	9.1	11.0	9.0	6.1	7.5	1.0	0.7	0.8
喉頭	C32	31	1	32	0.2	0.0	0.1	0.7	0.0	0.4	0.3	0.0	0.2	0.2	0.0	0.1	0.0	0.0	0.0
肺	C33-C34	3,205	1,387	4,592	22.6	14.0	19.1	71.5	30.8	51.1	32.7	10.9	20.8	21.8	7.3	14.0	2.4	0.8	1.6
皮膚	C43-C44	70	53	123	0.5	0.5	0.5	1.6	1.2	1.4	0.8	0.5	0.6	0.6	0.4	0.5	0.1	0.0	0.1
乳房	C50	6	1,128	1,134	0.0	11.4	4.7	0.1	25.0	12.6	0.1	13.6	7.0	0.0	10.2	5.2	0.0	1.2	0.6
子宮	C53-C55	-	436	436	-	4.4	1.8	-	9.7	-	-	5.6	-	-	4.1	-	-	0.5	-
子宮頸部	C53	-	169	169	-	1.7	0.7	-	3.7	-	-	2.5	-	-	1.9	-	-	0.2	-
子宮体部	C54	-	182	182	-	1.8	0.8	-	4.0	-	-	2.2	-	-	1.6	-	-	0.2	-
卵巣	C56	-	364	364	-	3.7	1.5	-	8.1	-	-	4.7	-	-	3.5	-	-	0.4	-
前立腺	C61	820	-	820	5.8	-	3.4	18.3	-	-	7.1	-	-	4.5	-	-	0.3	-	-
膀胱	C67	396	182	578	2.8	1.8	2.4	8.8	4.0	6.4	3.6	1.0	2.1	2.4	0.6	1.4	0.2	0.0	0.1
腎・尿路（膀胱除く）	C64-C66 C68	393	215	608	2.8	2.2	2.5	8.8	4.8	6.8	3.9	1.6	2.7	2.6	1.1	1.8	0.3	0.1	0.2
脳・中枢神経系	C70-C72	95	69	164	0.7	0.7	0.7	2.1	1.5	1.8	1.4	0.9	1.1	1.1	0.8	1.0	0.1	0.1	0.1
甲状腺	C73	36	68	104	0.3	0.7	0.4	0.8	1.5	1.2	0.4	0.4	0.4	0.3	0.3	0.3	0.0	0.0	0.0
悪性リンパ腫	C81-C85 C96	470	363	833	3.3	3.7	3.5	10.5	8.1	9.3	4.8	2.6	3.6	3.3	1.7	2.5	0.3	0.2	0.2
多発性骨髄腫	C88-C90	118	109	227	0.8	1.1	0.9	2.6	2.4	2.5	1.1	0.8	1.0	0.7	0.5	0.6	0.1	0.1	0.1
白血病	C91-C95	331	215	546	2.3	2.2	2.3	7.4	4.8	6.1	3.6	2.1	2.8	2.5	1.6	2.0	0.3	0.2	0.2

\*1 総数は男女および性別不詳の合計（死亡の場所が不詳及び外国を含む）

表10. 年齢階級別死亡数： 部位別、性別

神奈川県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	14,152	1	3	3	6	8	14	13	27	83	148	278	448	752	1,643	2,309	2,726	2,707	1,973	835	155	20	0
	口腔・咽頭	C00-C14	417	0	0	0	0	1	0	2	3	4	8	15	23	30	56	75	82	68	37	11	2	0	0
	食道	C15	709	0	0	0	0	0	0	0	0	3	5	20	35	49	119	131	154	108	60	22	1	2	0
	胃	C16	1,865	0	0	0	0	0	2	1	1	14	20	28	52	93	189	339	345	359	280	121	19	2	0
	大腸（結腸・直腸）	C18-C20	1,826	0	0	0	0	0	2	4	4	17	21	46	73	130	248	289	337	320	207	104	20	4	0
	結腸	C18	1,171	0	0	0	0	0	0	2	2	9	14	29	44	75	131	177	207	220	161	82	15	3	0
	直腸	C19-C20	655	0	0	0	0	0	2	2	2	8	7	17	29	55	117	112	130	100	46	22	5	1	0
	肝および肝内胆管	C22	1,044	0	0	0	0	0	0	0	0	2	9	19	43	57	115	136	209	249	150	43	11	1	0
	胆のう・胆管	C23-C24	557	0	0	0	0	0	0	0	0	2	3	8	12	21	44	73	108	141	92	43	10	0	0
	膵臓	C25	1,193	0	0	0	0	0	0	0	3	11	19	34	45	80	163	224	231	199	133	44	7	0	0
	喉頭	C32	31	0	0	0	0	0	0	0	0	0	0	1	1	1	11	2	5	3	3	4	0	0	0
	肺	C33-C34	3,205	0	0	0	0	2	1	1	3	13	29	52	89	155	384	578	647	590	456	175	29	1	0
	皮膚	C43-C44	70	0	0	0	0	1	0	0	2	2	0	3	1	5	9	14	11	8	9	4	1	0	0
	乳房	C50	6	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	3	0	1	0	0	0	0
	前立腺	C61	820	0	0	0	0	0	1	0	1	0	1	4	6	19	59	88	145	201	185	87	17	6	0
	膀胱	C67	396	0	0	0	0	0	0	0	0	0	2	4	7	15	24	57	63	76	85	43	17	3	0
	腎・尿路（膀胱除く）	C64-C66 C68	393	0	0	0	0	0	1	0	0	2	1	4	14	18	47	66	67	77	51	37	8	0	0
	脳・中枢神経系	C70-C72	95	1	2	1	1	1	1	1	3	3	7	4	5	4	11	17	12	12	5	3	1	0	0
	甲状腺	C73	36	0	0	0	0	0	0	0	0	0	1	1	1	3	3	6	8	2	9	2	0	0	0
	悪性リンパ腫	C81-C85 C96	470	0	0	1	0	2	1	1	2	4	3	13	15	20	47	60	97	87	83	28	6	0	0
	多発性骨髄腫	C88-C90	118	0	0	0	0	0	0	0	0	0	2	2	3	3	12	11	32	28	19	6	0	0	0
	白血病	C91-C95	331	0	0	1	4	0	1	2	1	3	5	5	11	13	37	64	67	61	37	18	1	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

神奈川県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	9,878	5	1	8	3	1	9	13	51	120	189	325	372	475	942	1,204	1,488	1,620	1,613	1,065	328	46	0
	口腔・咽頭	C00-C14	157	0	0	0	0	0	0	0	1	2	2	5	7	7	10	12	24	27	25	22	11	2	0
	食道	C15	162	0	0	0	0	0	0	0	0	3	1	5	3	17	16	25	33	25	20	12	2	0	0
	胃	C16	942	0	0	0	0	0	1	1	5	12	12	20	21	27	88	102	126	149	176	158	38	6	0
	大腸（結腸・直腸）	C18-C20	1,461	0	0	0	0	0	2	0	4	13	16	41	56	70	145	169	212	245	246	167	66	9	0
	結腸	C18	1,085	0	0	0	0	0	2	0	2	8	11	21	39	47	103	121	155	182	194	137	56	7	0
	直腸	C19-C20	376	0	0	0	0	0	0	0	2	5	5	20	17	23	42	48	57	63	52	30	10	2	0
	肝および肝内胆管	C22	487	0	0	0	0	0	0	0	0	2	2	5	8	20	30	60	78	107	101	59	13	2	0
	胆のう・胆管	C23-C24	503	0	0	0	0	0	0	0	1	2	2	6	8	13	33	47	76	92	109	82	30	2	0
	膵臓	C25	1,142	0	0	0	0	0	0	0	2	5	11	21	23	42	121	158	208	212	195	109	34	1	0
	喉頭	C32	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	肺	C33-C34	1,387	0	0	0	0	0	0	1	3	8	14	23	35	48	125	200	245	233	249	151	42	10	0
	皮膚	C43-C44	53	0	0	0	0	0	0	1	0	0	1	6	2	4	3	7	1	7	6	9	3	3	0
	乳房	C50	1,128	0	0	0	1	0	2	3	11	24	60	92	92	104	152	146	134	123	95	59	25	5	0
	子宮	C53-C55	436	0	0	0	0	0	0	0	11	18	26	43	41	33	49	52	52	49	31	25	5	1	0
	子宮頸部	C53	169	0	0	0	0	0	0	0	7	12	19	21	16	13	18	14	13	13	10	12	1	0	0
	子宮体部	C54	182	0	0	0	0	0	0	0	3	6	4	13	14	15	25	29	27	28	9	7	2	0	0
	卵巣	C56	364	0	0	1	0	1	1	3	3	15	22	32	35	30	43	44	37	38	34	20	5	0	0
	膀胱	C67	182	0	0	0	0	0	0	0	0	0	0	0	2	2	7	9	37	41	38	36	9	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	215	0	0	0	0	0	0	0	2	2	2	3	7	6	17	21	33	47	44	25	6	0	0
	脳・中枢神経系	C70-C72	69	3	1	2	0	0	0	0	0	2	1	2	3	4	9	13	12	10	6	1	0	0	0
	甲状腺	C73	68	0	0	0	0	0	0	0	0	0	1	0	1	3	2	7	9	8	17	13	6	1	0
	悪性リンパ腫	C81-C85 C96	363	0	0	0	0	0	0	2	2	1	1	4	9	9	21	50	55	78	82	42	7	0	0
	多発性骨髄腫	C88-C90	109	0	0	0	0	0	0	0	0	0	0	1	1	7	10	11	19	27	23	7	3	0	0
	白血病	C91-C95	215	1	0	4	1	0	2	1	3	6	3	3	4	6	19	33	31	45	27	20	5	1	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

神奈川県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	24,030	6	4	11	9	9	23	26	78	203	337	603	820	1,227	2,585	3,513	4,214	4,327	3,586	1,900	483	66	0
	口腔・咽頭	C00-C14	574	0	0	0	0	1	0	2	4	6	10	20	30	37	66	87	106	95	62	33	13	2	0
	食道	C15	871	0	0	0	0	0	0	0	0	6	6	25	38	66	135	156	187	133	80	34	3	2	0
	胃	C16	2,807	0	0	0	0	0	3	2	6	26	32	48	73	120	277	441	471	508	456	279	57	8	0
	大腸（結腸・直腸）	C18-C20	3,287	0	0	0	0	0	4	4	8	30	37	87	129	200	393	458	549	565	453	271	86	13	0
	結腸	C18	2,256	0	0	0	0	0	2	2	4	17	25	50	83	122	234	298	362	402	355	219	71	10	0
	直腸	C19-C20	1,031	0	0	0	0	0	2	2	4	13	12	37	46	78	159	160	187	163	98	52	15	3	0
	肝および肝内胆管	C22	1,531	0	0	0	0	0	0	0	0	4	11	24	51	77	145	196	287	356	251	102	24	3	0
	胆のう・胆管	C23-C24	1,060	0	0	0	0	0	0	0	1	4	5	14	20	34	77	120	184	233	201	125	40	2	0
	膵臓	C25	2,335	0	0	0	0	0	0	0	5	16	30	55	68	122	284	382	439	411	328	153	41	1	0
	喉頭	C32	32	0	0	0	0	0	0	0	0	0	0	1	1	1	11	2	5	3	3	5	0	0	0
	肺	C33-C34	4,592	0	0	0	0	2	1	2	6	21	43	75	124	203	509	778	892	823	705	326	71	11	0
	皮膚	C43-C44	123	0	0	0	0	1	0	1	2	2	1	9	3	9	12	21	12	15	15	13	4	3	0
	乳房	C50	1,134	0	0	0	1	0	2	3	11	24	60	92	93	104	152	147	137	123	96	59	25	5	0
	子宮	C53-C55	436	0	0	0	0	0	0	0	11	18	26	43	41	33	49	52	52	49	31	25	5	1	0
	子宮頸部	C53	169	0	0	0	0	0	0	0	7	12	19	21	16	13	18	14	13	13	10	12	1	0	0
	子宮体部	C54	182	0	0	0	0	0	0	0	3	6	4	13	14	15	25	29	27	28	9	7	2	0	0
	卵巣	C56	364	0	0	1	0	1	1	3	3	15	22	32	35	30	43	44	37	38	34	20	5	0	0
	前立腺	C61	820	0	0	0	0	0	1	0	1	0	1	4	6	19	59	88	145	201	185	87	17	6	0
	膀胱	C67	578	0	0	0	0	0	0	0	0	0	2	4	9	17	31	66	100	117	123	79	26	4	0
	腎・尿路（膀胱除く）	C64-C66 C68	608	0	0	0	0	0	1	0	2	4	3	7	21	24	64	87	100	124	95	62	14	0	0
	脳・中枢神経系	C70-C72	164	4	3	3	1	1	1	1	3	5	8	6	8	8	20	30	24	22	11	4	1	0	0
	甲状腺	C73	104	0	0	0	0	0	0	0	0	0	2	1	2	6	5	13	17	10	26	15	6	1	0
	悪性リンパ腫	C81-C85 C96	833	0	0	1	0	2	1	3	4	5	4	17	24	29	68	110	152	165	165	70	13	0	0
	多発性骨髄腫	C88-C90	227	0	0	0	0	0	0	0	0	0	2	3	4	10	22	22	51	55	42	13	3	0	0
	白血病	C91-C95	546	1	0	5	5	0	3	3	4	9	8	8	15	19	56	97	98	106	64	38	6	1	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

神奈川県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	315.6	0.6	1.6	1.5	2.8	3.1	5.8	4.9	9.1	23.3	37.1	79.4	159.4	310.7	564.6	881.3	1,250.5	1,841.5	2,787.9	.
	口腔・咽頭	C00-C14	9.3	0.0	0.0	0.0	0.0	0.4	0.0	0.8	1.0	1.1	2.0	4.3	8.2	12.4	19.2	28.6	37.6	46.3	46.7	.
	食道	C15	15.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.3	5.7	12.5	20.2	40.9	50.0	70.6	73.5	79.4	.
	胃	C16	41.6	0.0	0.0	0.0	0.0	0.0	0.8	0.4	0.3	3.9	5.0	8.0	18.5	38.4	64.9	129.4	158.3	244.2	394.4	.
	大腸（結腸・直腸）	C18-C20	40.7	0.0	0.0	0.0	0.0	0.0	0.8	1.5	1.4	4.8	5.3	13.1	26.0	53.7	85.2	110.3	154.6	217.7	313.1	.
	結腸	C18	26.1	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.7	2.5	3.5	8.3	15.7	31.0	45.0	67.6	95.0	149.7	243.9	.
	直腸	C19-C20	14.6	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.7	2.2	1.8	4.9	10.3	22.7	40.2	42.7	59.6	68.0	69.2	.
	肝および肝内胆管	C22	23.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.3	5.4	15.3	23.6	39.5	51.9	95.9	169.4	191.6	.
	胆のう・胆管	C23-C24	12.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.8	2.3	4.3	8.7	15.1	27.9	49.5	95.9	135.5	.
	膵臓	C25	26.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.1	4.8	9.7	16.0	33.1	56.0	85.5	106.0	135.4	172.0	.
	喉頭	C32	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.4	3.8	0.8	2.3	2.0	6.5	.
	肺	C33-C34	71.5	0.0	0.0	0.0	0.0	0.8	0.4	0.4	1.0	3.7	7.3	14.9	31.7	64.0	132.0	220.6	296.8	401.4	617.8	.
	皮膚	C43-C44	1.6	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.7	0.6	0.0	0.9	0.4	2.1	3.1	5.3	5.0	5.4	13.1	.
	乳房	C50	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.4	1.4	0.0	0.9	.
	前立腺	C61	18.3	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.0	0.3	1.1	2.1	7.9	20.3	33.6	66.5	136.7	275.7	.
	膀胱	C67	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.1	2.5	6.2	8.2	21.8	28.9	51.7	138.3	.
	腎・尿路（膀胱除く）	C64-C66 C68	8.8	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.6	0.3	1.1	5.0	7.4	16.2	25.2	30.7	52.4	89.7	.
	脳・中枢神経系	C70-C72	2.1	0.6	1.1	0.5	0.5	0.4	0.4	0.4	1.0	0.8	1.8	1.1	1.8	1.7	3.8	6.5	5.5	8.2	8.4	.
	甲状腺	C73	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.4	1.2	1.0	2.3	3.7	1.4	10.3	.
	悪性リンパ腫	C81-C85 C96	10.5	0.0	0.0	0.5	0.0	0.8	0.4	0.4	0.7	1.1	0.8	3.7	5.3	8.3	16.2	22.9	44.5	59.2	109.3	.
	多発性骨髄腫	C88-C90	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	1.1	1.2	4.1	4.2	14.7	19.0	23.4	.
	白血病	C91-C95	7.4	0.0	0.0	0.5	1.9	0.0	0.4	0.8	0.3	0.8	1.3	1.4	3.9	5.4	12.7	24.4	30.7	41.5	52.3	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

神奈川県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	219.1	3.0	0.6	4.3	1.5	0.4	4.1	5.3	18.5	35.9	50.5	102.5	142.5	199.6	309.9	409.5	574.5	830.8	1,393.6	.
	口腔・咽頭	C00-C14	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	0.5	1.6	2.7	2.9	3.3	4.1	9.3	13.8	27.4	.
	食道	C15	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.3	1.6	1.1	7.1	5.3	8.5	12.7	12.8	15.5	.
	胃	C16	20.9	0.0	0.0	0.0	0.0	0.0	0.5	0.4	1.8	3.6	3.2	6.3	8.0	11.3	28.9	34.7	48.6	76.4	172.6	.
	大腸（結腸・直腸）	C18-C20	32.4	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.4	3.9	4.3	12.9	21.5	29.4	47.7	57.5	81.9	125.6	222.8	.
	結腸	C18	24.1	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.7	2.4	2.9	6.6	14.9	19.7	33.9	41.2	59.8	93.3	179.9	.
	直腸	C19-C20	8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.5	1.3	6.3	6.5	9.7	13.8	16.3	22.0	32.3	42.9	.
	肝および肝内胆管	C22	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	1.6	3.1	8.4	9.9	20.4	30.1	54.9	79.9	.
	胆のう・胆管	C23-C24	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	0.5	1.9	3.1	5.5	10.9	16.0	29.3	47.2	101.8	.
	膵臓	C25	25.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.5	2.9	6.6	8.8	17.6	39.8	53.7	80.3	108.7	154.8	.
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	.
	肺	C33-C34	30.8	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.1	2.4	3.7	7.3	13.4	20.2	41.1	68.0	94.6	119.5	206.4	.
	皮膚	C43-C44	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.3	1.9	0.8	1.7	1.0	2.4	0.4	3.6	9.6	.
	乳房	C50	25.0	0.0	0.0	0.0	0.5	0.0	0.9	1.2	4.0	7.2	16.0	29.0	35.2	43.7	50.0	49.7	51.7	63.1	84.0	.
	子宮	C53-C55	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	5.4	7.0	13.6	15.7	13.9	16.1	17.7	20.1	25.1	28.3	.
	子宮頸部	C53	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	3.6	5.1	6.6	6.1	5.5	5.9	4.8	5.0	6.7	10.5	.
	子宮体部	C54	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.8	1.1	4.1	5.4	6.3	8.2	9.9	10.4	14.4	8.2	.
	卵巣	C56	8.1	0.0	0.0	0.5	0.0	0.4	0.5	1.2	1.1	4.5	5.9	10.1	13.4	12.6	14.1	15.0	14.3	19.5	26.9	.
	膀胱	C67	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	2.3	3.1	14.3	21.0	38.4	.
	腎・尿路（膀胱除く）	C64-C66 C68	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	0.5	0.9	2.7	2.5	5.6	7.1	12.7	24.1	34.2	.
	脳・中枢神経系	C70-C72	1.5	1.8	0.6	1.1	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.6	1.1	1.7	3.0	4.4	4.6	5.1	3.2	.
	甲状腺	C73	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	1.3	0.7	2.4	3.5	4.1	16.9	.
	悪性リンパ腫	C81-C85 C96	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.7	0.3	0.3	1.3	3.4	3.8	6.9	17.0	21.2	40.0	59.8	.
	多発性骨髄腫	C88-C90	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	2.9	3.3	3.7	7.3	13.8	15.1	.
	白血病	C91-C95	4.8	0.6	0.0	2.2	0.5	0.0	0.9	0.4	1.1	1.8	0.8	0.9	1.5	2.5	6.3	11.2	12.0	23.1	24.2	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

神奈川県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	267.2	1.7	1.1	2.9	2.2	1.8	5.0	5.1	13.6	29.4	43.6	90.4	151.3	255.6	434.5	631.8	883.4	1,265.2	1,851.2	.
	口腔・咽頭	C00-C14	6.4	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.7	0.9	1.3	3.0	5.5	7.7	11.1	15.6	22.2	27.8	33.7	.
	食道	C15	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.8	3.7	7.0	13.8	22.7	28.1	39.2	38.9	36.5	.
	胃	C16	31.2	0.0	0.0	0.0	0.0	0.0	0.6	0.4	1.0	3.8	4.1	7.2	13.5	25.0	46.6	79.3	98.7	148.5	245.4	.
	大腸（結腸・直腸）	C18-C20	36.6	0.0	0.0	0.0	0.0	0.0	0.9	0.8	1.4	4.3	4.8	13.0	23.8	41.7	66.1	82.4	115.1	165.2	252.5	.
	結腸	C18	25.1	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.7	2.5	3.2	7.5	15.3	25.4	39.3	53.6	75.9	117.5	200.9	.
	直腸	C19-C20	11.5	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.7	1.9	1.6	5.5	8.5	16.3	26.7	28.8	39.2	47.7	51.5	.
	肝および肝内胆管	C22	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.4	3.6	9.4	16.0	24.4	35.3	60.2	104.1	116.6	.
	胆のう・胆管	C23-C24	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	0.6	2.1	3.7	7.1	12.9	21.6	38.6	68.1	112.9	.
	膵臓	C25	26.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.3	3.9	8.2	12.5	25.4	47.7	68.7	92.0	120.2	160.4	.
	喉頭	C32	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.2	1.8	0.4	1.0	0.9	2.5	.
	肺	C33-C34	51.1	0.0	0.0	0.0	0.0	0.4	0.2	0.4	1.0	3.0	5.6	11.2	22.9	42.3	85.5	139.9	187.0	240.6	341.4	.
	皮膚	C43-C44	1.4	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.3	0.3	0.1	1.3	0.6	1.9	2.0	3.8	2.5	4.4	10.7	.
	乳房	C50	12.6	0.0	0.0	0.0	0.2	0.0	0.4	0.6	1.9	3.5	7.8	13.8	17.2	21.7	25.5	26.4	28.7	36.0	56.7	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	1.7	3.5	5.2	11.9	21.0	34.2	71.2	.
	腎・尿路（膀胱除く）	C64-C66 C68	6.8	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.6	0.4	1.0	3.9	5.0	10.8	15.6	21.0	36.3	52.5	.
	脳・中枢神経系	C70-C72	1.8	1.2	0.8	0.8	0.2	0.2	0.2	0.2	0.5	0.7	1.0	0.9	1.5	1.7	3.4	5.4	5.0	6.4	4.9	.
	甲状腺	C73	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.4	1.3	0.8	2.3	3.6	2.9	14.7	.
	悪性リンパ腫	C81-C85 C96	9.3	0.0	0.0	0.3	0.0	0.4	0.2	0.6	0.7	0.7	0.5	2.5	4.4	6.0	11.4	19.8	31.9	48.2	76.1	.
	多発性骨髄腫	C88-C90	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.7	2.1	3.7	4.0	10.7	16.1	17.8	.
	白血病	C91-C95	6.1	0.3	0.0	1.3	1.2	0.0	0.6	0.6	0.7	1.3	1.0	1.2	2.8	4.0	9.4	17.4	20.5	31.0	33.4	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表42. 市町村別罹患数：部位別、性別

																	神奈川県					2018年							
A. 上皮内がんを除く																	子宮	子宮頸部	子宮体部	前立腺									
市区町村	全部位 C00-C96			胃 C16			大腸(結腸・直腸) C18-C20			結腸 C18			直腸 C19-C20			肝および膵内胆管 C22			肺 C33-C34			乳房 C50			子宮 C53-C55	子宮頸部 C53	子宮体部 C54	前立腺 C61	
	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	女	女	女	男	
神奈川県	38,538	28,508	67,047	5,736	2,486	8,222	5,846	4,323	10,169	3,608	3,072	6,680	2,238	1,251	3,489	1,669	722	2,391	5,077	2,656	7,733	41	7,157	7,198	2,008	716	1,266	7,174	
神奈川県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
横浜市	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
横浜市 鶴見区	1,240	848	2,088	181	75	256	195	122	317	121	80	201	74	42	116	69	31	100	161	79	240	1	185	186	70	24	46	232	
横浜市 神奈川区	863	676	1,539	120	59	179	119	85	204	73	55	128	46	30	76	49	21	70	116	67	183	1	172	173	61	22	38	162	
横浜市 西区	367	342	709	55	36	91	55	50	105	31	35	66	24	15	39	18	7	25	52	29	81	0	72	72	32	16	16	67	
横浜市 中区	659	452	1,111	94	38	132	102	71	173	68	50	118	34	21	55	36	15	51	89	37	126	2	127	129	27	15	11	103	
横浜市 南区	923	654	1,577	122	66	188	156	111	267	102	74	176	54	37	91	52	21	73	152	63	215	1	162	163	43	14	29	139	
横浜市 磯子区	878	713	1,591	122	54	176	129	100	229	81	72	153	48	28	76	33	19	52	129	84	213	2	184	186	44	13	31	168	
横浜市 磯子区	786	576	1,362	147	57	204	111	74	185	67	51	118	44	23	67	36	24	60	103	63	166	0	151	151	33	10	23	144	
横浜市 金沢区	949	694	1,643	154	68	222	136	104	240	94	82	176	42	22	64	38	21	59	112	53	165	0	179	179	43	13	29	193	
横浜市 港北区	1,223	983	2,206	159	78	237	174	133	307	112	77	189	62	56	118	44	21	65	169	80	249	3	270	273	73	22	51	236	
横浜市 港北区	1,227	935	2,062	173	75	248	166	112	278	97	78	175	69	34	103	59	12	71	169	92	261	2	215	217	61	29	32	236	
横浜市 港南区	983	733	1,716	159	79	238	152	111	263	98	83	181	54	28	82	36	18	54	116	58	174	2	192	194	38	17	21	166	
横浜市 旭区	1,164	867	2,031	162	67	229	152	161	313	83	120	203	69	41	110	58	27	85	145	76	221	2	205	207	47	16	30	256	
横浜市 緑区	736	580	1,316	110	57	167	102	90	192	55	60	115	47	30	77	39	11	50	95	48	143	0	161	161	33	13	20	153	
横浜市 瀬谷区	552	399	951	77	32	109	82	67	149	48	41	89	34	26	60	23	6	29	81	40	121	0	102	102	26	9	17	104	
横浜市 栄区	596	408	1,004	87	38	125	111	74	185	73	57	130	38	17	55	34	8	42	76	36	112	1	106	107	24	10	14	102	
横浜市 泉区	696	505	1,201	104	52	156	115	76	181	60	52	112	58	17	79	31	15	46	81	32	113	1	129	130	29	8	21	131	
横浜市 青葉区	1,139	941	2,080	161	80	241	165	125	290	103	93	196	62	32	94	43	24	67	131	76	207	1	260	261	67	23	43	240	
横浜市 都筑区	712	545	1,257	93	36	129	94	79	173	47	51	98	47	28	75	27	9	36	93	57	150	0	154	154	41	19	22	144	
川崎市	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
川崎市 川崎区	1,185	742	1,927	190	69	259	210	136	346	134	102	236	76	34	110	65	10	75	162	60	222	3	172	175	56	25	30	165	
川崎市 幸区	668	541	1,209	102	66	168	109	69	178	60	53	113	49	16	65	19	14	33	91	50	141	0	129	129	40	17	22	108	
川崎市 中原区	753	639	1,392	114	41	155	124	91	215	68	69	137	56	22	78	29	6	35	113	62	175	1	194	195	66	27	38	118	
川崎市 高津区	735	634	1,369	125	48	173	108	82	190	65	56	121	43	26	69	33	15	48	107	62	169	0	165	165	57	19	38	102	
川崎市 多摩区	724	550	1,274	94	47	141	125	69	194	86	46	132	39	28	62	28	16	44	104	55	159	1	143	144	33	10	23	119	
川崎市 宮前区	815	655	1,470	122	50	172	119	92	211	78	62	140	41	30	71	37	12	49	122	71	193	0	162	162	56	17	37	150	
川崎市 麻生区	661	510	1,171	109	35	144	108	76	184	70	52	122	38	24	62	21	13	34	75	57	132	0	141	141	30	7	23	137	
相模原市 緑区	1,074	765	1,839	125	38	163	117	65	182	74	42	116	43	23	66	30	10	40	97	58	155	1	109	110	34	13	21	118	
相模原市 中央区	724	755	1,479	180	79	259	152	106	258	84	82	166	68	24	92	40	22	62	129	73	202	2	181	183	61	22	36	191	
相模原市 南区	1,063	838	1,901	184	79	263	172	122	294	104	99	203	68	23	91	32	30	62	148	80	228	1	191	192	69	23	43	189	
相模原市 緑区	1,866	1,423	3,289	266	104	370	298	233	531	196	180	376	102	53	155	63	34	97	266	145	411	4	321	325	95	32	62	349	
平塚市	1,173	830	2,003	199	72	271	180	146	326	117	109	226	63	37	100	56	14	70	158	76	234	0	181	181	52	17	34	166	
鎌倉市	947	718	1,665	130	61	191	108	114	222	67	84	151	41	30	71	35	21	56	90	60	150	1	172	173	43	18	25	281	
藤沢市	1,728	1,311	3,039	243	119	362	252	173	425	145	130	275	107	43	150	73	42	115	210	111	321	1	355	356	101	41	60	354	
小田原市	838	631	1,469	123	60	183	141	100	241	86	71	157	55	29	84	33	14	47	113	60	173	0	143	143	52	12	37	155	
茅ヶ崎市	1,064	798	1,862	155	74	229	136	105	241	90	76	166	46	29	75	49	17	66	134	72	206	1	209	210	62	19	43	225	
逗子市	284	236	520	43	20	63	34	35	69	17	27	44	17	8	25	12	6	18	34	17	51	1	71	72	19	5	14	61	
相模原市 緑区	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
三浦市	232	149	381	31	12	43	55	27	82	35	18	53	20	9	29	9	8	17	37	17	54	0	33	33	8	5	3	23	
厚野市	762	510	1,272	108	51	159	119	81	200	82	57	139	37	24	61	37	18	55	98	43	141	0	111	111	35	11	24	150	
厚木市	977	633	1,610	154	48	202	165	121	286	94	80	174	71	41	112	36	17	53	115	65	180	1	140	141	43	15	27	191	
大和市	911	681	1,592	136	46	182	157	98	255	107	67	174	50	31	81	40	20	60	128	74	202	2	181	183	53	16	36	149	
伊勢原市	446	300	746	67	24	91	77	49	126	45	37	82	32	12	44	14	4	18	55	24	79	0	84	84	19	6	12	77	
海老名市	555	388	943	69	30	99	84	72	156	55	49	104	29	23	52	30	7	37	76	29	107	0	100	100	27	9	18	114	
座間市	500	391	891	70	35	105	89	77	166	54																			



表42. 市町村別罹患数：部位別、性別

B. 上皮がんを除く

神奈川県 2018年

市区町村	全部位			大腸(結腸・直腸)※2			結腸※2			直腸※2			肺			乳房			子宮		子宮頸部	
	C00-C96 D00-D09			C18-C20 D010-D012			C18 D010			C19-C20 D011-D012			C33-C34 D021-D022			C50 D05			C53-C55 D06		C53 D06	
	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	女	女		
神奈川	42,532	32,705	75,238	8,122	5,482	13,604	5,311	3,898	9,209	2,811	1,584	4,395	5,153	2,781	7,934	46	8,103	8,149	3,394	2,102		
神奈川県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
横浜市	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
横浜市 鶴見区	1,398	984	2,382	299	154	453	198	103	301	101	51	152	162	80	242	1	215	216	132	86		
横浜市 神奈川区	987	792	1,779	181	111	292	120	74	194	61	37	98	116	69	185	1	195	196	109	70		
横浜市 西区	402	397	799	79	66	145	51	45	96	28	21	49	52	30	82	0	80	80	56	40		
横浜市 中区	744	525	1,269	150	89	239	95	61	156	55	28	83	92	40	132	2	140	142	54	42		
横浜市 南区	1,043	765	1,808	220	147	367	156	99	255	64	48	112	154	66	220	1	191	192	68	39		
横浜市 保土ヶ谷区	998	816	1,814	207	144	351	140	106	246	67	38	105	129	87	216	2	206	208	62	31		
横浜市 磯子区	889	679	1,568	163	118	281	106	87	193	57	31	88	106	67	173	0	167	167	58	35		
横浜市 磯子区	1,074	797	1,871	206	134	340	144	103	247	62	31	93	116	60	176	0	195	195	72	42		
横浜市 港北区	1,367	1,163	2,530	258	162	420	172	100	272	86	62	148	170	86	256	3	312	315	148	97		
横浜市 戸塚区	1,321	951	2,272	216	149	365	134	106	240	82	43	125	173	95	268	2	240	242	96	64		
横浜市 港南区	1,097	843	1,940	225	140	365	149	106	255	76	34	110	119	65	184	3	221	224	69	48		
横浜市 旭区	1,273	994	2,267	207	197	404	126	147	273	81	50	131	146	80	226	2	235	237	85	54		
横浜市 緑区	801	660	1,461	137	115	252	85	80	165	52	35	87	96	48	144	1	181	182	56	36		
横浜市 瀬谷区	605	451	1,056	110	77	187	64	48	112	46	29	75	82	41	123	0	119	119	40	23		
横浜市 栄区	659	455	1,114	140	84	224	94	64	156	45	20	66	83	40	123	1	119	120	37	23		
横浜市 泉区	765	557	1,322	151	90	241	87	59	146	64	31	95	83	33	116	1	139	140	48	27		
横浜市 青葉区	1,258	1,073	2,331	226	154	380	153	111	264	73	43	116	133	76	209	2	306	308	112	68		
横浜市 都筑区	772	635	1,407	129	97	226	72	63	135	57	34	91	93	61	154	0	177	177	77	55		
川崎市	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
川崎市 川崎区	1,305	857	2,162	283	171	454	185	130	315	98	41	139	164	61	225	3	190	193	97	66		
川崎市 幸区	739	626	1,365	146	91	237	89	68	157	52	23	80	92	53	145	0	150	150	66	43		
川崎市 中原区	837	798	1,635	168	124	292	96	91	187	72	33	105	116	66	182	1	230	231	139	100		
川崎市 高津区	813	737	1,550	152	111	263	95	79	174	57	32	89	108	65	173	0	181	181	98	60		
川崎市 多摩区	787	644	1,431	166	94	260	111	63	174	55	31	86	104	56	160	1	175	176	58	35		
川崎市 宮前区	912	783	1,695	168	121	289	116	83	199	52	38	90	122	73	195	0	189	189	110	71		
川崎市 麻生区	712	573	1,285	136	92	228	93	62	155	43	30	73	77	59	136	0	159	159	47	24		
相模原市 緑区	792	540	1,333	147	86	233	93	58	151	54	28	82	97	59	156	1	124	125	58	37		
相模原市 中央区	1,161	867	2,028	195	135	330	117	101	218	78	34	112	129	79	208	2	215	217	88	49		
相模原市 南区	1,231	970	2,201	275	168	443	185	131	316	90	37	127	148	83	231	2	218	220	112	66		
横須賀市	2,029	1,602	3,631	391	291	682	273	222	495	118	69	187	268	150	418	4	356	360	148	85		
平塚市	1,273	944	2,217	244	175	419	161	129	290	83	46	129	161	81	242	0	199	199	102	67		
鎌倉市	1,050	811	1,861	178	147	325	124	109	233	50	32	82	90	67	157	1	200	201	63	38		
藤沢市	1,908	1,472	3,380	353	210	563	224	148	372	129	62	191	213	115	328	1	393	394	157	97		
小田原市	901	690	1,591	182	122	304	119	85	204	63	37	100	114	63	177	0	161	161	59	19		
茅ヶ崎市	1,145	907	2,052	187	137	324	134	100	234	53	37	90	135	73	208	1	233	234	108	65		
逗子市	318	275	593	51	45	96	31	35	66	20	10	30	36	17	53	1	81	82	32	18		
相模原市	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
三浦市	254	168	422	65	33	98	43	21	64	22	12	34	37	18	55	0	34	34	16	13		
秦野市	830	569	1,399	159	104	263	115	73	188	44	31	75	101	47	148	0	120	120	51	27		
厚木市	1,083	717	1,800	225	151	376	134	103	237	91	48	139	118	65	183	1	154	155	65	37		
大和市	1,002	803	1,805	201	129	330	146	88	234	55	41	96	132	75	207	2	212	214	91	54		
伊勢原市	488	344	832	100	58	158	59	41	100	41	17	58	55	25	80	0	95	95	40	27		
海老名市	611	446	1,057	122	84	206	83	60	143	39	24	63	78	30	108	0	114	114	45	27		
座間市	570	444	1,014	132	94	226	87	58	145	45	36	81	65	39	104	2	108	110	51	38		
南足柄市	200	147	347	29	28	57	17	24	41	12	4	16	31	19	50	0	29	29	7	1		
綾瀬市	454	287	741	79	48	127	50	36	86	29	12	41	57	21	78	0	69	69	21	14		
三浦郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
三浦郡 葉山町	182	127	309	23	17	40	15	12	27	8	5	13	14	9	23	0	42	42	9	6		
高座郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
高座郡 寒川町	225	174	399	38	32	70	27	18	45	11	14	25	30	13	43	0	36	36	15	7		
中郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
中郡 大磯町	217	140	357	32	27	59	17	18	35	15	9	24	37	14	51	0	29	29	15	7		
中郡 二宮町	157	109	266	19	16	35	15	10	25	4	6	10	24	10	34	0	27	27	4	2		
足柄上郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
足柄上郡 中井町	45	38	83	6	8	14	4	4	8	2	4	6	7	3	10	0	5	5	2	1		
足柄上郡 大井町	79	60	139	13	13	26	9	13	22	4	0	4	7	3	10	0	15	15	4	3		
足柄上郡 松田町	68	56	124	17	15	32	10	12	22	7	3	10	10	5	15	0	11	11	1	0		
足柄上郡 山北町	64	48	112	11	9	20	7	6	13	4	3	7	4	4	8	0	6	6	2	2		
足柄上郡 開成町	89	44	133	11	8	19	8	7	15	3	1	4	11	4	15	0	13	13	3	1		
足柄下郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
足柄下郡 箱根町	88	43	131	16	8	24	12	6	18	4	2	6	7	6	13	0	9	9	6	3		
足柄下郡 真鶴町	71	33																				

表62. 医療圏別、保健所別罹患数：部位別、性別

A. 上皮内がんを除く

神奈川県 2018年

市区町村	全部位			胃			大腸(結腸・直腸)			結腸			直腸			肝および肝内胆管			肺			乳房			子宮		子宮頸部		子宮体部		前立腺	
	C00-C96			C16			C18-C20			C18			C19-C20			C22			C33-C34			C50			C53-C55	C53	C54	C61				
	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	女	女	女	男	
神奈川	38,538	28,508	67,047	5,736	2,486	8,222	5,846	4,323	10,169	3,608	3,072	6,680	2,238	1,251	3,489	1,669	722	2,391	5,077	2,656	7,733	41	7,157	7,198	2,008	716	1,266	7,174				
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
横浜北部	5,913	4,573	10,486	824	385	1,209	849	634	1,483	511	416	927	338	218	556	271	117	388	765	407	1,172	6	1,202	1,208	345	123	220	1,167				
横浜西部	4,884	3,661	8,545	693	316	1,009	699	566	1,265	400	398	798	299	168	467	222	86	308	657	353	1,010	7	907	914	239	91	147	962				
横浜南部	4,896	3,517	8,413	763	346	1,109	768	545	1,313	502	397	899	266	148	414	232	107	339	648	310	958	6	917	923	208	79	127	849				
川崎北部	2,935	2,349	5,284	450	180	630	460	319	779	299	216	515	161	103	264	119	56	175	408	245	653	1	611	612	176	53	121	508				
川崎南部	2,606	1,922	4,528	406	176	582	443	296	739	262	224	486	181	72	253	113	30	143	366	172	538	4	495	499	162	69	90	391				
横須賀・三浦	3,496	2,636	6,132	499	207	706	512	422	934	326	318	644	186	104	290	124	72	196	441	248	689	6	633	639	170	62	107	756				
湘南東部	3,001	2,268	5,269	434	208	642	420	304	724	257	221	478	163	83	246	129	64	193	372	194	566	2	600	602	172	61	111	617				
湘南西部	2,719	1,863	4,582	410	167	577	407	313	720	264	225	489	143	88	231	116	38	154	370	164	534	0	426	426	119	37	80	475				
県央	3,554	2,487	6,041	510	195	705	591	432	1,023	367	289	656	224	143	367	158	62	220	464	237	701	5	618	623	172	63	105	652				
相模原	2,883	2,059	4,943	489	196	685	441	293	734	262	223	485	179	70	249	102	62	164	374	211	585	4	481	485	164	58	100	498				
県西	1,651	1,173	2,824	258	110	368	256	199	455	158	145	303	98	54	152	83	28	111	212	115	327	0	267	267	81	20	58	299				
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
相模原市	2,883	2,059	4,943	489	196	685	441	293	734	262	223	485	179	70	249	102	62	164	374	211	585	4	481	485	164	58	100	498				
川崎	1,185	742	1,927	190	69	259	210	136	346	134	102	236	76	34	110	65	10	75	162	60	222	3	172	175	56	25	30	165				
幸	668	541	1,209	102	66	168	109	69	178	60	53	113	49	16	65	19	14	33	91	50	141	0	129	129	40	17	22	108				
中原	753	639	1,392	114	41	155	124	91	215	68	69	137	56	22	78	29	6	35	113	62	175	1	194	195	66	27	38	118				
高津	735	634	1,369	125	48	173	108	82	190	65	56	121	43	26	69	33	15	48	107	62	169	0	165	165	57	19	38	102				
宮前	815	655	1,470	122	50	172	119	92	211	78	62	140	41	30	71	37	12	49	122	71	193	0	162	162	56	17	37	150				
多摩	724	550	1,274	94	47	141	125	69	194	86	46	132	39	23	62	28	16	44	104	55	159	1	143	144	33	10	23	119				
麻生	661	510	1,171	109	35	144	108	76	184	70	52	122	38	24	62	21	13	34	75	57	132	0	141	141	30	7	23	137				
横浜市	15,693	11,751	27,444	2,280	1,047	3,327	2,316	1,745	4,061	1,413	1,211	2,624	903	534	1,437	725	310	1,035	2,070	1,070	3,140	19	3,026	3,045	792	293	494	2,978				
横須賀市	1,866	1,423	3,289	266	104	370	298	233	531	196	180	376	102	53	155	63	34	97	266	145	411	4	321	325	95	32	62	349				
藤沢市	1,728	1,311	3,039	243	119	362	252	173	425	145	130	275	107	43	150	73	42	115	210	111	321	1	355	356	101	41	60	354				
平塚	2,719	1,863	4,582	410	167	577	407	313	720	264	225	489	143	88	231	116	38	154	370	164	534	0	426	426	119	37	80	475				
鎌倉	1,630	1,213	2,843	233	103	336	214	189	403	130	138	268	84	51	135	61	38	99	175	103	278	2	312	314	75	30	45	407				
小田原	1,651	1,173	2,824	258	110	368	256	199	455	158	145	303	98	54	152	83	28	111	212	115	327	0	267	267	81	20	58	299				
厚木	3,554	2,487	6,041	510	195	705	591	432	1,023	367	289	656	224	143	367	158	62	220	464	237	701	5	618	623	172	63	105	652				
茅ヶ崎	1,273	957	2,230	191	89	280	168	131	299	112	91	203	56	40	96	56	22	78	162	83	245	1	245	246	71	20	51	263				

※1 総数は男女および性別不詳の合計

表62. 医療圏別、保健所別罹患数：部位別、性別

B. 上皮内がんを含む

神奈川県

2018年

市区町村	全部位			大腸(結腸・直腸)※2			結腸※2			直腸※2			肺			乳房			子宮		子宮頸部
	C00-C96 D00-D09			C18-C20 D010-D012			C18 D010			C19-C20 D011-D012			C33-C34 D021-D022			C50 D05			C53-C55 D06		C53 D06
	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	女	女	
神奈川	42,532	32,705	75,238	8,122	5,482	13,604	5,311	3,898	9,209	2,811	1,584	4,395	5,153	2,781	7,934	46	8,103	8,149	3,394	2,102	
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
横浜北部	6,583	5,307	11,890	1,230	793	2,023	800	531	1,331	430	262	692	770	420	1,190	8	1,386	1,394	634	412	
横浜西部	5,364	4,166	9,530	970	723	1,693	602	511	1,113	368	212	580	665	366	1,031	7	1,019	1,026	387	239	
横浜南部	5,506	4,064	9,570	1,104	712	1,816	744	520	1,264	360	192	552	670	338	1,008	7	1,033	1,040	358	229	
川崎北部	3,224	2,737	5,961	622	418	1,040	415	287	702	207	131	338	411	253	664	1	704	705	313	190	
川崎南部	2,881	2,281	5,162	597	386	983	370	289	659	227	97	324	372	180	552	4	570	574	302	209	
横須賀・三浦	3,833	2,983	6,816	708	533	1,241	486	399	885	222	134	356	445	261	706	6	713	719	268	160	
湘南東部	3,278	2,553	5,831	578	379	957	385	266	651	193	113	306	378	201	579	2	662	664	280	169	
湘南西部	2,965	2,106	5,071	554	380	934	367	271	638	187	109	296	378	177	555	0	470	470	212	130	
県央	3,936	2,845	6,781	810	529	1,339	531	360	891	279	169	448	474	242	716	6	695	701	286	177	
相模原	3,184	2,378	5,563	617	389	1,006	395	290	685	222	99	321	374	221	595	5	557	562	258	152	
県西	1,778	1,285	3,063	332	240	572	216	174	390	116	66	182	216	122	338	0	294	294	96	35	
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
相模原市	3,184	2,378	5,563	617	389	1,006	395	290	685	222	99	321	374	221	595	5	557	562	258	152	
川崎	1,305	857	2,162	283	171	454	185	130	315	98	41	139	164	61	225	3	190	193	97	66	
幸	739	626	1,365	146	91	237	89	68	157	57	23	80	92	53	145	0	150	150	66	43	
中原	837	798	1,635	168	124	292	96	91	187	72	33	105	116	66	182	1	230	231	139	100	
高津	813	737	1,550	152	111	263	95	79	174	57	32	89	108	65	173	0	181	181	98	60	
宮前	912	783	1,695	168	121	289	116	83	199	52	38	90	122	73	195	0	189	189	110	71	
多摩	787	644	1,431	166	94	260	111	63	174	55	31	86	104	56	160	1	175	176	58	35	
麻生	712	573	1,285	136	92	228	93	62	155	43	30	73	77	59	136	0	159	159	47	24	
横浜市	17,453	13,537	30,990	3,304	2,228	5,532	2,146	1,562	3,708	1,158	666	1,824	2,105	1,124	3,229	22	3,438	3,460	1,379	880	
横須賀市	2,029	1,602	3,631	391	291	682	273	222	495	118	69	187	268	150	418	4	356	360	148	85	
藤沢市	1,908	1,472	3,380	353	210	563	224	148	372	129	62	191	213	115	328	1	393	394	157	97	
平塚	2,965	2,106	5,071	554	380	934	367	271	638	187	109	296	378	177	555	0	470	470	212	130	
鎌倉	1,804	1,381	3,185	317	242	559	213	177	390	104	65	169	177	111	288	2	357	359	120	75	
小田原	1,778	1,285	3,063	332	240	572	216	174	390	116	66	182	216	122	338	0	294	294	96	35	
厚木	3,936	2,845	6,781	810	529	1,339	531	360	891	279	169	448	474	242	716	6	695	701	286	177	
茅ヶ崎	1,370	1,081	2,451	225	169	394	161	118	279	64	51	115	165	86	251	1	269	270	123	72	

※1 総数は男女および性別不詳の合計

※2 粘膜がんを含む

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 詳細部位別、性別 神奈川県 2018年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率			累積罹患率(0-74歳)					
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口		世界人口		男	女	総数 *1		
											男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	000-C96 000-D47	43,806	34,177	77,984	100.0	100.0	100.0	957.3	742.8	849.8	517.2	439.1	468.1	365.9	332.8	342.8	43.6	36.0	39.4
全部位	000-C96	38,538	28,508	67,047	88.0	83.4	86.0	842.2	619.6	730.6	449.7	346.0	389.3	316.5	258.9	282.3	37.7	28.8	32.9
口唇	000	3	5	8	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	001	41	9	50	0.1	0.0	0.1	0.9	0.2	0.5	0.5	0.1	0.3	0.4	0.1	0.2	0.1	0.0	0.0
その他および部位不明の舌	002	232	130	362	0.5	0.4	0.5	5.1	2.8	3.9	3.4	1.8	2.6	2.6	1.4	2.0	0.3	0.1	0.2
歯肉	003	90	109	199	0.2	0.3	0.3	2.0	2.4	2.2	1.0	0.8	0.9	0.7	0.5	0.6	0.1	0.0	0.1
口腔底	004	44	11	55	0.1	0.0	0.1	1.0	0.2	0.6	0.6	0.1	0.3	0.4	0.1	0.3	0.1	0.0	0.0
口蓋	005	30	10	40	0.1	0.0	0.1	0.7	0.2	0.4	0.4	0.2	0.3	0.3	0.1	0.2	0.0	0.0	0.0
その他および部位不明の口腔	006	41	32	73	0.1	0.1	0.1	0.9	0.7	0.8	0.5	0.3	0.4	0.4	0.2	0.3	0.0	0.0	0.0
耳下腺	007	58	37	95	0.1	0.1	0.1	1.3	0.8	1.0	0.8	0.5	0.7	0.6	0.4	0.5	0.1	0.0	0.1
その他および部位不明の大唾液腺	008	24	15	39	0.1	0.0	0.1	0.5	0.3	0.4	0.3	0.2	0.3	0.3	0.2	0.2	0.0	0.0	0.0
扁桃	009	50	18	68	0.1	0.1	0.1	1.1	0.4	0.7	0.7	0.2	0.5	0.5	0.2	0.3	0.1	0.0	0.0
中咽頭	C10	151	23	174	0.3	0.1	0.2	3.3	0.5	1.9	2.0	0.3	1.1	1.5	0.2	0.8	0.2	0.0	0.1
鼻<上>咽頭	C11	36	15	51	0.1	0.0	0.1	0.8	0.3	0.6	0.6	0.2	0.4	0.5	0.2	0.3	0.1	0.0	0.0
梨状陥凹<洞>	C12	194	17	211	0.4	0.0	0.3	4.2	0.4	2.3	2.4	0.3	1.3	1.6	0.2	0.9	0.2	0.0	0.1
下咽頭	C13	138	31	169	0.3	0.1	0.2	3.0	0.7	1.8	1.7	0.3	1.0	1.2	0.3	0.7	0.2	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	C14	7	2	9	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	C15	1,683	378	2,062	3.8	1.1	2.6	36.8	8.2	22.5	19.9	4.1	11.6	13.9	3.0	8.2	1.8	0.4	1.1
胃	C16	5,736	2,486	8,222	13.1	7.3	10.5	125.3	54.0	89.6	63.0	23.2	41.7	42.7	16.1	28.6	5.1	1.9	3.4
小腸	C17	145	92	237	0.3	0.3	0.3	3.2	2.0	2.6	1.8	1.1	1.4	1.3	0.8	1.1	0.2	0.1	0.1
結腸	C18	3,608	3,072	6,680	8.2	9.0	8.6	78.8	66.8	72.8	41.9	29.9	35.5	29.1	21.1	24.9	3.5	2.5	3.0
直腸S状結腸移行部	C19	538	376	914	1.2	1.1	1.2	11.8	8.2	10.0	6.9	4.5	5.7	5.1	3.3	4.2	0.7	0.4	0.5
直腸	C20	1,700	875	2,575	3.9	2.6	3.3	37.2	19.0	28.1	22.3	9.9	15.9	16.3	7.2	11.7	2.1	0.8	1.4
肛門および肛門管	C21	33	34	67	0.1	0.1	0.1	0.7	0.7	0.7	0.4	0.4	0.4	0.2	0.3	0.3	0.0	0.0	0.0
肝および肝内胆管	C22	1,669	722	2,391	3.8	2.1	3.1	36.5	15.7	26.1	18.9	6.1	12.1	13.1	4.2	8.5	1.5	0.4	1.0
胆のう	C23	210	274	484	0.5	0.8	0.6	4.6	6.0	5.3	2.3	2.1	2.2	1.5	1.4	1.5	0.2	0.1	0.1
その他および部位不明の胆道	C24	520	311	831	1.2	0.9	1.1	11.4	6.8	9.1	5.4	2.1	3.6	3.6	1.4	2.4	0.4	0.1	0.2
膵臓	C25	1,462	1,296	2,758	3.3	3.8	3.5	31.9	28.2	30.1	16.8	11.7	14.1	11.7	8.1	9.8	1.4	0.9	1.2
その他および部位不明の消化器	C26	202	165	367	0.5	0.5	0.5	4.4	3.6	4.0	2.7	2.2	2.4	2.0	1.6	1.8	0.3	0.2	0.2
鼻腔および中耳	C30	34	22	56	0.1	0.1	0.1	0.7	0.5	0.6	0.5	0.3	0.4	0.4	0.2	0.3	0.0	0.0	0.0
副鼻腔	C31	45	29	74	0.1	0.1	0.1	1.0	0.6	0.8	0.6	0.3	0.5	0.5	0.2	0.4	0.1	0.0	0.0
喉頭	C32	313	27	340	0.7	0.1	0.4	6.8	0.6	3.7	3.5	0.3	1.8	2.4	0.2	1.2	0.3	0.0	0.2
気管	C33	2	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	5,075	2,654	7,729	11.6	7.8	9.9	110.9	57.7	84.2	56.3	26.0	40.0	38.6	18.3	27.7	4.8	2.3	3.5
胸腺	C37	111	102	213	0.3	0.3	0.3	2.4	2.2	2.3	1.6	1.5	1.6	1.3	1.2	1.2	0.1	0.1	0.1
心臓、縦隔および胸膜	C38	36	19	55	0.1	0.1	0.1	0.8	0.4	0.6	0.7	0.2	0.4	0.7	0.2	0.5	0.1	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	C40	17	16	33	0.0	0.0	0.0	0.4	0.3	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	27	28	55	0.1	0.1	0.1	0.6	0.6	0.6	0.4	0.4	0.4	0.3	0.3	0.3	0.0	0.0	0.0
皮膚の悪性黒色腫	C43	65	48	113	0.1	0.1	0.1	1.4	1.0	1.2	0.8	0.6	0.7	0.6	0.5	0.6	0.1	0.1	0.1
皮膚のその他	C44	819	698	1,517	1.9	2.0	1.9	17.9	15.2	16.5	8.7	5.9	7.2	6.0	4.1	5.0	0.6	0.4	0.5
中皮腫	C45	101	14	115	0.2	0.0	0.1	2.2	0.3	1.3	1.1	0.1	0.6	0.7	0.1	0.4	0.1	0.0	0.0
カポジ肉腫	C46	4	0	4	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	7	3	10	0.0	0.0	0.0	0.2	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	C48	34	132	166	0.1	0.4	0.2	0.7	2.9	1.8	0.5	1.7	1.1	0.4	1.2	0.8	0.0	0.2	0.1
その他の結合組織および軟部組織	C49	132	114	246	0.3	0.3	0.3	2.9	2.5	2.7	1.8	1.7	1.7	1.5	1.4	1.4	0.2	0.1	0.1
乳房	C50	41	7,157	7,198	0.1	20.9	9.2	0.9	155.6	78.4	0.5	107.3	53.8	0.4	82.4	41.1	0.0	9.2	4.6
外陰	C51	-	63	63	-	0.2	0.1	-	1.4	-	-	0.6	-	-	0.4	-	-	0.1	-
陰	C52	-	20	20	-	0.1	0.0	-	0.4	-	-	0.2	-	-	0.1	-	-	0.0	-
子宮頸部	C53	-	716	716	-	2.1	0.9	-	15.6	-	-	12.7	-	-	9.9	-	-	1.0	-
子宮体部	C54	-	1,266	1,266	-	3.7	1.6	-	27.5	-	-	20.6	-	-	16.0	-	-	1.8	-
子宮部位不明	C55	-	26	26	-	0.1	0.0	-	0.6	-	-	0.2	-	-	0.1	-	-	0.0	-
卵巣	C56	-	766	766	-	2.2	1.0	-	16.6	-	-	12.0	-	-	9.5	-	-	1.0	-
その他および部位不明の女性性器	C57	-	35	35	-	0.1	0.0	-	0.8	-	-	0.4	-	-	0.3	-	-	0.0	-
胎盤	C58	-	3	3	-	0.0	0.0	-	0.1	-	-	0.1	-	-	0.1	-	-	0.0	-
陰茎	C60	37	-	37	0.1	-	0.0	0.8	-	-	0.4	-	-	0.3	-	-	0.0	-	-
前立腺	C61	7,174	-	7,174	16.4	-	9.2	156.8	-	-	78.2	-	-	52.7	-	-	6.8	-	-
精巣	C62	178	-	178	0.4	-	0.2	3.9	-	-	4.0	-	-	3.3	-	-	0.3	-	-
その他および部位不明の男性性器	C63	30	-	30	0.1	-	0.0	0.7	-	-	0.4	-	-	0.3	-	-	0.0	-	-
腎盂を除く腎	C64	1,033	415	1,448	2.4	1.2	1.9	22.6	9.0	15.8	14.0	4.6	9.2	10.4	3.3	6.8	1.3	0.4	0.8
腎盂	C65	186	98	284	0.4	0.3	0.4	4.1	2.1	3.1	2.0	0.8	1.4	1.4	0.6	1.0	0.2	0.1	0.1
尿管	C66	176	90	266	0.4	0.3	0.3	3.8	2.0	2.9	1.8	0.7	1.2	1.2	0.4	0.8	0.1	0.0	0.1
膀胱	C67	1,174	353	1,527	2.7	1.0	2.0	25.7	7.7	16.6	12.5	2.8	7.3	8.5	1.9	5.0	1.0	0.2	0.6
その他および部位不明の泌尿器	C68	14	6	20	0.0	0.0	0.0	0.3	0.1	0.2	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
眼および付属器	C69	15	8	23	0.0	0.0	0.0	0.3	0.2	0.3	0.3	0.2	0.3	0.5	0.3				

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 詳細部位別、性別

神奈川県

2018年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	3,994	4,197	8,191	9.1	12.3	10.5	87.3	91.2	89.3	50.0	71.3	59.4	35.7	55.8	44.8	4.5	5.5	4.9
口腔、食道および胃	D00	219	69	288	0.5	0.2	0.4	4.8	1.5	3.1	2.7	0.9	1.7	1.8	0.6	1.2	0.2	0.1	0.2
食道	D001	156	42	198	0.4	0.1	0.3	3.4	0.9	2.2	1.9	0.4	1.1	1.3	0.3	0.8	0.2	0.0	0.1
その他および部位不明の消化器	D01	2,367	1,214	3,581	5.4	3.6	4.6	51.7	26.4	39.0	31.3	14.8	22.8	22.8	10.8	16.7	2.9	1.3	2.1
結腸	D010	1,703	826	2,529	3.9	2.4	3.2	37.2	18.0	27.6	22.3	9.9	15.9	16.1	7.2	11.6	2.1	0.9	1.5
直腸S状結腸移行部	D011	152	98	250	0.3	0.3	0.3	3.3	2.1	2.7	2.1	1.3	1.7	1.6	1.0	1.3	0.2	0.1	0.2
直腸	D012	421	235	656	1.0	0.7	0.8	9.2	5.1	7.1	5.7	2.9	4.3	4.2	2.1	3.1	0.5	0.3	0.4
中耳および呼吸器系	D02	92	126	218	0.2	0.4	0.3	2.0	2.7	2.4	1.2	1.6	1.4	0.8	1.2	1.0	0.1	0.1	0.1
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	76	125	201	0.2	0.4	0.3	1.7	2.7	2.2	1.0	1.6	1.3	0.7	1.2	0.9	0.1	0.1	0.1
上皮内黒色腫	D03	13	18	31	0.0	0.1	0.0	0.3	0.4	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.0	0.0	0.0
皮膚のその他	D04	143	153	296	0.3	0.4	0.4	3.1	3.3	3.2	1.5	1.1	1.3	1.0	0.7	0.8	0.1	0.1	0.1
乳房	D05	5	946	951	0.0	2.8	1.2	0.1	20.6	10.4	0.1	15.8	7.9	0.0	12.3	6.1	0.0	1.3	0.6
子宮頸部	D06	-	1,386	1,386	-	4.1	1.8	-	30.1	-	-	33.9	-	-	27.9	-	-	2.3	-
その他および部位不明の性器	D07	19	19	38	0.0	0.1	0.0	0.4	0.4	0.4	0.2	0.2	0.2	0.2	0.1	0.2	0.0	0.0	0.0
その他および部位不明	D09	1,136	266	1,402	2.6	0.8	1.8	24.8	5.8	15.3	12.9	2.8	7.5	8.8	1.9	5.2	1.1	0.2	0.6
膀胱	D090	1,052	243	1,295	2.4	0.7	1.7	23.0	5.3	14.1	12.0	2.5	7.0	8.2	1.8	4.8	1.0	0.2	0.6
良性腫瘍	D32-D35	470	748	1,218	1.1	2.2	1.6	10.3	16.3	13.3	7.3	11.6	9.4	5.9	9.6	7.7	0.6	1.0	0.8
髄膜	D32	201	458	659	0.5	1.3	0.8	4.4	10.0	7.2	2.7	5.9	4.3	2.1	4.5	3.3	0.2	0.5	0.4
脳および中枢神経系	D33	121	129	250	0.3	0.4	0.3	2.6	2.8	2.7	2.1	2.4	2.3	1.9	2.3	2.1	0.2	0.2	0.2
下垂体	D352	148	160	308	0.3	0.5	0.4	3.2	3.5	3.4	2.4	3.3	2.8	1.9	2.8	2.3	0.2	0.2	0.2
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	745	487	1,232	1.7	1.4	1.6	16.3	10.6	13.4	9.1	5.5	7.2	6.7	4.4	5.4	0.7	0.4	0.5
髄膜	D42	15	34	49	0.0	0.1	0.1	0.3	0.7	0.5	0.2	0.4	0.3	0.2	0.3	0.2	0.0	0.0	0.0
脳および中枢神経系	D43	92	87	179	0.2	0.3	0.2	2.0	1.9	2.0	1.4	1.5	1.4	1.2	1.4	1.3	0.1	0.1	0.1
下垂体	D443	13	5	18	0.0	0.0	0.0	0.3	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
頭蓋咽頭管	D444	14	12	26	0.0	0.0	0.0	0.3	0.3	0.3	0.2	0.3	0.3	0.2	0.3	0.3	0.0	0.0	0.0
松果体	D445	1	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D45	57	22	79	0.1	0.1	0.1	1.2	0.5	0.9	0.8	0.3	0.5	0.6	0.2	0.4	0.1	0.0	0.0
骨髄異形成症候群	D46	404	211	615	0.9	0.6	0.8	8.8	4.6	6.7	4.4	1.6	2.9	3.0	1.1	2.0	0.3	0.1	0.2
慢性骨髄増殖性疾患	D471	33	21	54	0.1	0.1	0.1	0.7	0.5	0.6	0.4	0.2	0.3	0.3	0.1	0.2	0.0	0.0	0.0
本態性(出血性)血小板血症	D473	94	88	182	0.2	0.3	0.2	2.1	1.9	2.0	1.2	1.1	1.1	0.9	0.8	0.8	0.1	0.1	0.1

\*1 総数は男女および性別不詳の合計

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 詳細部位別、性別

神奈川県

2018年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	000-C97 D00-D47	14,597	10,212	24,809	100.0	100.0	100.0	325.5	226.5	275.9	150.7	88.8	116.1	101.6	62.5	79.8	10.7	6.6	8.5
全部位	000-C97	14,152	9,878	24,030	97.0	96.7	96.9	315.6	219.1	267.2	146.5	86.7	113.1	98.8	61.1	77.7	10.4	6.4	8.4
口唇	000	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	001	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の舌	002	65	36	101	0.4	0.4	0.4	1.4	0.8	1.1	0.9	0.2	0.6	0.6	0.2	0.4	0.1	0.0	0.0
歯肉	003	27	45	72	0.2	0.4	0.3	0.6	1.0	0.8	0.3	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0
口腔底	004	14	5	19	0.1	0.0	0.1	0.3	0.1	0.2	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
口蓋	005	3	0	3	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の口腔	006	22	14	36	0.2	0.1	0.1	0.5	0.3	0.4	0.2	0.1	0.1	0.2	0.0	0.1	0.0	0.0	0.0
耳下腺	007	21	7	28	0.1	0.1	0.1	0.5	0.2	0.3	0.3	0.1	0.2	0.2	0.0	0.1	0.0	0.0	0.0
その他および部位不明の大唾液腺	008	11	5	16	0.1	0.0	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
扁桃	009	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中咽頭	C10	70	18	88	0.5	0.2	0.4	1.6	0.4	1.0	0.8	0.2	0.5	0.6	0.2	0.4	0.1	0.0	0.0
鼻<上>咽頭	C11	20	7	27	0.1	0.1	0.1	0.4	0.2	0.3	0.3	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
梨状陥凹<洞>	C12	1	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下咽頭	C13	132	13	145	0.9	0.1	0.6	2.9	0.3	1.6	1.5	0.1	0.8	1.0	0.1	0.5	0.1	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	C14	31	5	36	0.2	0.0	0.1	0.7	0.1	0.4	0.3	0.0	0.2	0.2	0.0	0.1	0.0	0.0	0.0
食道	C15	709	162	871	4.9	1.6	3.5	15.8	3.6	9.7	7.9	1.5	4.5	5.4	1.1	3.1	0.7	0.1	0.4
胃	C16	1,865	942	2,807	12.8	9.2	11.3	41.6	20.9	31.2	18.9	7.2	12.5	12.6	5.0	8.5	1.3	0.5	0.9
小腸	C17	50	32	82	0.3	0.3	0.3	1.1	0.7	0.9	0.5	0.3	0.4	0.4	0.2	0.3	0.1	0.0	0.0
結腸	C18	1,171	1,085	2,256	8.0	10.6	9.1	26.1	24.1	25.1	12.3	8.6	10.3	8.3	6.0	7.0	0.9	0.6	0.7
直腸S状結腸移行部	C19	16	8	24	0.1	0.1	0.1	0.4	0.2	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
直腸	C20	639	368	1,007	4.4	3.6	4.1	14.3	8.2	11.2	7.4	3.5	5.3	5.2	2.5	3.8	0.6	0.3	0.4
肛門および肛門管	C21	16	6	22	0.1	0.1	0.1	0.4	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
肝および肝内胆管	C22	1,044	487	1,531	7.2	4.8	6.2	23.3	10.8	17.0	10.6	3.5	6.8	7.0	2.3	4.5	0.7	0.2	0.5
胆のう	C23	134	212	346	0.9	2.1	1.4	3.0	4.7	3.8	1.3	1.6	1.5	0.9	1.1	1.0	0.1	0.1	0.1
その他および部位不明の胆道	C24	423	291	714	2.9	2.8	2.9	9.4	6.5	7.9	3.9	1.7	2.7	2.5	1.1	1.7	0.2	0.1	0.2
膵臓	C25	1,193	1,142	2,335	8.2	11.2	9.4	26.6	25.3	26.0	13.1	9.1	11.0	9.0	6.1	7.5	1.0	0.7	0.8
その他および部位不明の消化器	C26	5	4	9	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
鼻腔および中耳	C30	7	9	16	0.0	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
副鼻腔	C31	27	17	44	0.2	0.2	0.2	0.6	0.4	0.5	0.3	0.1	0.2	0.3	0.1	0.2	0.0	0.0	0.0
喉頭	C32	31	1	32	0.2	0.0	0.1	0.7	0.0	0.4	0.3	0.0	0.2	0.2	0.0	0.1	0.0	0.0	0.0
気管	C33	1	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	3,204	1,387	4,591	21.9	13.6	18.5	71.5	30.8	51.1	32.7	10.9	20.8	21.8	7.3	14.0	2.4	0.8	1.6
胸腺	C37	13	6	19	0.1	0.1	0.1	0.3	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
心臓、縦隔および胸腺	C38	10	4	14	0.1	0.0	0.1	0.2	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	O40	6	5	11	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	O41	8	6	14	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
皮膚の悪性黒色腫	O43	41	23	64	0.3	0.2	0.3	0.9	0.5	0.7	0.5	0.3	0.4	0.3	0.2	0.3	0.0	0.0	0.0
皮膚のその他	O44	29	30	59	0.2	0.3	0.2	0.6	0.7	0.7	0.3	0.2	0.3	0.3	0.2	0.2	0.0	0.0	0.0
中皮腫	O45	91	13	104	0.6	0.1	0.4	2.0	0.3	1.2	0.9	0.1	0.5	0.6	0.1	0.3	0.1	0.0	0.0
カボジ肉腫	O46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	O47	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	O48	19	58	77	0.1	0.6	0.3	0.4	1.3	0.9	0.2	0.7	0.4	0.1	0.5	0.3	0.0	0.1	0.0
その他の結合組織および軟部組織	O49	42	37	79	0.3	0.4	0.3	0.9	0.8	0.9	0.5	0.5	0.5	0.4	0.4	0.4	0.0	0.0	0.0
乳房	O50	6	1,128	1,134	0.0	11.0	4.6	0.1	25.0	12.6	0.1	13.6	7.0	0.0	10.2	5.2	0.0	1.2	0.6
外陰	O51	-	18	18	-	0.2	0.1	-	0.4	-	-	0.2	-	-	0.1	-	-	0.0	-
陰	O52	-	11	11	-	0.1	0.0	-	0.2	-	-	0.1	-	-	0.1	-	-	0.0	-
子宮頸部	O53	-	169	169	-	1.7	0.7	-	3.7	-	-	2.5	-	-	1.9	-	-	0.2	-
子宮体部	O54	-	182	182	-	1.8	0.7	-	4.0	-	-	2.2	-	-	1.6	-	-	0.2	-
子宮部位不明	O55	-	85	85	-	0.8	0.3	-	1.9	-	-	1.0	-	-	0.7	-	-	0.1	-
卵巣	O56	-	364	364	-	3.6	1.5	-	8.1	-	-	4.7	-	-	3.5	-	-	0.4	-
その他および部位不明の女性性器	O57	-	6	6	-	0.1	0.0	-	0.1	-	-	0.1	-	-	0.1	-	-	0.0	-
胎盤	O58	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
陰茎	O60	7	-	7	0.0	-	0.0	0.2	-	-	0.1	-	-	-	0.0	-	-	0.0	-
前立腺	O61	820	-	820	5.6	-	3.3	18.3	-	-	7.1	-	-	-	4.5	-	-	0.3	-
精巣	O62	4	-	4	0.0	-	0.0	0.1	-	-	0.1	-	-	-	0.1	-	-	0.0	-
その他および部位不明の男性性器	O63	3	-	3	0.0	-	0.0	0.1	-	-	0.0	-	-	-	0.0	-	-	0.0	-
腎盂を除く腎	O64	197	101	298	1.3	1.0	1.2	4.4	2.2	3.3	2.1	0.8	1.4	1.5	0.5	1.0	0.2	0.1	0.1
腎盂	O65	97	52	149	0.7	0.5	0.6	2.2	1.2	1.7	0.9	0.4	0.6	0.6	0.3	0.4	0.0	0.0	0.0
尿管	O66	88	57	145	0.6	0.6	0.6	2.0	1.3	1.6	0.9	0.4	0.6	0.6	0.2	0.4	0.1	0.0	0.0
膀胱	O67	396	182	578	2.7	1.8	2.3	8.8	4.0	6.4	3.6	1.0	2.1	2.4	0.6	1.4	0.2	0.0	0.1
その他および部位不明の泌尿器	O68	11	5	16	0.1	0.0	0.1	0.2	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
眼および付属器	O69	2	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
髄膜	O70	2	4	6	0.0	0.0	0.0	0.0	0.1	0									

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 詳細部位別、性別

神奈川県

2018年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	1	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
口腔、食道および胃	D00	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	D001	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の消化器	D01	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
結腸	D010	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸S状結腸移行部	D011	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸	D012	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中耳および呼吸器系	D02	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上皮内黒色腫	D03	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
皮膚のその他	D04	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
乳房	D05	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮頸部	D06	-	0	0	-	0.0	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0
その他および部位不明の性器	D07	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明	D09	1	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
膀胱	D090	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
良性腫瘍	D32-D35	13	17	30	0.1	0.2	0.1	0.3	0.4	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0
髄膜	D32	12	12	24	0.1	0.1	0.1	0.3	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
脳および中枢神経系	D33	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下垂体	D352	1	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	287	189	476	2.0	1.9	1.9	6.4	4.2	5.3	2.7	1.2	1.9	1.8	0.8	1.3	0.1	0.1	0.1
髄膜	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	78	60	138	0.5	0.6	0.6	1.7	1.3	1.5	0.8	0.5	0.7	0.6	0.4	0.5	0.1	0.0	0.0
下垂体	D443	4	1	5	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D444	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D45	4	3	7	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	181	106	287	1.2	1.0	1.2	4.0	2.4	3.2	1.6	0.6	1.0	1.1	0.4	0.7	0.1	0.0	0.1
慢性骨髄増殖性疾患	D471	3	5	8	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
本態性(出血性)血小板血症	D473	4	1	5	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\*1 総数は男女および性別不詳の合計

付表3. 初回治療内容割合詳細 (%) : 部位別

## A. 上皮内がんを除く

神奈川県

2018年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			治療あり 他の組合せ *5	治療なし ・不明	
								+放射線	-その他 *	+放射線	+薬物	+その他 *4			+放射線 +薬物
全部位	C00-C96	65,692	26.4	7.2	1.0	3.0	15.0	3.9	0.7	1.1	14.2	0.3	3.7	1.1	22.3
口腔・咽頭	C00-C14	1,586	30.8	4.9	0.2	6.9	3.3	17.7	0.1	5.2	4.2	0.1	5.2	0.3	21.1
食道	C15	2,037	8.0	22.8	1.0	5.5	8.8	15.7	0.0	0.3	13.3	0.2	2.2	0.6	21.6
胃	C16	8,083	23.4	34.2	2.7	0.2	8.0	0.3	0.1	0.0	9.7	0.1	0.0	0.5	20.7
大腸（結腸・直腸）	C18-C20	9,979	43.0	8.7	3.5	0.2	4.2	0.3	0.0	0.1	21.9	0.2	1.5	0.4	16.0
結腸	C18	6,541	45.3	7.8	3.5	0.1	3.8	0.0	0.0	0.0	22.3	0.2	0.1	0.4	16.5
直腸	C19-C20	3,438	38.5	10.6	3.6	0.3	4.9	0.8	0.0	0.2	21.2	0.2	4.1	0.3	15.0
肝および肝内胆管	C22	2,284	16.8	0.0	0.0	4.3	9.7	0.5	16.2	0.1	1.4	0.6	0.1	13.3	37.0
胆のう・胆管	C23-C24	1,243	26.9	0.3	0.3	0.8	16.1	0.2	0.2	0.4	10.7	0.3	0.3	1.3	42.2
膵臓	C25	2,667	9.1	0.0	0.0	0.6	32.5	1.5	0.4	0.1	14.2	0.0	0.6	0.9	39.8
喉頭	C32	338	13.3	8.9	0.0	31.1	1.8	17.8	0.0	7.1	1.2	0.9	2.4	0.9	14.8
肺	C33-C34	7,466	25.2	0.0	0.0	7.1	21.0	6.8	0.1	0.2	8.2	0.1	0.5	0.6	30.1
皮膚	C43-C44	1,618	85.8	0.0	0.1	1.2	0.6	0.5	0.1	1.1	1.1	0.9	0.1	0.3	8.5
乳房	C50	7,098	10.9	0.0	0.0	0.7	10.1	0.4	0.1	4.2	38.1	0.1	24.5	0.4	10.5
乳房（女性のみ）	C50	7,057	10.9	0.0	0.0	0.7	10.1	0.4	0.1	4.2	38.0	0.1	24.6	0.4	10.5
子宮	C53-C55	1,987	42.4	0.1	0.3	4.0	2.7	7.4	0.0	1.9	24.1	0.1	3.9	0.1	13.1
子宮頸部	C53	709	27.8	0.3	0.0	9.3	3.7	20.6	0.0	3.4	8.9	0.0	10.3	0.0	15.8
子宮体部	C54	1,262	50.9	0.0	0.4	1.0	2.2	0.2	0.0	1.0	33.0	0.1	0.4	0.1	10.8
卵巣	C56	749	19.2	0.0	0.0	0.1	5.3	0.0	0.0	0.0	56.5	0.1	0.0	0.4	18.3
前立腺	C61	7,093	20.8	0.5	0.0	8.0	33.5	12.4	0.1	0.2	2.7	0.0	0.1	0.5	21.2
膀胱	C67	1,490	2.1	26.6	3.4	0.5	1.3	0.2	0.1	2.6	29.5	8.1	2.7	6.1	16.8
腎・尿路（膀胱除く）	C64-C66 C68	1,988	59.0	0.3	0.2	0.7	5.9	0.4	0.1	0.2	7.4	0.2	0.2	1.0	24.4
脳・中枢神経系	C70-C72	362	13.3	0.3	0.0	2.2	1.1	8.8	0.0	3.9	6.4	0.0	35.9	1.4	26.8
甲状腺	C73	1,208	59.0	0.1	0.0	0.4	1.0	0.2	0.0	5.0	8.3	0.3	3.7	0.1	21.9
悪性リンパ腫	C81-C85 C96	2,372	3.2	0.2	0.0	3.7	53.5	3.9	0.5	0.3	3.9	0.0	0.5	1.0	29.3
多発性骨髄腫	C88-C90	452	0.4	0.0	0.0	1.3	60.8	1.1	4.9	0.0	0.9	0.0	0.2	0.9	29.4
白血病	C91-C95	958	0.0	0.0	0.0	0.2	62.8	1.4	1.6	0.0	0.1	0.0	0.0	3.3	30.6

\*1 DCOを除く総数

\*2 外科的、鏡視下治療のいずれかが「1:あり」

\*3 化学療法、内分泌療法のいずれかが「1:あり」

\*4 その他治療が「1:あり」

\*5 左記以外の治療組合せ



付表3. 初回治療内容割合詳細 (%) : 部位別

B. 上皮内がんを含む

神奈川県

2018年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			治療あり 他の組合せ *5	治療なし ・不明	
								+放射線	-その他 *	+放射線	+薬物	+その他 *4			+放射線 +薬物
全部位	C00-C96 D00-D09	73,883	27.0	11.8	0.9	2.7	13.4	3.5	0.6	1.3	13.4	0.5	3.4	1.2	20.3
食道	C15 D001	2,235	7.4	27.9	0.9	5.2	8.1	14.4	0.0	0.3	12.1	0.2	2.0	0.8	20.8
大腸 (結腸・直腸) *4	C18-C20 D010-D012	13,414	33.4	30.2	2.7	0.1	3.1	0.2	0.0	0.1	16.4	0.1	1.1	0.3	12.3
結腸 *4	C18 D010	9,070	34.2	31.4	2.6	0.1	2.8	0.0	0.0	0.0	16.1	0.1	0.1	0.3	12.3
直腸 *4	C19-C20 D011-D012	4,344	31.6	27.7	2.9	0.3	3.9	0.6	0.0	0.2	16.9	0.2	3.3	0.3	12.2
肺	C33-C34 D021-D022	7,667	27.0	0.0	0.0	7.0	20.5	6.6	0.1	0.2	8.0	0.1	0.5	0.6	29.4
皮膚	C43-C44 D030-D049	1,945	85.0	0.0	0.1	1.0	0.5	0.4	0.1	0.9	0.9	0.9	0.1	0.8	9.3
乳房	C50 D05	8,049	15.6	0.0	0.0	0.8	9.2	0.4	0.1	6.5	34.6	0.1	22.5	0.4	9.9
乳房 (女性のみ)	C50 D05	8,003	15.6	0.0	0.0	0.8	9.2	0.4	0.1	6.6	34.5	0.1	22.6	0.4	9.9
子宮	C53-C55 D06	3,373	60.8	0.3	0.2	2.4	1.6	4.4	0.1	1.1	14.2	0.1	2.3	1.1	11.4
子宮頸部	C53 D06	2,095	67.1	0.5	0.1	3.2	1.2	7.0	0.1	1.1	3.0	0.2	3.5	1.7	11.3
膀胱	C67 D090	2,785	1.6	33.9	2.2	0.3	0.8	0.1	0.1	1.4	31.7	9.0	1.5	6.8	10.7

\*1 DCOを除く総数

\*2 外科的、鏡視下治療のいずれかが「1:あり」

\*3 化学療法、内分泌療法のいずれかが「1:あり」

\*4 その他治療が「1:あり」

\*5 左記以外の治療組合せ