

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	842.2	20.6	4.2	15.2	11.1	24.4	32.6	48.0	66.2	111.6	190.9	338.0	669.5	1,207.3	1,993.2	2,806.1	3,432.4	3,884.4	4,003.7	-
	口腔・咽頭	C00-C14	24.9	0.0	0.0	0.0	0.5	2.2	1.2	2.9	3.9	5.5	10.1	17.7	33.7	50.2	66.4	80.6	83.1	77.6	59.8	-
	食道	C15	36.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.2	6.2	14.4	36.8	63.7	101.4	137.3	161.6	140.1	112.1	-
	胃	C16	125.3	0.0	0.0	0.0	0.0	0.4	0.8	1.5	3.6	8.0	15.3	33.2	75.1	171.8	291.8	417.9	579.0	659.9	640.2	-
	大腸（結腸・直腸）	C18-C20	127.8	0.0	0.0	0.5	0.0	1.1	2.7	8.7	12.1	22.3	46.2	69.6	130.2	213.9	309.6	415.6	468.9	534.0	518.7	-
	結腸	C18	78.8	0.0	0.0	0.5	0.0	0.0	1.2	3.6	6.9	12.4	23.5	39.4	66.3	106.1	174.0	256.3	317.4	369.4	396.3	-
	直腸	C19-C20	48.9	0.0	0.0	0.0	0.0	1.1	1.6	5.1	5.2	9.9	22.7	30.1	63.9	107.8	135.6	159.3	151.6	164.6	122.4	-
	肝および肝内胆管	C22	36.5	0.6	0.0	0.5	0.0	0.0	0.4	1.5	0.0	2.8	7.9	14.4	31.6	57.1	80.8	107.2	143.8	194.6	205.6	-
	胆のう・胆管	C23-C24	16.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2.0	4.8	6.3	20.4	30.1	44.1	67.1	100.0	124.3	-
	膵臓	C25	31.9	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	4.4	7.4	13.2	29.1	44.1	74.3	111.0	125.1	144.2	165.4	-
	喉頭	C32	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	4.6	9.8	20.2	22.4	32.0	28.6	33.6	-
	肺	C33-C34	110.9	0.0	0.0	0.0	0.0	0.7	0.0	1.5	4.9	9.4	13.8	38.6	68.1	145.7	266.1	403.0	457.5	540.1	602.8	-
	皮膚	C43-C44	19.3	0.0	0.0	0.0	0.5	1.1	1.6	1.8	1.3	3.0	5.7	9.0	10.9	18.4	29.5	49.0	71.7	109.5	179.4	-
	乳房	C50	0.9	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.3	0.2	0.6	1.1	2.4	1.0	3.0	4.1	2.7	2.8	-
	前立腺	C61	156.8	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.3	0.6	6.4	26.2	90.9	198.8	410.6	616.0	758.9	770.7	645.8	-
	膀胱	C67	25.7	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.3	2.2	2.2	6.5	15.1	32.7	52.7	79.5	103.7	132.7	206.5	-
	腎・尿路（膀胱除く）	C64-C66 C68	30.8	1.1	0.5	0.5	0.0	0.4	0.0	2.2	4.9	5.8	13.3	22.8	38.6	54.3	81.8	84.8	102.7	113.6	121.5	-
	脳・中枢神経系	C70-C72	4.2	1.1	0.0	2.0	0.0	1.1	1.6	1.8	3.6	3.6	2.7	3.1	7.7	4.9	7.2	6.1	11.4	10.2	15.0	-
	甲状腺	C73	7.5	0.0	0.0	0.0	1.4	2.2	1.2	4.4	5.2	5.5	8.4	6.2	14.0	11.4	14.0	20.2	15.1	10.9	15.0	-
	悪性リンパ腫	C81-C85 C96	28.8	0.0	1.0	2.0	0.9	2.6	5.8	3.3	6.2	6.9	13.1	18.0	27.0	41.2	66.4	85.2	97.3	120.4	124.3	-
	多発性骨髄腫	C88-C90	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.0	2.8	5.6	5.7	9.6	16.0	22.8	28.6	28.0	-
	白血病	C91-C95	13.0	7.8	1.6	5.6	6.0	4.4	4.3	4.4	4.3	6.9	7.7	7.6	11.9	18.4	23.6	28.5	32.9	46.9	54.2	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	619.6	11.1	8.7	7.4	19.4	24.3	54.7	98.0	179.7	310.8	477.8	592.6	678.2	858.1	1,114.1	1,315.6	1,471.5	1,743.4	1,939.7	-
	口腔・咽頭	C00-C14	10.1	0.0	0.0	0.5	0.5	1.6	0.9	2.0	3.5	5.0	5.7	9.9	10.9	14.1	16.0	14.6	24.6	29.6	42.5	-
	食道	C15	8.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.3	8.6	11.3	13.7	19.6	19.3	21.5	20.4	29.2	-
	胃	C16	54.0	0.0	0.0	0.0	0.0	0.0	3.0	2.0	7.7	11.4	14.1	21.6	31.2	43.2	100.0	140.3	162.7	217.3	243.4	-
	大腸（結腸・直腸）	C18-C20	94.0	0.0	0.0	0.0	1.0	0.8	3.0	2.8	10.5	21.9	33.2	58.6	84.6	112.9	178.1	245.8	264.2	322.4	363.9	-
	結腸	C18	66.8	0.0	0.0	0.0	1.0	0.8	1.3	0.4	5.9	10.8	18.5	38.3	50.0	70.5	129.7	178.6	189.2	245.4	280.8	-
	直腸	C19-C20	27.2	0.0	0.0	0.0	0.0	0.0	1.7	2.4	4.5	11.1	14.6	20.4	34.6	42.3	48.4	67.1	75.0	77.0	83.1	-
	肝および肝内胆管	C22	15.7	1.2	0.5	0.0	0.0	0.0	0.9	0.8	1.4	1.7	2.1	4.9	5.6	13.7	18.6	34.9	43.1	87.8	86.3	-
	胆のう・胆管	C23-C24	12.7	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.2	1.8	2.2	4.5	7.1	12.7	20.3	38.8	58.2	101.8	-
	膵臓	C25	28.2	0.0	0.0	0.0	0.0	0.4	0.0	0.8	1.7	5.2	5.0	8.3	18.8	27.8	53.9	60.7	88.8	113.8	141.1	-
	喉頭	C32	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	1.2	2.6	0.7	1.9	2.6	0.9	-
	肺	C33-C34	57.7	0.0	0.0	0.0	0.0	0.4	0.9	1.6	2.4	7.6	14.1	23.5	41.0	72.2	123.2	166.8	190.8	196.4	206.8	-
	皮膚	C43-C44	16.2	0.0	0.0	0.0	0.0	0.4	2.2	2.0	2.8	1.2	5.5	6.5	8.3	12.9	17.6	39.3	45.8	56.6	104.1	-
	乳房	C50	155.6	0.0	0.0	0.0	0.0	1.2	7.8	29.1	74.8	152.5	248.0	241.4	227.4	279.3	290.5	279.3	255.0	239.3	214.6	-
	子宮	C53-C55	43.6	0.0	0.0	0.0	0.0	0.8	7.8	18.9	36.0	42.0	65.0	90.7	89.5	82.2	72.9	52.9	55.0	51.5	41.6	-
	子宮頸部	C53	15.6	0.0	0.0	0.0	0.0	0.4	4.3	15.7	24.5	22.7	26.9	25.9	21.4	16.6	21.9	15.9	16.9	18.4	17.8	-
	子宮体部	C54	27.5	0.0	0.0	0.0	0.0	0.4	3.4	3.1	11.5	19.2	38.1	64.5	68.0	65.1	50.7	36.3	35.4	32.1	18.3	-
	卵巣	C56	16.6	0.0	1.1	0.5	2.4	2.4	2.6	3.9	4.5	15.2	25.3	27.8	34.6	31.1	26.1	23.4	23.5	23.5	27.9	-
	膀胱	C67	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.6	0.9	3.8	7.9	12.4	12.2	22.7	41.3	45.2	-
	腎・尿路（膀胱除く）	C64-C66 C68	13.2	0.0	0.0	0.0	0.5	0.0	0.4	0.0	2.1	2.9	4.4	7.7	12.8	16.2	21.6	32.5	31.5	57.1	54.8	-
	脳・中枢神経系	C70-C72	3.9	1.8	2.2	0.0	1.0	0.4	0.9	2.8	2.1	2.0	2.3	3.1	1.1	3.7	5.2	10.2	7.7	15.3	8.7	-
	甲状腺	C73	19.0	0.0	0.0	0.5	4.4	9.7	12.5	13.4	15.7	18.1	20.4	27.2	28.9	29.9	30.1	29.8	31.2	24.0	21.5	-
	悪性リンパ腫	C81-C85 C96	23.7	0.0	0.5	1.6	1.9	2.0	3.9	8.7	4.5	6.1	7.0	17.9	25.2	37.8	44.4	51.2	63.8	76.0	77.2	-
	多発性骨髄腫	C88-C90	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.3	4.3	3.8	7.5	10.5	12.2	12.3	13.8	18.7	-
	白血病	C91-C95	8.1	5.8	3.8	2.1	3.9	1.6	3.9	3.1	1.7	5.8	6.0	6.5	5.6	10.0	14.1	13.6	16.5	24.0	19.6	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	730.6	16.0	6.4	11.4	15.1	24.3	43.1	72.0	121.2	208.4	330.3	459.5	673.7	1,034.2	1,543.5	2,018.1	2,368.1	2,660.9	2,617.2	-
	口腔・咽頭	C00-C14	17.5	0.0	0.0	0.3	0.5	1.9	1.0	2.5	3.7	5.2	8.0	14.0	22.7	32.3	40.6	45.7	51.4	50.1	48.2	-
	食道	C15	22.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.3	4.3	11.6	24.5	38.9	59.7	74.9	85.6	71.7	56.4	-
	胃	C16	89.6	0.0	0.0	0.0	0.0	0.2	1.8	1.7	5.6	9.6	14.7	27.7	53.9	108.0	193.6	271.1	353.0	407.0	373.6	-
	大腸（結腸・直腸）	C18-C20	110.8	0.0	0.0	0.3	0.5	1.0	2.9	5.9	11.3	22.1	39.8	64.4	108.2	163.8	242.3	325.8	357.8	413.1	414.7	-
	結腸	C18	72.8	0.0	0.0	0.3	0.5	0.4	1.2	2.1	6.4	11.6	21.1	38.9	58.4	88.5	151.3	215.2	247.8	298.5	318.7	-
	直腸	C19-C20	38.0	0.0	0.0	0.0	0.0	0.6	1.6	3.8	4.9	10.5	18.8	25.5	49.7	75.3	91.0	110.6	110.0	114.6	96.0	-
	肝および肝内胆管	C22	26.1	0.9	0.3	0.3	0.0	0.0	0.6	1.1	0.7	2.3	5.1	9.9	19.1	35.6	49.0	69.0	89.1	133.5	125.5	-
	胆のう・胆管	C23-C24	14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.4	1.9	3.5	5.4	13.8	21.2	31.5	51.8	76.1	109.2	-
	膵臓	C25	30.1	0.0	0.0	0.0	0.0	0.2	0.0	0.8	1.5	4.8	6.2	10.9	24.1	36.0	63.9	84.4	105.4	126.8	149.1	-
	喉頭	C32	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.9	2.5	5.6	11.2	10.9	15.7	13.7	11.7	-
	肺	C33-C34	84.3	0.0	0.0	0.0	0.0	0.6	0.4	1.5	3.7	8.5	14.0	31.4	55.0	109.3	193.0	278.1	312.7	343.7	336.8	-
	皮膚	C43-C44	17.8	0.0	0.0	0.0	0.2	0.8	1.8	1.9	2.0	2.1	5.6	7.8	9.6	15.6	23.4	43.9	57.6	79.3	128.8	-
	乳房	C50	78.4	0.0	0.0	0.0	0.0	0.6	3.9	14.0	36.2	74.2	120.7	115.5	110.3	139.7	149.2	149.1	140.3	137.9	145.1	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	16.6	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.8	1.3	1.9	3.8	9.6	20.4	32.1	43.9	59.7	80.5	98.2	-
	腎・尿路（膀胱除く）	C64-C66 C68	22.0	0.6	0.3	0.3	0.2	0.2	0.2	1.1	3.6	4.4	9.0	15.6	26.1	35.4	51.0	57.2	64.1	81.3	76.7	-
	脳・中枢神経系	C70-C72	4.0	1.4	1.1	1.0	0.5	0.8	1.2	2.3	2.9	2.8	2.5	3.1	4.5	4.3	6.2	8.2	9.4	13.1	10.7	-
	甲状腺	C73	13.3	0.0	0.0	0.3	2.8	5.8	6.5	8.7	10.3	11.6	14.2	16.2	21.2	20.6	22.2	25.3	23.8	18.4	19.3	-
	悪性リンパ腫	C81-C85 C96	26.3	0.0	0.8	1.8	1.4	2.3	4.9	5.9	5.4	6.5	10.2	18.0	26.1	39.5	55.2	67.2	79.1	95.0	92.6	-
	多発性骨髄腫	C88-C90	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.6	3.5	4.7	6.6	10.0	14.0	17.1	20.1	21.8	-
	白血病	C91-C95	10.5	6.8	2.7	3.9	5.0	3.1	4.1	3.8	3.0	6.4	6.9	7.1	8.9	14.2	18.7	20.6	24.0	33.8	31.0	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計