

表3-2. 年齢階級別罹患率(人口10万対, 85歳以上まるめ)： 部位別、性別

神奈川県																				2020年		
A. 上皮内がんを除く																						
性別	部位	ICD10	総数※1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	773.9	25.3	11.1	17.7	17.4	21.2	27.8	45.6	64.7	101.5	170.6	289.7	552.6	1061.5	1727.3	2499.7	3183.7	3470.4	3463.4	—
	口腔・咽頭	C00-C14	24.7	0.0	0.0	0.0	0.5	1.5	3.0	2.3	1.7	6.3	9.7	16.5	28.2	53.5	63.3	76.0	83.6	68.5	71.3	—
	食道	C15	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.1	6.2	14.4	29.2	58.2	83.2	120.1	138.0	140.9	94.8	—
	胃	C16	102.3	0.0	0.0	0.0	0.0	0.4	0.4	2.6	4.7	10.1	12.4	21.8	52.1	120.0	207.5	341.3	476.5	526.6	519.4	—
	大腸(結腸・直腸)	C18-C20	117.3	0.0	0.0	0.0	0.5	0.4	2.3	6.8	8.1	24.4	38.5	61.7	117.4	177.4	271.2	370.8	445.0	472.2	452.2	—
	結腸	C18	74.4	0.0	0.0	0.0	0.0	0.0	0.8	3.8	4.1	10.7	19.6	28.7	63.8	97.4	163.7	232.6	304.8	332.5	351.7	—
	直腸	C19-C20	42.9	0.0	0.0	0.0	0.5	0.4	1.5	3.0	4.1	13.7	18.9	33.0	53.6	80.0	107.5	138.2	140.2	139.7	100.5	—
	肝および肝内胆管	C22	29.3	1.8	0.0	0.0	0.0	0.0	0.4	0.0	1.0	2.7	5.0	9.8	19.7	48.3	62.9	95.5	103.4	134.5	172.6	—
	胆のう・胆管	C23-C24	15.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.0	3.5	8.9	11.1	30.1	40.6	56.6	108.3	119.1	—
	膵臓	C25	32.9	0.0	0.0	0.0	0.0	0.0	0.8	0.8	1.7	3.9	8.7	16.8	28.6	42.0	77.4	95.1	137.1	142.2	158.0	—
	喉頭	C32	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.2	1.6	5.1	9.5	14.1	21.2	26.5	21.1	22.7	—
	肺	C33-C34	107.4	0.0	0.0	0.0	0.5	0.0	1.1	1.5	6.1	6.8	14.4	27.9	62.5	141.7	239.6	355.6	488.1	506.1	525.9	—
	皮膚	C43-C44	16.9	0.0	0.5	0.5	0.5	1.1	1.1	1.1	2.7	3.0	4.0	8.2	9.8	17.0	32.8	34.7	60.7	87.8	137.8	—
	乳房	C50	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.0	0.6	2.4	2.3	2.8	4.5	1.9	3.2	—
	前立腺	C61	147.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	3.5	24.7	70.5	183.3	360.7	585.1	713.8	679.1	564.0	—
	膀胱	C67	24.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	1.5	3.0	6.4	12.4	30.9	38.3	72.9	97.5	127.5	184.8	—
	腎・尿路(膀胱除く)	C64-C66 C68	27.0	1.2	0.0	0.0	0.0	0.0	0.4	0.8	4.1	6.5	11.9	18.9	23.2	45.5	64.1	71.2	90.8	122.4	104.5	—
	脳・中枢神経系	C70-C72	4.8	0.6	3.2	2.0	2.8	1.5	2.6	2.3	4.4	3.6	3.5	3.5	5.7	5.1	9.8	6.9	7.6	13.5	14.6	—
	甲状腺	C73	6.7	0.0	0.0	0.0	0.0	1.5	1.1	4.9	4.4	6.0	6.7	8.5	10.5	11.5	11.7	12.8	13.9	14.7	8.9	—
	悪性リンパ腫	C81-C85 C96	28.0	0.6	0.5	3.5	3.8	3.0	3.0	4.1	4.1	5.4	10.2	12.8	23.5	38.8	60.6	80.6	96.6	135.2	110.2	—
	多発性骨髄腫	C88-C90	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.7	1.9	5.4	8.3	17.2	21.9	17.5	30.8	17.0	—
	白血病	C91-C95	13.1	12.4	5.3	7.6	5.2	2.3	3.0	3.0	5.1	4.5	7.5	7.7	11.7	19.8	22.7	25.0	32.8	49.3	52.7	—

※1 総数は年齢不詳を含む
※2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率(人口10万対, 85歳以上まるめ): 部位別、性別

神奈川県																				2020年		
A. 上皮内がんを除く																						
性別	部位	ICD-10	総数※1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	574.3	13.6	11.7	9.0	12.9	26.9	53.7	86.4	173.2	295.5	454.9	524.2	643.5	778.3	989.1	1169.0	1405.5	1485.7	1665.6	—
	口腔・咽頭	C00-C14	9.7	0.0	0.0	0.0	0.5	1.6	1.2	0.0	2.9	4.4	5.5	6.3	13.0	15.6	14.4	17.1	22.0	25.9	39.1	—
	食道	C15	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.6	4.9	12.3	11.5	15.2	20.5	15.4	17.7	18.6	—
	胃	C16	42.3	0.0	0.0	0.0	1.0	0.4	0.4	2.9	4.3	6.6	7.8	16.6	26.1	45.2	69.0	94.8	127.6	169.1	185.2	—
	大腸(結腸・直腸)	C18-C20	86.2	0.6	0.0	0.0	0.0	1.2	1.2	6.1	11.9	17.9	37.8	53.5	66.9	109.6	150.8	193.3	255.6	272.5	328.9	—
	結腸	C18	61.7	0.6	0.0	0.0	0.0	0.8	0.4	2.4	5.4	9.8	23.5	32.9	41.5	70.2	103.5	138.3	187.4	207.4	263.9	—
	直腸	C19-C20	24.5	0.0	0.0	0.0	0.0	0.4	0.8	3.7	6.5	8.2	14.3	20.6	25.4	39.4	47.4	55.0	68.2	65.1	65.0	—
	肝および肝内胆管	C22	13.3	0.0	0.0	0.0	0.0	0.4	0.8	0.0	1.8	2.5	2.3	2.9	3.1	11.9	23.5	27.0	38.5	56.0	71.0	—
	胆のう・胆管	C23-C24	11.9	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.7	0.3	1.3	2.6	4.5	8.6	13.3	23.9	35.9	47.9	77.1	—
	膵臓	C25	30.4	0.0	0.0	0.5	1.0	0.4	1.2	0.4	1.1	1.6	5.7	10.0	16.1	29.1	49.6	77.7	92.8	122.1	134.0	—
	喉頭	C32	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	1.2	1.5	1.6	1.5	1.4	2.4	—
	肺	C33-C34	51.7	0.0	0.0	0.0	0.0	0.0	0.4	0.8	4.0	4.1	11.7	24.0	30.2	58.7	94.0	138.3	182.6	177.2	183.2	—
	皮膚	C43-C44	14.6	0.0	0.0	0.0	0.0	0.4	0.4	1.6	2.2	3.1	5.7	7.1	12.7	10.7	16.7	25.5	36.7	52.2	84.8	—
	乳房	C50	146.1	0.0	0.0	0.0	0.0	2.0	8.2	22.4	65.9	158.9	234.3	211.4	227.8	240.6	263.8	261.3	266.6	211.2	173.9	—
	子宮	C53-C55	41.6	0.0	0.0	0.0	0.0	0.4	7.0	16.3	27.7	39.7	60.5	76.6	94.3	75.1	70.9	57.2	58.3	40.7	40.8	—
	子宮頸部	C53	13.4	0.0	0.0	0.0	0.0	0.0	4.9	11.0	18.0	18.9	21.4	17.2	19.9	19.7	17.8	15.8	22.4	18.7	11.7	—
	子宮体部	C54	27.8	0.0	0.0	0.0	0.0	0.4	2.1	5.3	9.7	20.8	39.1	59.5	73.7	54.6	52.7	41.3	35.6	21.6	24.6	—
	卵巣	C56	20.3	0.0	0.6	1.1	2.0	4.4	7.4	8.1	14.0	18.3	26.1	37.8	41.5	37.4	33.4	32.9	23.5	21.1	18.2	—
	膀胱	C67	7.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.8	2.3	3.4	6.2	11.7	15.5	21.3	33.5	48.8	—
	腎・尿路(膀胱除く)	C64-C66 C68	12.4	0.0	0.0	0.0	0.5	0.0	0.4	0.0	2.5	3.1	3.1	7.1	8.9	14.0	23.1	26.7	35.6	45.5	49.2	—
	脳・中枢神経系	C70-C72	3.4	3.1	1.7	1.1	1.0	1.6	0.8	1.6	2.5	1.9	3.4	2.3	3.4	4.5	6.8	4.7	8.1	7.2	5.2	—
	甲状腺	C73	15.3	0.0	0.0	0.5	2.0	5.6	12.3	13.0	17.3	15.1	20.1	20.0	22.6	16.4	17.4	30.1	22.7	16.8	16.1	—
	悪性リンパ腫	C81-C85 C96	22.5	0.6	2.2	0.5	0.5	2.4	5.3	6.5	6.1	5.7	8.6	10.9	22.3	31.6	46.6	50.0	63.4	61.8	69.0	—
	多発性骨髄腫	C88-C90	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	1.0	2.9	3.4	4.9	11.4	13.1	13.6	12.9	10.9	—
	白血病	C91-C95	6.9	4.9	6.7	2.7	2.5	3.2	3.7	3.3	2.9	4.1	3.1	4.3	5.5	8.2	7.6	12.1	13.6	17.2	19.8	—

※1 総数は年齢不詳を含む
※2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率(人口10万対, 85歳以上まるめ): 部位別、性別

神奈川県																				2020年		
A. 上皮内がんを除く																						
性別	部位	ICD10	総数※1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数※2	全部位	C00-C96	673.5	19.6	11.4	13.5	15.4	23.9	40.2	65.2	117.3	195.8	309.4	402.7	596.3	922.5	1352.5	1797.5	2204.4	2334.7	2263.3	—
	口腔・咽頭	C00-C14	17.2	0.0	0.0	0.0	0.5	1.6	2.2	1.2	2.3	5.4	7.6	11.6	20.9	34.9	38.5	44.9	49.7	44.1	49.8	—
	食道	C15	20.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.8	4.5	9.8	21.1	35.3	48.7	67.6	70.5	70.4	43.9	—
	胃	C16	72.1	0.0	0.0	0.0	0.5	0.4	0.4	2.7	4.5	8.4	10.2	19.3	39.6	83.2	137.2	211.2	284.3	322.0	296.3	—
	大腸(結腸・直腸)	C18-C20	101.7	0.3	0.0	0.0	0.2	0.8	1.8	6.5	10.0	21.3	38.2	57.7	93.1	144.1	210.1	277.1	340.7	357.9	369.9	—
	結腸	C18	68.0	0.3	0.0	0.0	0.0	0.4	0.6	3.1	4.7	10.2	21.5	30.7	53.1	84.0	133.1	182.8	240.1	260.9	293.1	—
	直腸	C19-C20	33.6	0.0	0.0	0.0	0.2	0.4	1.2	3.3	5.2	11.0	16.7	27.0	40.1	60.1	77.0	94.3	100.6	97.0	76.8	—
	肝および肝内胆管	C22	21.3	0.9	0.0	0.0	0.0	0.2	0.6	0.0	1.4	2.6	3.7	6.5	11.7	30.4	42.9	59.4	67.7	89.6	104.8	—
	胆のう・胆管	C23-C24	13.7	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.3	1.7	3.0	6.8	9.9	21.5	31.8	45.2	73.7	91.1	—
	膵臓	C25	31.6	0.0	0.0	0.3	0.5	0.2	1.0	0.6	1.4	2.8	7.3	13.5	22.6	35.7	63.3	85.9	112.7	130.7	142.0	—
	喉頭	C32	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	1.0	3.0	5.4	7.7	10.8	12.7	9.9	9.2	—
	肺	C33-C34	79.4	0.0	0.0	0.0	0.2	0.0	0.8	1.2	5.1	5.5	13.1	26.0	47.0	101.0	165.7	240.9	319.9	317.9	297.2	—
	皮膚	C43-C44	15.7	0.0	0.3	0.3	0.2	0.8	0.8	1.4	2.4	3.1	4.8	7.7	11.2	13.9	24.6	29.8	47.5	67.4	102.4	—
	乳房	C50	74.0	0.0	0.0	0.0	0.0	1.0	3.9	10.8	31.9	77.4	114.5	101.8	109.8	119.3	135.1	139.2	148.8	121.7	117.2	—
	子宮	C53-C55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	子宮頸部	C53	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	子宮体部	C54	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	卵巣	C56	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	前立腺	C61	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	膀胱	C67	16.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.8	1.9	4.4	8.1	18.7	24.8	42.6	55.5	73.7	94.0	—
	腎・尿路(膀胱除く)	C64-C66 C68	19.6	0.6	0.0	0.0	0.2	0.0	0.4	0.4	3.3	4.9	7.6	13.2	16.3	30.0	43.3	47.7	60.4	78.4	67.6	—
	脳・中枢神経系	C70-C72	4.1	1.8	2.4	1.6	2.2	1.6	1.8	2.0	3.5	2.8	3.4	2.9	4.6	4.8	8.3	5.7	7.9	9.9	8.4	—
	甲状腺	C73	11.0	0.0	0.0	0.3	1.0	3.5	6.5	8.8	10.6	10.4	13.2	14.1	16.3	13.9	14.6	22.0	18.8	15.9	13.7	—
	悪性リンパ腫	C81-C85 C96	25.2	0.6	1.4	2.1	2.2	2.7	4.1	5.3	5.1	5.5	9.4	11.9	22.9	35.3	53.5	64.4	78.4	93.2	82.7	—
	多発性骨髄腫	C88-C90	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	1.4	2.3	4.5	6.7	14.2	17.2	15.3	20.6	12.9	—
	白血病	C91-C95	10.0	8.7	6.0	5.2	3.9	2.7	3.3	3.1	4.0	4.3	5.3	6.1	8.7	14.1	15.0	18.2	22.2	31.0	30.7	—

※1 総数は年齢不詳を含む
※2 総数は男女および性別不詳の合計