

```

codeSystemVersion="G.k.4.r.10.2a">
    <!-- G.k.4.r.10.2a: Route of Administration TermID Version Date / Number #1-2 -->
    <!-- G.k.4.r.10.2b: Route of Administration TermID #1-2 -->
    <originalText>G.k.4.r.10.1</originalText>
    <!-- G.k.4.r.10.1: Route of Administration (free text) #1-2 -->
</routeCode>
<doseQuantity value="10" unit="G.k.4.r.1b"/>
<!-- G.k.4.r.1a Dose (number) #1-2 -->
<!-- G.k.4.r.1b: Dose (unit) #1-2 -->
<consumable typeCode="CSM">
    <instanceOfKind classCode="INST">
        <productInstance classCode="MMAT" determinerCode="INSTANCE">
            <lotNumberText>G.k.4.r.7</lotNumberText>
            <!-- G.k.4.r.7: Batch / Lot Number #1-2 -->
        </productInstance>
        <kindOfProduct classCode="MMAT" determinerCode="KIND">
            <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.
r.9.2a">
                <!-- G.k.4.r.9.2a: Pharmaceutical Dose Form TermID Version Date / Number #1-2
-->
                <!-- G.k.4.r.9.2b: Pharmaceutical Dose Form TermID #1-2 -->
                <originalText>G.k.4.r.9.1</originalText>
                <!-- G.k.4.r.9.1: Pharmaceutical Dose Form (free text) #1-2 -->
            </formCode>
        </kindOfProduct>
    </instanceOfKind>
</consumable>
<inboundRelationship typeCode="REFR">
    <observation classCode="OBS" moodCode="EVN">
        <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="parentRouteOfAdministration"/>
        <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.
14" codeSystemVersion="G.k.4.r.11.2a">
            <!-- G.k.4.r.11.2a: Parent Route of Administration TermID Version Date / Number
#1-2 -->
            <!-- G.k.4.r.11.2b: Parent Route of Administration TermID #1-2 -->
            <originalText>G.k.4.r.11.1</originalText>
            <!-- G.k.4.r.11.1: Parent Route of Administration (free text) #1-2 -->
        </value>
    </observation>
</inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #1-3 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G.k.4.r.8</text>
        <!-- G.k.4.r.8: Dosage Text #1-3 -->
        <effectiveTime xsi:type="SXPR_TS">
            <comp xsi:type="PVL_TS">
                <period value="10" unit="G.k.4.r.3"/>
                <!-- G.k.4.r.2: Number of Units in the Interval #1-3 -->
                <!-- G.k.4.r.3: Definition of the Time Interval Unit #1-3 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <low value="20090101"/>
                <!-- G.k.4.r.4: Date and Time of Start of Drug #1-3 -->
                <width value="4" unit="G.k.4.r.6b"/>
                <!-- G.k.4.r.6a: Duration of Drug Administration (number) #1-3 -->
                <!-- G.k.4.r.6b: Duration of Drug Administration (unit) #1-3 -->
            </comp>
        </effectiveTime>
    </substanceAdministration>
</outboundRelationship2>
<routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14"
codeSystemVersion="G.k.4.r.10.2a">
    <!-- G.k.4.r.10.2a: Route of Administration TermID Version Date / Number #1-3 -->
    <!-- G.k.4.r.10.2b: Route of Administration TermID #1-3 -->
    <originalText>G.k.4.r.10.1</originalText>
    <!-- G.k.4.r.10.1: Route of Administration (free text) #1-3 -->
</routeCode>
<doseQuantity value="10" unit="G.k.4.r.1b"/>
<!-- G.k.4.r.1a Dose (number) #1-3 -->
<!-- G.k.4.r.1b: Dose (unit) #1-3 -->
<consumable typeCode="CSM">
    <instanceOfKind classCode="INST">
        <productInstance classCode="MMAT" determinerCode="INSTANCE">
            <lotNumberText>G.k.4.r.7</lotNumberText>
            <!-- G.k.4.r.7: Batch / Lot Number #1-3 -->
        </productInstance>
        <kindOfProduct classCode="MMAT" determinerCode="KIND">
            <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.
r.9.2a">
                <!-- G.k.4.r.9.2a: Pharmaceutical Dose Form TermID Version Date / Number #1-3
-->
                <!-- G.k.4.r.9.2b: Pharmaceutical Dose Form TermID #1-3 -->
            </formCode>
        </kindOfProduct>
    </instanceOfKind>

```

```

        <originalText>G.k.4.r.9.1</originalText>
        <!-- G.k.4.r.9.1: Pharmaceutical Dose Form (free text) #1-3 -->
    </formCode>
    </kindOfProduct>
</instanceOfKind>
</consumable>
<inboundRelationship typeCode="REFR">
    <observation classCode="OBS" moodCode="EVN">
        <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="parentRouteOfAdministration"/>
        <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.
14" codeSystemVersion="G.k.4.r.11.2a">
            <!-- G.k.4.r.11.2a: Parent Route of Administration TermID Version Date / Number
#1-3 -->
            <!-- G.k.4.r.11.2b: Parent Route of Administration TermID #1-3 -->
            <originalText>G.k.4.r.11.1</originalText>
            <!-- G.k.4.r.11.1: Parent Route of Administration (free text) #1-3 -->
        </value>
    </observation>
</inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G.k.4.r.: Dosage and Relevant Information (repeat as necessary) #1-4 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G.k.4.r.8</text>
        <!-- G.k.4.r.8: Dosage Text #1-4 -->
        <effectiveTime xsi:type="SXPR_TS">
            <comp xsi:type="PIVL_TS">
                <period value="10" unit="G.k.4.r.3"/>
                <!-- G.k.4.r.2: Number of Units in the Interval #1-4 -->
                <!-- G.k.4.r.3: Definition of the Time Interval Unit #1-4 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <width value="4" unit="G.k.4.r.6b"/>
                <!-- G.k.4.r.6a: Duration of Drug Administration (number) #1-4 -->
                <!-- G.k.4.r.6b: Duration of Drug Administration (unit) #1-4 -->
                <high value="20090101"/>
                <!-- G.k.4.r.5: Date and Time of Last Administration #1-4 -->
            </comp>
        </effectiveTime>
        <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
            <!-- G.k.4.r.10.2a: Route of Administration TermID Version Date / Number #1-4 -->
            <!-- G.k.4.r.10.2b: Route of Administration TermID #1-4 -->
            <originalText>G.k.4.r.10.1</originalText>
            <!-- G.k.4.r.10.1: Route of Administration (free text) #1-4 -->
        </routeCode>
        <doseQuantity value="10" unit="G.k.4.r.1b"/>
        <!-- G.k.4.r.1a Dose (number) #1-4 -->
        <!-- G.k.4.r.1b: Dose (unit) #1-4 -->
        <consumable typeCode="CSM">
            <instanceOfKind classCode="INST">
                <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
                    <lotNumberText>G.k.4.r.7</lotNumberText>
                    <!-- G.k.4.r.7: Batch / Lot Number #1-4 -->
                </productInstanceInstance>
                <kindOfProduct classCode="MMAT" determinerCode="KIND">
                    <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.
r.9.2a">
                        <!-- G.k.4.r.9.2a: Pharmaceutical Dose Form TermID Version Date / Number #1-4
-->
                        <!-- G.k.4.r.9.2b: Pharmaceutical Dose Form TermID #1-4 -->
                        <originalText>G.k.4.r.9.1</originalText>
                        <!-- G.k.4.r.9.1: Pharmaceutical Dose Form (free text) #1-4 -->
                    </formCode>
                </kindOfProduct>
            </instanceOfKind>
        </consumable>
    </inboundRelationship typeCode="REFR">
        <observation classCode="OBS" moodCode="EVN">
            <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="parentRouteOfAdministration"/>
            <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.
14" codeSystemVersion="G.k.4.r.11.2a">
                <!-- G.k.4.r.11.2a: Parent Route of Administration TermID Version Date / Number
#1-4 -->
                <!-- G.k.4.r.11.2b: Parent Route of Administration TermID #1-4 -->
                <originalText>G.k.4.r.11.1</originalText>
                <!-- G.k.4.r.11.1: Parent Route of Administration (free text) #1-4 -->
            </value>
        </observation>
    </inboundRelationship>
</substanceAdministration>

```

```

</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
  <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #1-5 -->
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G.k.4.r.8</text>
    <!-- G.k.4.r.8: Dosage Text #1-5 -->
    <effectiveTime xsi:type="SXPR_TS">
      <comp xsi:type="IVL_TS">
        <low value="20090101"/>
        <!-- G.k.4.r.4: Date and Time of Start of Drug #1-5 -->
        <high value="20090101"/>
        <!-- G.k.4.r.5: Date and Time of Last Administration #1-5 -->
      </comp>
      <comp xsi:type="IVL_TS" operator="A">
        <width value="4" unit="G.k.4.r.6b"/>
        <!-- G.k.4.r.6a: Duration of Drug Administration (number) #1-5 -->
        <!-- G.k.4.r.6b: Duration of Drug Administration (unit) #1-5 -->
      </comp>
    </effectiveTime>
    <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14"
codeSystemVersion="G.k.4.r.10.2a">
      <!-- G.k.4.r.10.2a: Route of Administration TermID Version Date / Number #1-5 -->
      <!-- G.k.4.r.10.2b: Route of Administration TermID #1-5 -->
      <originalText>G.k.4.r.10.1</originalText>
      <!-- G.k.4.r.10.1: Route of Administration (free text) #1-5 -->
    </routeCode>
    <doseQuantity value="10" unit="G.k.4.r.1b"/>
    <!-- G.k.4.r.1a Dose (number) #1-5 -->
    <!-- G.k.4.r.1b: Dose (unit) #1-5 -->
    <consumable typeCode="CSM">
      <instanceOfKind classCode="INST">
        <productInstance classCode="MMAT" determinerCode="INSTANCE">
          <lotNumberText>G.k.4.r.7</lotNumberText>
          <!-- G.k.4.r.7: Batch / Lot Number #1-5 -->
        </productInstance>
        <kindOfProduct classCode="MMAT" determinerCode="KIND">
          <formCode code="G.k.4.r.9.2b" codeSystem="TBD=DoseForm" codeSystemVersion="G.k.4.
r.9.2a">
            <!-- G.k.4.r.9.2a: Pharmaceutical Dose Form TermID Version Date / Number #1-5
-->
            <!-- G.k.4.r.9.2b: Pharmaceutical Dose Form TermID #1-5 -->
            <originalText>G.k.4.r.9.1</originalText>
            <!-- G.k.4.r.9.1: Pharmaceutical Dose Form (free text) #1-5 -->
          </formCode>
        </kindOfProduct>
      </instanceOfKind>
    </consumable>
    <inboundRelationship typeCode="REFR">
      <observation classCode="OBS" moodCode="EVN">
        <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="parentRouteOfAdministration"/>
        <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.
14" codeSystemVersion="G.k.4.r.11.2a">
          <!-- G.k.4.r.11.2a: Parent Route of Administration TermID Version Date / Number
#1-5 -->
          <!-- G.k.4.r.11.2b: Parent Route of Administration TermID #1-5 -->
          <originalText>G.k.4.r.11.1</originalText>
          <!-- G.k.4.r.11.1: Parent Route of Administration (free text) #1-5 -->
        </value>
      </observation>
    </inboundRelationship>
  </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
  <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #1-6 -->
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G.k.4.r.8</text>
    <!-- G.k.4.r.8: Dosage Text #1-6 -->
    <effectiveTime xsi:type="SXPR_TS">
      <comp xsi:type="PIVL_TS">
        <period value="10" unit="G.k.4.r.3"/>
        <!-- G.k.4.r.2: Number of Units in the Interval #1-6 -->
        <!-- G.k.4.r.3: Definition of the Time Interval Unit #1-6 -->
      </comp>
      <comp xsi:type="IVL_TS" operator="A">
        <low value="20090101"/>
        <!-- G.k.4.r.4: Date and Time of Start of Drug #1-6 -->
        <width value="4" unit="G.k.4.r.6b"/>
        <!-- G.k.4.r.6a: Duration of Drug Administration (number) #1-6 -->
        <!-- G.k.4.r.6b: Duration of Drug Administration (unit) #1-6 -->
      </comp>
      <comp xsi:type="IVL_TS" operator="A">
        <high value="20090101"/>
        <!-- G.k.4.r.5: Date and Time of Last Administration #1-6 -->
      </comp>
    </effectiveTime>
  </substanceAdministration>
</outboundRelationship2>

```

```

    </comp>
  </effectiveTime>
  <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14"
codeSystemVersion="G.k.4.r.10.2a">
    <!-- G.k.4.r.10.2a: Route of Administration TermID Version Date / Number #1-6 -->
    <!-- G.k.4.r.10.2b: Route of Administration TermID #1-6 -->
    <originalText>G.k.4.r.10.1</originalText>
    <!-- G.k.4.r.10.1: Route of Administration (free text) #1-6 -->
  </routeCode>
  <doseQuantity value="10" unit="G.k.4.r.1b"/>
  <!-- G.k.4.r.1a Dose (number) #1-1 -->
  <!-- G.k.4.r.1b: Dose (unit) #1-1 -->
  <consumable typeCode="CSM">
    <instanceOfKind classCode="INST">
      <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
        <lotNumberText>G.k.4.r.7</lotNumberText>
        <!-- G.k.4.r.7: Batch / Lot Number #1-1 -->
      </productInstanceInstance>
      <kindOfProduct classCode="MMAT" determinerCode="KIND">
        <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.
r.9.2a">
          <!-- G.k.4.r.9.2a: Pharmaceutical Dose Form TermID Version Date / Number #1-6
-->
          <!-- G.k.4.r.9.2b: Pharmaceutical Dose Form TermID #1-6 -->
          <originalText>G.k.4.r.9.1</originalText>
          <!-- G.k.4.r.9.1: Pharmaceutical Dose Form (free text) #1-6 -->
        </formCode>
      </kindOfProduct>
    </instanceOfKind>
  </consumable>
  <inboundRelationship typeCode="REFR">
    <observation classCode="OBS" moodCode="EVN">
      <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="parentRouteOfAdministration"/>
      <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.
14" codeSystemVersion="G.k.4.r.11.2a">
        <!-- G.k.4.r.11.2a: Parent Route of Administration TermID Version Date / Number
#1-6 -->
        <!-- G.k.4.r.11.2b: Parent Route of Administration TermID #1-6 -->
        <originalText>G.k.4.r.11.1</originalText>
        <!-- G.k.4.r.11.1: Parent Route of Administration (free text) #1-6 -->
      </value>
    </observation>
  </inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
  <!-- G.k.4.r.: Dosage and Relevant Information (repeat as necessary) #1-7 -->
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G.k.4.r.8</text>
    <!-- G.k.4.r.8: Dosage Text #1-7 -->
    <effectiveTime xsi:type="SXPRTS">
      <comp xsi:type="IVL_TS">
        <low value="20090101"/>
        <!-- G.k.4.r.4: Date and Time of Start of Drug #1-7 -->
        <width value="4" unit="G.k.4.r.6b"/>
        <!-- G.k.4.r.6a: Duration of Drug Administration (number) #1-7 -->
        <!-- G.k.4.r.6b: Duration of Drug Administration (unit) #1-7 -->
      </comp>
      <comp xsi:type="IVL_TS" operator="A">
        <high value="20090101"/>
        <!-- G.k.4.r.5: Date and Time of Last Administration #1-7 -->
      </comp>
    </effectiveTime>
    <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14"
codeSystemVersion="G.k.4.r.10.2a">
      <!-- G.k.4.r.10.2a: Route of Administration TermID Version Date / Number #1-7 -->
      <!-- G.k.4.r.10.2b: Route of Administration TermID #1-7 -->
      <originalText>G.k.4.r.10.1</originalText>
      <!-- G.k.4.r.10.1: Route of Administration (free text) #1-7 -->
    </routeCode>
    <doseQuantity value="10" unit="G.k.4.r.1b"/>
    <!-- G.k.4.r.1a Dose (number) #1-7 -->
    <!-- G.k.4.r.1b: Dose (unit) #1-7 -->
    <consumable typeCode="CSM">
      <instanceOfKind classCode="INST">
        <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
          <lotNumberText>G.k.4.r.7</lotNumberText>
          <!-- G.k.4.r.7: Batch / Lot Number #1-7 -->
        </productInstanceInstance>
        <kindOfProduct classCode="MMAT" determinerCode="KIND">
          <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.
r.9.2a">
            <!-- G.k.4.r.9.2a: Pharmaceutical Dose Form TermID Version Date / Number #1-7
-->
            <!-- G.k.4.r.9.2b: Pharmaceutical Dose Form TermID #1-7 -->
            <originalText>G.k.4.r.9.1</originalText>
            <!-- G.k.4.r.9.1: Pharmaceutical Dose Form (free text) #1-7 -->
          </formCode>
        </kindOfProduct>
      </instanceOfKind>
    </consumable>
  </substanceAdministration>
</outboundRelationship2>

```

```

-->
                                <!-- G.k. 4. r. 9. 2b: Pharmaceutical Dose Form TermID #1-7 -->
                                <originalText>G. k. 4. r. 9. 1</originalText>
                                <!-- G. k. 4. r. 9. 1: Pharmaceutical Dose Form (free text) #1-7 -->
                                </formCode>
                                </kindOfProduct>
                                </instanceOfKind>
                                </consumable>
                                <inboundRelationship typeCode="REFR">
                                    <observation classCode="OBS" moodCode="EVN">
                                        <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="parentRouteOfAdministration"/>
                                        <value xsi:type="CE" code="G. k. 4. r. 11. 2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.
14" codeSystemVersion="G. k. 4. r. 11. 2a">
#1-7 -->
                                            <!-- G. k. 4. r. 11. 2a: Parent Route of Administration TermID Version Date / Number
                                            <!-- G. k. 4. r. 11. 2b: Parent Route of Administration TermID #1-7 -->
                                            <originalText>G. k. 4. r. 11. 1</originalText>
                                            <!-- G. k. 4. r. 11. 1: Parent Route of Administration (free text) #1-7 -->
                                            </value>
                                        </observation>
                                    </inboundRelationship>
                                </substanceAdministration>
                                </outboundRelationship2>
                                <outboundRelationship2 typeCode="SUMM">
                                    <observation classCode="OBS" moodCode="EVN">
                                        <code code="14" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="cumulativeDoseToReaction"/>
                                        <value xsi:type="PQ" value="10" unit="G. k. 5b"/>
                                        <!-- G. k. 5a: Cumulative Dose to First Reaction (number) #1 -->
                                        <!-- G. k. 5b: Cumulative Dose to First Reaction (unit) #1 -->
                                    </observation>
                                </outboundRelationship2>
                                <outboundRelationship2 typeCode="PERT">
                                    <observation classCode="OBS" moodCode="EVN">
                                        <code code="16" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="gestationPeriod"/>
                                        <value xsi:type="PQ" value="10" unit="G. k. 6b"/>
                                        <!-- G. k. 6a: Gestation Period at Time of Exposure (number) #1 -->
                                        <!-- G. k. 6b: Gestation Period at Time of Exposure (unit) #1 -->
                                    </observation>
                                </outboundRelationship2>
                                <outboundRelationship2 typeCode="PERT">
                                    <observation classCode="OBS" moodCode="EVN">
                                        <code code="31" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="recurrenceOfReaction"/>
                                        <value xsi:type="CE" code="G. k. 9. i. 4" codeSystem="2.16.840.1.113883.3.989.2.1.1.16"
codeSystemVersion="2.0"/>
                                        <!-- G. k. 9. i. 4: Did Reaction Recur on Re-administration? Drug #1, Reaction #1 -->
                                        <outboundRelationship1 typeCode="REFR">
                                            <actReference classCode="OBS" moodCode="EVN">
                                                <id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>
                                            </actReference>
                                        </outboundRelationship1>
                                    </observation>
                                </outboundRelationship2>
                                <outboundRelationship2 typeCode="PERT">
                                    <observation classCode="OBS" moodCode="EVN">
                                        <code code="31" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="recurrenceOfReaction"/>
                                        <value xsi:type="CE" code="G. k. 9. i. 4" codeSystem="2.16.840.1.113883.3.989.2.1.1.16"
codeSystemVersion="2.0"/>
                                        <!-- G. k. 9. i. 4: Did Reaction Recur on Re-administration? Drug #1, Reaction #2 -->
                                        <outboundRelationship1 typeCode="REFR">
                                            <actReference classCode="OBS" moodCode="EVN">
                                                <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
                                            </actReference>
                                        </outboundRelationship1>
                                    </observation>
                                </outboundRelationship2>
                                <outboundRelationship2 typeCode="REFR">
                                    <observation classCode="OBS" moodCode="EVN">
                                        <code code="9" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="codedDrugInformation"/>
                                        <value xsi:type="CE" code="G. k. 10. r" codeSystem="2.16.840.1.113883.3.989.2.1.1.17"
codeSystemVersion="2.0"/>
                                        <!-- G. k. 10. r: Additional Information on Drug (coded) (repeat as necessary) #1-1 -->
                                    </observation>
                                </outboundRelationship2>
                                <outboundRelationship2 typeCode="REFR">
                                    <observation classCode="OBS" moodCode="EVN">
                                        <code code="9" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="codedDrugInformation"/>
                                        <value xsi:type="CE" code="G. k. 10. r" codeSystem="2.16.840.1.113883.3.989.2.1.1.17"

```

```

codeSystemVersion="2.0"/>
    <!-- G.k.10.r: Additional Information on Drug (coded) (repeat as necessary) #1-2 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="REFR">
    <observation classCode="OBS" moodCode="EVN">
        <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="additionalInformation"/>
        <value xsi:type="ST">G.k.11</value>
        <!-- G.k.11: Additional Information on Drug (free text) #1 -->
    </observation>
</outboundRelationship2>
<inboundRelationship typeCode="RSON">
    <observation classCode="OBS" moodCode="EVN">
        <code code="19" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="indication"/>
        <value xsi:type="CE" code="G.k.7.r.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion=
"G.k.7.r.2a">
            <!-- G.k.7.r.2a: MedDRA Version for Indication #1-1 -->
            <!-- G.k.7.r.2b: Indication (MedDRA code) #1-1 -->
            <originalText>G.k.7.r.1</originalText>
            <!-- G.k.7.r.1: Indication as Reported by the Primary Source #1-1 -->
        </value>
        <performer typeCode="PRF">
            <assignedEntity classCode="ASSIGNED">
                <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0"
displayName="sourceReporter"/>
            </assignedEntity>
        </performer>
    </observation>
</inboundRelationship>
<inboundRelationship typeCode="RSON">
    <observation classCode="OBS" moodCode="EVN">
        <code code="19" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="indication"/>
        <value xsi:type="CE" code="G.k.7.r.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion=
"G.k.7.r.2a">
            <!-- G.k.7.r.2a: MedDRA Version for Indication #1-2 -->
            <!-- G.k.7.r.2b: Indication (MedDRA code) #1-2 -->
            <originalText>G.k.7.r.1</originalText>
            <!-- G.k.7.r.1: Indication as Reported by the Primary Source #1-2 -->
        </value>
        <performer typeCode="PRF">
            <assignedEntity classCode="ASSIGNED">
                <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0"
displayName="sourceReporter"/>
            </assignedEntity>
        </performer>
    </observation>
</inboundRelationship>
<inboundRelationship typeCode="CAUS">
    <act classCode="ACT" moodCode="EVN">
        <code code="G.k.8" codeSystem="2.16.840.1.113883.3.989.2.1.1.15" codeSystemVersion="2.0"/>
        <!-- G.k.8: Action(s) Taken with Drug #1 -->
    </act>
</inboundRelationship>
</substanceAdministration>
</component>
<!-- G.k Drug(s) Information (repeat as necessary) #2 -->
<component typeCode="COMP">
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <id root="68d6f5ce-3b3b-45c7-92dd-69e06730c3a9"/>
        <consumable typeCode="CSM">
            <instanceOfKind classCode="INST">
                <kindOfProduct classCode="MMAT" determinerCode="KIND">
                    <code code="G.k.2.1.2b" codeSystem="TBD-PhPID" codeSystemVersion="G.k.2.1.2a"/>
                    <!-- G.k.2.1.2a: PhPID Version Date / Number #2 -->
                    <!-- G.k.2.1.2b: Pharmaceutical Product Identifier (PhPID) #2 -->
                    <name>G.k.2.2</name>
                    <!-- G.k.2.2: Medicinal Product Name as Reported by the Primary Source #2 -->
                    <asManufacturedProduct classCode="MANU">
                        <subjectOf typeCode="SBJ">
                            <approval classCode="CNTRCT" moodCode="EVN">
                                <id extension="G.k.3.1" root="2.16.840.1.113883.3.989.2.1.3.4"/>
                                <!-- G.k.3.1: Authorisation / Application Number #2 -->
                                <holder typeCode="HLD">
                                    <role classCode="HLD">
                                        <playingOrganization classCode="ORG" determinerCode="INSTANCE">
                                            <name>G.k.3.3</name>
                                            <!-- G.k.3.3: Name of Holder / Applicant #2 -->
                                        </playingOrganization>
                                    </role>
                                </holder>
                                <author typeCode="AUT">

```

```

        <territorialAuthority classCode="TERR">
          <territory classCode="NAT" determinerCode="INSTANCE">
            <code code="G.k.3.2" codeSystem="1.0.3166.1.2.2"/>
            <!-- G.k.3.2: Country of Authorisation / Application #2 -->
          </territory>
        </territorialAuthority>
      </author>
      <pertinentInformation typeCode="PERT">
        <policy classCode="POLICY" moodCode="EVN">
          <code code="J2.5.k" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.4">
            <!-- @@@J2.5.k: 一般用医薬品等のリスク区分等 #2 -->
          </code>
        </policy>
      </pertinentInformation>
    </approval>
  </subjectOf>
  <subjectOf typeCode="SBJ">
    <characteristic classCode="OBS" moodCode="EVN">
      <code code="1" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10">
        <value xsi:type="CE" code="J2.4.k" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.3" codeSystemVersion="1.1"/>
        <!-- @@@J2.4.k: 新医薬品等の状況区分 #2 -->
      </code>
    </characteristic>
  </subjectOf>
</asManufacturedProduct>
<ingredient classCode="ACTI">
  <quantity>
    <numerator value="10" unit="G.k.2.3.r.3b"/>
    <!-- G.k.2.3.r.3a: Strength (number) #2-1 -->
    <!-- G.k.2.3.r.3b: Strength (unit) #2-1 -->
    <denominator value="1"/>
  </quantity>
  <ingredientSubstance classCode="MMAT" determinerCode="KIND">
    <code code="G.k.2.3.r.2b" codeSystem="TBD-Substance" codeSystemVersion="G.k.2.3.r.2a"/>
    <!-- G.k.2.3.r.2a: Substance / Specified Substance TermID Version Date / Number #2-1 -->
    <!-- G.k.2.3.r.2b Substance / Specified Substance TermID #2-1 -->
    <name>G.k.2.3.r.1</name>
    <!-- G.k.2.3.r.1: Substance / Specified Substance Name #2-1 -->
  </ingredientSubstance>
</ingredient>
<ingredient classCode="ACTI">
  <quantity>
    <numerator value="10" unit="G.k.2.3.r.3b"/>
    <!-- G.k.2.3.r.3a: Strength (number) #2-2 -->
    <!-- G.k.2.3.r.3b: Strength (unit) #2-2 -->
    <denominator value="1"/>
  </quantity>
  <ingredientSubstance classCode="MMAT" determinerCode="KIND">
    <code code="G.k.2.3.r.2b" codeSystem="TBD-Substance" codeSystemVersion="G.k.2.3.r.2a"/>
    <!-- G.k.2.3.r.2a: Substance / Specified Substance TermID Version Date/Number #2-2 -->
    <!-- G.k.2.3.r.2b Substance / Specified Substance TermID #2-2 -->
    <name>G.k.2.3.r.1</name>
    <!-- G.k.2.3.r.1: Substance / Specified Substance Name #2-2 -->
  </ingredientSubstance>
</ingredient>
</kindOfProduct>
<subjectOf typeCode="SBJ">
  <productEvent classCode="ACT" moodCode="EVN">
    <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.18" codeSystemVersion="1.0" displayName="retailSupply"/>
    <performer typeCode="PRF">
      <assignedEntity classCode="ASSIGNED">
        <representedOrganization classCode="ORG" determinerCode="INSTANCE">
          <addr>
            <country>G.k.2.4</country>
            <!-- G.k.2.4: Identification of the Country Where the Drug Was Obtained #2 -->
          </addr>
        </representedOrganization>
      </assignedEntity>
    </performer>
  </productEvent>
</subjectOf>
<subjectOf typeCode="SBJ">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="2" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="一般用医薬品の入手経路"/>
    <value xsi:type="CE" code="J2.6.k" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.5" codeSystemVersion="1.1"/>
  </observationEvent>
</subjectOf>

```

```

        <!-- @@@J2.6.k: 一般用医薬品の入手経路 #2 -->
        </observationEvent>
    </subjectOf>
    </instanceOfKind>
</consumable>
<outboundRelationship1 typeCode="SAS">
    <pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
    <!-- G.k.9.i.3.1a: Time Interval between Beginning of Drug Administration and Start of Reaction /
Event (number) Drug #2, Reaction #1 -->
    <!-- G.k.9.i.3.1b: Time Interval between Beginning of Drug Administration and Start of Reaction /
Event (unit) Drug #2, Reaction #1 -->
    <actReference classCode="OBS" moodCode="EVN">
        <id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>
    </actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
    <pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
    <!-- G.k.9.i.3.2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number)
Drug #2, Reaction #1 -->
    <!-- G.k.9.i.3.2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)
Drug #2, Reaction #1 -->
    <actReference classCode="OBS" moodCode="EVN">
        <id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>
    </actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
    <pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
    <!-- G.k.9.i.3.1a: Time Interval between Beginning of Drug Administration and Start of Reaction /
Event (number) Drug #2, Reaction #2 -->
    <!-- G.k.9.i.3.1b: Time Interval between Beginning of Drug Administration and Start of Reaction /
Event (unit) Drug #2, Reaction #2 -->
    <actReference classCode="OBS" moodCode="EVN">
        <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
    </actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
    <pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
    <!-- G.k.9.i.3.2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number)
Drug #2, Reaction #2 -->
    <!-- G.k.9.i.3.2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)
Drug #2, Reaction #2 -->
    <actReference classCode="OBS" moodCode="EVN">
        <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
    </actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
    <pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
    <!-- G.k.9.i.3.1a: Time Interval between Beginning of Drug Administration and Start of Reaction /
Event (number) Drug #2, Reaction #3 -->
    <!-- G.k.9.i.3.1b: Time Interval between Beginning of Drug Administration and Start of Reaction /
Event (unit) Drug #2, Reaction #3 -->
    <actReference classCode="OBS" moodCode="EVN">
        <id root="3a8626cb-9f1b-4ea8-8a0f-e0ff34430adf"/>
    </actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
    <pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
    <!-- G.k.9.i.3.2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number)
Drug #2, Reaction #3 -->
    <!-- G.k.9.i.3.2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)
Drug #2, Reaction #3 -->
    <actReference classCode="OBS" moodCode="EVN">
        <id root="3a8626cb-9f1b-4ea8-8a0f-e0ff34430adf"/>
    </actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
    <pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
    <!-- G.k.9.i.3.1a: Time Interval between Beginning of Drug Administration and Start of Reaction /
Event (number) Drug #2, Reaction #4 -->
    <!-- G.k.9.i.3.1b: Time Interval between Beginning of Drug Administration and Start of Reaction /
Event (unit) Drug #2, Reaction #4 -->
    <actReference classCode="OBS" moodCode="EVN">
        <id root="2e99840f-08b4-499c-80ff-dd8415f4f8a5"/>
    </actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
    <pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
    <!-- G.k.9.i.3.2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number)
Drug #2, Reaction #4 -->
    <!-- G.k.9.i.3.2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)
Drug #2, Reaction #4 -->
    <actReference classCode="OBS" moodCode="EVN">
        <id root="2e99840f-08b4-499c-80ff-dd8415f4f8a5"/>
    </actReference>
</outboundRelationship1>

```



```

</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
  <pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
  <!-- G.k.9.i.3.1a: Time Interval between Beginning of Drug Administration and Start of Reaction /
Event (number) Drug #2, Reaction #5 -->
  <!-- G.k.9.i.3.1b: Time Interval between Beginning of Drug Administration and Start of Reaction /
Event (unit) Drug #2, Reaction #5 -->
  <actReference classCode="OBS" moodCode="EVN">
    <id root="1071064c-cf10-4a3b-83c1-34f9ddb7ea6d"/>
  </actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
  <pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
  <!-- G.k.9.i.3.2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number)
Drug #2, Reaction #5 -->
  <!-- G.k.9.i.3.2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)
Drug #2, Reaction #5 -->
  <actReference classCode="OBS" moodCode="EVN">
    <id root="1071064c-cf10-4a3b-83c1-34f9ddb7ea6d"/>
  </actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
  <pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
  <!-- G.k.9.i.3.1a: Time Interval between Beginning of Drug Administration and Start of Reaction /
Event (number) Drug #2, Reaction #6 -->
  <!-- G.k.9.i.3.1b: Time Interval between Beginning of Drug Administration and Start of Reaction /
Event (unit) Drug #2, Reaction #6 -->
  <actReference classCode="OBS" moodCode="EVN">
    <id root="1f927283-10b6-4334-9d43-e925640fb18f"/>
  </actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
  <pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
  <!-- G.k.9.i.3.2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number)
Drug #2, Reaction #6 -->
  <!-- G.k.9.i.3.2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)
Drug #2, Reaction #6 -->
  <actReference classCode="OBS" moodCode="EVN">
    <id root="1f927283-10b6-4334-9d43-e925640fb18f"/>
  </actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
  <pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
  <!-- G.k.9.i.3.1a: Time Interval between Beginning of Drug Administration and Start of Reaction /
Event (number) Drug #2, Reaction #7 -->
  <!-- G.k.9.i.3.1b: Time Interval between Beginning of Drug Administration and Start of Reaction /
Event (unit) Drug #2, Reaction #7 -->
  <actReference classCode="OBS" moodCode="EVN">
    <id root="e0342969-38be-423f-b6bb-ce14bc279d8e"/>
  </actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
  <pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
  <!-- G.k.9.i.3.2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number)
Drug #2, Reaction #7 -->
  <!-- G.k.9.i.3.2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)
Drug #2, Reaction #7 -->
  <actReference classCode="OBS" moodCode="EVN">
    <id root="e0342969-38be-423f-b6bb-ce14bc279d8e"/>
  </actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
  <pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
  <!-- G.k.9.i.3.1a: Time Interval between Beginning of Drug Administration and Start of Reaction /
Event (number) Drug #2, Reaction #8 -->
  <!-- G.k.9.i.3.1b: Time Interval between Beginning of Drug Administration and Start of Reaction /
Event (unit) Drug #2, Reaction #8 -->
  <actReference classCode="OBS" moodCode="EVN">
    <id root="a15be092-8070-426d-af04-6863263443e0"/>
  </actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
  <pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
  <!-- G.k.9.i.3.2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number)
Drug #2, Reaction #8 -->
  <!-- G.k.9.i.3.2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)
Drug #2, Reaction #8 -->
  <actReference classCode="OBS" moodCode="EVN">
    <id root="a15be092-8070-426d-af04-6863263443e0"/>
  </actReference>
</outboundRelationship1>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="6" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"

```

```

displayName="blinded"/>
    <value xsi:type="BL" value="true"/>
    <!-- G.k.2.5: Investigational Product Blinded #2 -->
  </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
  <!-- G.k.4.r : Dosage and Relevant Information (repeat as necessary) #2-1 -->
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G.k.4.r.8</text>
    <!-- G.k.4.r.8: Dosage Text #2-1 -->
    <effectiveTime xsi:type="IVL_TS">
      <low value="20090101"/>
      <!-- G.k.4.r.4: Date and Time of Start of Drug #2-1 -->
      <high value="20090101"/>
      <!-- G.k.4.r.5: Date and Time of Last Administration #2-1 -->
    </effectiveTime>
    <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14"
codeSystemVersion="G.k.4.r.10.2a">
      <!-- G.k.4.r.10.2a: Route of Administration TermID Version Date / Number #2-1 -->
      <!-- G.k.4.r.10.2b: Route of Administration TermID #2-1 -->
      <originalText>G.k.4.r.10.1</originalText>
      <!-- G.k.4.r.10.1: Route of Administration (free text) #2-1 -->
    </routeCode>
    <doseQuantity value="10" unit="G.k.4.r.1b"/>
    <!-- G.k.4.r.1a Dose (number) #2-1 -->
    <!-- G.k.4.r.1b: Dose (unit) #2-1 -->
    <consumable typeCode="CSM">
      <instanceOfKind classCode="INST">
        <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
          <lotNumberText>G.k.4.r.7</lotNumberText>
          <!-- G.k.4.r.7: Batch / Lot Number #2-1 -->
        </productInstanceInstance>
        <kindOfProduct classCode="MMAT" determinerCode="KIND">
          <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.
r.9.2a">
            <!-- G.k.4.r.9.2a: Pharmaceutical Dose Form TermID Version Date / Number #2-1
-->
            <!-- G.k.4.r.9.2b: Pharmaceutical Dose Form TermID #2-1 -->
            <originalText>G.k.4.r.9.1</originalText>
            <!-- G.k.4.r.9.1: Pharmaceutical Dose Form (free text) #2-1 -->
          </formCode>
        </kindOfProduct>
      </instanceOfKind>
    </consumable>
  </substanceAdministration>
  <inboundRelationship typeCode="REFR">
    <observation classCode="OBS" moodCode="EVN">
      <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="parentRouteOfAdministration"/>
      <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.
14" codeSystemVersion="G.k.4.r.11.2a">
        <!-- G.k.4.r.11.2a: Parent Route of Administration TermID Version Date / Number
#2-1 -->
        <!-- G.k.4.r.11.2b: Parent Route of Administration TermID #2-1 -->
        <originalText>G.k.4.r.11.1</originalText>
        <!-- G.k.4.r.11.1: Parent Route of Administration (free text) #2-1 -->
      </value>
    </observation>
  </inboundRelationship>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
  <!-- G.k.4.r : Dosage and Relevant Information (repeat as necessary) #2-2 -->
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G.k.4.r.8</text>
    <!-- G.k.4.r.8: Dosage Text #2-2 -->
    <effectiveTime xsi:type="IVL_TS">
      <low value="20090101"/>
      <!-- G.k.4.r.4: Date and Time of Start of Drug #2-2 -->
      <width value="4" unit="G.k.4.r.6b"/>
      <!-- G.k.4.r.6a: Duration of Drug Administration (number) #2-2 -->
      <!-- G.k.4.r.6b: Duration of Drug Administration (unit) #2-2 -->
    </effectiveTime>
    <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14"
codeSystemVersion="G.k.4.r.10.2a">
      <!-- G.k.4.r.10.2a: Route of Administration TermID Version Date / Number #2-2 -->
      <!-- G.k.4.r.10.2b: Route of Administration TermID #2-2 -->
      <originalText>G.k.4.r.10.1</originalText>
      <!-- G.k.4.r.10.1: Route of Administration (free text) #2-2 -->
    </routeCode>
    <doseQuantity value="10" unit="G.k.4.r.1b"/>
    <!-- G.k.4.r.1a Dose (number) #2-2 -->
    <!-- G.k.4.r.1b: Dose (unit) #2-2 -->
    <consumable typeCode="CSM">
      <instanceOfKind classCode="INST">

```

```

<productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
  <lotNumberText>G.k.4.r.7</lotNumberText>
  <!-- G.k.4.r.7: Batch / Lot Number #2-2 -->
</productInstanceInstance>
<kindOfProduct classCode="MMAT" determinerCode="KIND">
  <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.
r.9.2a">
  <!-- G.k.4.r.9.2a: Pharmaceutical Dose Form TermID Version Date / Number #2-2 -->
  <!-- G.k.4.r.9.2b: Pharmaceutical Dose Form TermID #2-2 -->
  <originalText>G.k.4.r.9.1</originalText>
  <!-- G.k.4.r.9.1: Pharmaceutical Dose Form (free text) #2-2 -->
  </formCode>
</kindOfProduct>
</instanceOfKind>
</consumable>
<inboundRelationship typeCode="REFR">
  <observation classCode="OBS" moodCode="EVN">
    <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="parentRouteOfAdministration"/>
    <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.
14" codeSystemVersion="G.k.4.r.11.2a">
      <!-- G.k.4.r.11.2a: Parent Route of Administration TermID Version Date / Number
#2-2 -->
      <!-- G.k.4.r.11.2b: Parent Route of Administration TermID #2-2 -->
      <originalText>G.k.4.r.11.1</originalText>
      <!-- G.k.4.r.11.1: Parent Route of Administration (free text) #2-2 -->
      </value>
    </observation>
  </inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
  <!-- G.k.4.r.: Dosage and Relevant Information (repeat as necessary) #2-3 -->
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G.k.4.r.8</text>
    <!-- G.k.4.r.8: Dosage Text #2-3 -->
    <effectiveTime xsi:type="IVL_TS">
      <width value="4" unit="G.k.4.r.6b"/>
      <!-- G.k.4.r.6a: Duration of Drug Administration (number) #2-3 -->
      <!-- G.k.4.r.6b: Duration of Drug Administration (unit) #2-3 -->
      <high value="20090101"/>
      <!-- G.k.4.r.5: Date and Time of Last Administration #2-3 -->
    </effectiveTime>
    <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14"
codeSystemVersion="G.k.4.r.10.2a">
      <!-- G.k.4.r.10.2a: Route of Administration TermID Version Date / Number #2-3 -->
      <!-- G.k.4.r.10.2b: Route of Administration TermID #2-3 -->
      <originalText>G.k.4.r.10.1</originalText>
      <!-- G.k.4.r.10.1: Route of Administration (free text) #2-3 -->
    </routeCode>
    <doseQuantity value="10" unit="G.k.4.r.1b"/>
    <!-- G.k.4.r.1a Dose (number) #2-3 -->
    <!-- G.k.4.r.1b: Dose (unit) #2-3 -->
    <consumable typeCode="CSM">
      <instanceOfKind classCode="INST">
        <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
          <lotNumberText>G.k.4.r.7</lotNumberText>
          <!-- G.k.4.r.7: Batch / Lot Number #2-3 -->
        </productInstanceInstance>
        <kindOfProduct classCode="MMAT" determinerCode="KIND">
          <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.
r.9.2a">
            <!-- G.k.4.r.9.2a: Pharmaceutical Dose Form TermID Version Date / Number #2-3 -->
            <!-- G.k.4.r.9.2b: Pharmaceutical Dose Form TermID #2-3 -->
            <originalText>G.k.4.r.9.1</originalText>
            <!-- G.k.4.r.9.1: Pharmaceutical Dose Form (free text) #2-3 -->
          </formCode>
        </kindOfProduct>
        </instanceOfKind>
      </consumable>
    </instanceOfKind>
  </substanceAdministration>
</outboundRelationship2>
<inboundRelationship typeCode="REFR">
  <observation classCode="OBS" moodCode="EVN">
    <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="parentRouteOfAdministration"/>
    <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.
14" codeSystemVersion="G.k.4.r.11.2a">
      <!-- G.k.4.r.11.2a: Parent Route of Administration TermID Version Date / Number
#2-3 -->
      <!-- G.k.4.r.11.2b: Parent Route of Administration TermID #2-3 -->
      <originalText>G.k.4.r.11.1</originalText>
      <!-- G.k.4.r.11.1: Parent Route of Administration (free text) #2-3 -->
      </value>
    </observation>
  </inboundRelationship>
</substanceAdministration>
</outboundRelationship2>

```

```

        </observation>
      </inboundRelationship>
    </substanceAdministration>
  </outboundRelationship2>
  <outboundRelationship2 typeCode="COMP">
    <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #2-4 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
      <text>G.k.4.r.8</text>
      <!-- G.k.4.r.8: Dosage Text #2-4 -->
      <effectiveTime xsi:type="SXPR_TS">
        <comp xsi:type="PIVL_TS">
          <period value="10" unit="G.k.4.r.3"/>
          <!-- G.k.4.r.2: Number of Units in the Interval #2-4 -->
          <!-- G.k.4.r.3: Definition of the Time Interval Unit #2-4 -->
        </comp>
        <comp xsi:type="IVL_TS" operator="A">
          <low value="20090101"/>
          <!-- G.k.4.r.4: Date and Time of Start of Drug #2-4 -->
        </comp>
      </effectiveTime>
      <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14"
codeSystemVersion="G.k.4.r.10.2a">
        <!-- G.k.4.r.10.2a: Route of Administration TermID Version Date / Number #2-4 -->
        <!-- G.k.4.r.10.2b: Route of Administration TermID #2-4 -->
        <originalText>G.k.4.r.10.1</originalText>
        <!-- G.k.4.r.10.1: Route of Administration (free text) #2-4 -->
      </routeCode>
      <doseQuantity value="10" unit="G.k.4.r.1b"/>
      <!-- G.k.4.r.1a Dose (number) #2-4 -->
      <!-- G.k.4.r.1b: Dose (unit) #2-4 -->
      <consumable typeCode="CSM">
        <instanceOfKind classCode="INST">
          <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
            <lotNumberText>G.k.4.r.7</lotNumberText>
            <!-- G.k.4.r.7: Batch / Lot Number #2-4 -->
          </productInstanceInstance>
          <kindOfProduct classCode="MMAT" determinerCode="KIND">
            <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.
r.9.2a">
              <!-- G.k.4.r.9.2a: Pharmaceutical Dose Form TermID Version Date / Number #2-4
-->
              <!-- G.k.4.r.9.2b: Pharmaceutical Dose Form TermID #2-4 -->
              <originalText>G.k.4.r.9.1</originalText>
              <!-- G.k.4.r.9.1: Pharmaceutical Dose Form (free text) #2-4 -->
            </formCode>
          </kindOfProduct>
        </instanceOfKind>
      </consumable>
    </substanceAdministration typeCode="REFR">
      <observation classCode="OBS" moodCode="EVN">
        <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="parentRouteOfAdministration"/>
        <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.
14" codeSystemVersion="G.k.4.r.11.2a">
          <!-- G.k.4.r.11.2a: Parent Route of Administration TermID Version Date / Number
#2-4 -->
          <!-- G.k.4.r.11.2b: Parent Route of Administration TermID #2-4 -->
          <originalText>G.k.4.r.11.1</originalText>
          <!-- G.k.4.r.11.1: Parent Route of Administration (free text) #2-4 -->
        </value>
      </observation>
    </inboundRelationship>
  </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
  <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #2-5 -->
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G.k.4.r.8</text>
    <!-- G.k.4.r.8: Dosage Text #2-5 -->
    <effectiveTime xsi:type="SXPR_TS">
      <comp xsi:type="PIVL_TS">
        <period value="10" unit="G.k.4.r.3"/>
        <!-- G.k.4.r.2: Number of Units in the Interval #2-5 -->
        <!-- G.k.4.r.3: Definition of the Time Interval Unit #2-5 -->
      </comp>
      <comp xsi:type="IVL_TS" operator="A">
        <high value="20090101"/>
        <!-- G.k.4.r.5: Date and Time of Last Administration #2-5 -->
      </comp>
    </effectiveTime>
    <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14"
codeSystemVersion="G.k.4.r.10.2a">
      <!-- G.k.4.r.10.2a: Route of Administration TermID Version Date / Number #2-5 -->
      <!-- G.k.4.r.10.2b: Route of Administration TermID #2-5 -->
    </routeCode>
  </substanceAdministration>
</outboundRelationship2>

```

```

        <originalText>G.k.4.r.10.1</originalText>
        <!-- G.k.4.r.10.1: Route of Administration (free text) #2-5 -->
    </routeCode>
    <doseQuantity value="10" unit="G.k.4.r.1b"/>
    <!-- G.k.4.r.1a Dose (number) #2-5 -->
    <!-- G.k.4.r.1b: Dose (unit) #2-5 -->
    <consumable typeCode="CSM">
        <instanceOfKind classCode="INST">
            <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
                <lotNumberText>G.k.4.r.7</lotNumberText>
                <!-- G.k.4.r.7: Batch / Lot Number #2-5 -->
            </productInstanceInstance>
            <kindOfProduct classCode="MMAT" determinerCode="KIND">
                <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.
r.9.2a">
                    <!-- G.k.4.r.9.2a: Pharmaceutical Dose Form TermID Version Date / Number #2-5 -->
                    <!-- G.k.4.r.9.2b: Pharmaceutical Dose Form TermID #2-5 -->
                    <originalText>G.k.4.r.9.1</originalText>
                    <!-- G.k.4.r.9.1: Pharmaceutical Dose Form (free text) #2-5 -->
                </formCode>
            </kindOfProduct>
        </instanceOfKind>
    </consumable>
    <inboundRelationship typeCode="REFR">
        <observation classCode="OBS" moodCode="EVN">
            <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayname="parentRouteOfAdministration"/>
            <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.
14" codeSystemVersion="G.k.4.r.11.2a">
                <!-- G.k.4.r.11.2a: Parent Route of Administration TermID Version Date / Number
#2-5 -->
                <!-- G.k.4.r.11.2b: Parent Route of Administration TermID #2-5 -->
                <originalText>G.k.4.r.11.1</originalText>
                <!-- G.k.4.r.11.1: Parent Route of Administration (free text) #2-5 -->
            </value>
        </observation>
    </inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G.k.4.r.: Dosage and Relevant Information (repeat as necessary) #2-6 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G.k.4.r.8</text>
        <!-- G.k.4.r.8: Dosage Text #2-6 -->
        <effectiveTime xsi:type="SXPR_TS">
            <comp xsi:type="PVL_TS">
                <period value="10" unit="G.k.4.r.3"/>
                <!-- G.k.4.r.2: Number of Units in the Interval #2-6 -->
                <!-- G.k.4.r.3: Definition of the Time Interval Unit #2-6 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <width value="4" unit="G.k.4.r.6b"/>
                <!-- G.k.4.r.6a: Duration of Drug Administration (number) #2-6 -->
                <!-- G.k.4.r.6b: Duration of Drug Administration (unit) #2-6 -->
            </comp>
        </effectiveTime>
        <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14"
codeSystemVersion="G.k.4.r.10.2a">
            <!-- G.k.4.r.10.2a: Route of Administration TermID Version Date / Number #2-6 -->
            <!-- G.k.4.r.10.2b: Route of Administration TermID #2-6 -->
            <originalText>G.k.4.r.10.1</originalText>
            <!-- G.k.4.r.10.1: Route of Administration (free text) #2-6 -->
        </routeCode>
        <doseQuantity value="10" unit="G.k.4.r.1b"/>
        <!-- G.k.4.r.1a Dose (number) #2-6 -->
        <!-- G.k.4.r.1b: Dose (unit) #2-6 -->
        <consumable typeCode="CSM">
            <instanceOfKind classCode="INST">
                <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
                    <lotNumberText>G.k.4.r.7</lotNumberText>
                    <!-- G.k.4.r.7: Batch / Lot Number #2-6 -->
                </productInstanceInstance>
                <kindOfProduct classCode="MMAT" determinerCode="KIND">
                    <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.
r.9.2a">
                        <!-- G.k.4.r.9.2a: Pharmaceutical Dose Form TermID Version Date / Number #2-6 -->
                        <!-- G.k.4.r.9.2b: Pharmaceutical Dose Form TermID #2-6 -->
                        <originalText>G.k.4.r.9.1</originalText>
                        <!-- G.k.4.r.9.1: Pharmaceutical Dose Form (free text) #2-6 -->
                    </formCode>
                </kindOfProduct>
            </instanceOfKind>
        </consumable>
    </substanceAdministration>
</outboundRelationship2>

```

```

</consumable>
<inboundRelationship typeCode="REFR">
  <observation classCode="OBS" moodCode="EVN">
    <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="parentRouteOfAdministration"/>
    <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.
14" codeSystemVersion="G.k.4.r.11.2a">
      <!-- G.k.4.r.11.2a: Parent Route of Administration TermID Version Date / Number
#2-6 -->
      <!-- G.k.4.r.11.2b: Parent Route of Administration TermID #2-6 -->
      <originalText>G.k.4.r.11.1</originalText>
      <!-- G.k.4.r.11.1: Parent Route of Administration (free text) #2-6 -->
    </value>
  </observation>
</inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
  <!-- G.k.4.r.: Dosage and Relevant Information (repeat as necessary) #2-7 -->
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G.k.4.r.8</text>
    <!-- G.k.4.r.8: Dosage Text #2-7 -->
    <effectiveTime xsi:type="PVL_TS">
      <period value="10" unit="G.k.4.r.3"/>
      <!-- G.k.4.r.2: Number of Units in the Interval #2-7 -->
      <!-- G.k.4.r.3: Definition of the Time Interval Unit #2-7 -->
    </effectiveTime>
    <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14"
codeSystemVersion="G.k.4.r.10.2a">
      <!-- G.k.4.r.10.2a: Route of Administration TermID Version Date / Number #2-7 -->
      <!-- G.k.4.r.10.2b: Route of Administration TermID #2-7 -->
      <originalText>G.k.4.r.10.1</originalText>
      <!-- G.k.4.r.10.1: Route of Administration (free text) #2-7 -->
    </routeCode>
    <doseQuantity value="10" unit="G.k.4.r.1b"/>
    <!-- G.k.4.r.1a Dose (number) #2-7 -->
    <!-- G.k.4.r.1b: Dose (unit) #2-7 -->
    <consumable typeCode="CSM">
      <instanceOfKind classCode="INST">
        <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
          <lotNumberText>G.k.4.r.7</lotNumberText>
          <!-- G.k.4.r.7: Batch / Lot Number #2-7 -->
        </productInstanceInstance>
        <kindOfProduct classCode="MMAT" determinerCode="KIND">
          <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.
r.9.2a">
            <!-- G.k.4.r.9.2a: Pharmaceutical Dose Form TermID Version Date / Number #2-7
-->
            <!-- G.k.4.r.9.2b: Pharmaceutical Dose Form TermID #2-7 -->
            <originalText>G.k.4.r.9.1</originalText>
            <!-- G.k.4.r.9.1: Pharmaceutical Dose Form (free text) #2-7 -->
          </formCode>
        </kindOfProduct>
      </instanceOfKind>
    </consumable>
  </outboundRelationship2>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
  <!-- G.k.4.r.: Dosage and Relevant Information (repeat as necessary) #2-8 -->
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G.k.4.r.8</text>
    <!-- G.k.4.r.8: Dosage Text #2-8 -->
    <effectiveTime xsi:type="IVL_TS">
      <low value="20090101"/>
      <!-- G.k.4.r.4: Date and Time of Start of Drug #2-8 -->
    </effectiveTime>
    <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14"
codeSystemVersion="G.k.4.r.10.2a">
      <!-- G.k.4.r.10.2a: Route of Administration TermID Version Date / Number #2-8 -->
      <!-- G.k.4.r.10.2b: Route of Administration TermID #2-8 -->
    </routeCode>
  </substanceAdministration>
</outboundRelationship2>

```

```

        <originalText>G.k.4.r.10.1</originalText>
        <!-- G.k.4.r.10.1: Route of Administration (free text) #2-8 -->
    </routeCode>
    <doseQuantity value="10" unit="G.k.4.r.1b"/>
    <!-- G.k.4.r.1a Dose (number) #2-8 -->
    <!-- G.k.4.r.1b: Dose (unit) #2-8 -->
    <consumable typeCode="CSM">
        <instanceOfKind classCode="INST">
            <productInstance classCode="MMAT" determinerCode="INSTANCE">
                <lotNumberText>G.k.4.r.7</lotNumberText>
                <!-- G.k.4.r.7: Batch / Lot Number #2-8 -->
            </productInstance>
            <kindOfProduct classCode="MMAT" determinerCode="KIND">
                <formCode code="G.k.4.r.9.2b" codeSystem="TBD=DoseForm" codeSystemVersion="G.k.4.
r.9.2a">
                    <!-- G.k.4.r.9.2a: Pharmaceutical Dose Form TermID Version Date / Number #2-8
-->
                    <!-- G.k.4.r.9.2b: Pharmaceutical Dose Form TermID #2-8 -->
                    <originalText>G.k.4.r.1</originalText>
                    <!-- G.k.4.r.9.1: Pharmaceutical Dose Form (free text) #2-8 -->
                </formCode>
            </kindOfProduct>
        </instanceOfKind>
    </consumable>
    <inboundRelationship typeCode="REFR">
        <observation classCode="OBS" moodCode="EVN">
            <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="parentRouteOfAdministration"/>
            <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.
14" codeSystemVersion="G.k.4.r.11.2a">
                <!-- G.k.4.r.11.2a: Parent Route of Administration TermID Version Date / Number
#2-8 -->
                <!-- G.k.4.r.11.2b: Parent Route of Administration TermID #2-8 -->
                <originalText>G.k.4.r.11.1</originalText>
                <!-- G.k.4.r.11.1: Parent Route of Administration (free text) #2-8 -->
            </value>
        </observation>
    </inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G.k.4.r.: Dosage and Relevant Information (repeat as necessary) #2-9 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G.k.4.r.8</text>
        <!-- G.k.4.r.8: Dosage Text #2-9 -->
        <effectiveTime xsi:type="IVL_TS">
            <high value="20090101"/>
            <!-- G.k.4.r.5: Date and Time of Last Administration #2-9 -->
        </effectiveTime>
        <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14"
codeSystemVersion="G.k.4.r.10.2a">
            <!-- G.k.4.r.10.2a: Route of Administration TermID Version Date / Number #2-9 -->
            <!-- G.k.4.r.10.2b: Route of Administration TermID #2-9 -->
            <originalText>G.k.4.r.10.1</originalText>
            <!-- G.k.4.r.10.1: Route of Administration (free text) #2-9 -->
        </routeCode>
        <doseQuantity value="10" unit="G.k.4.r.1b"/>
        <!-- G.k.4.r.1a Dose (number) #2-9 -->
        <!-- G.k.4.r.1b: Dose (unit) #2-9 -->
        <consumable typeCode="CSM">
            <instanceOfKind classCode="INST">
                <productInstance classCode="MMAT" determinerCode="INSTANCE">
                    <lotNumberText>G.k.4.r.7</lotNumberText>
                    <!-- G.k.4.r.7: Batch / Lot Number #2-9 -->
                </productInstance>
                <kindOfProduct classCode="MMAT" determinerCode="KIND">
                    <formCode code="G.k.4.r.9.2b" codeSystem="TBD=DoseForm" codeSystemVersion="G.k.4.
r.9.2a">
                        <!-- G.k.4.r.9.2a: Pharmaceutical Dose Form TermID Version Date / Number #2-9
-->
                        <!-- G.k.4.r.9.2b: Pharmaceutical Dose Form TermID #2-9 -->
                        <originalText>G.k.4.r.1</originalText>
                        <!-- G.k.4.r.9.1: Pharmaceutical Dose Form (free text) #2-9 -->
                    </formCode>
                </kindOfProduct>
            </instanceOfKind>
        </consumable>
        <inboundRelationship typeCode="REFR">
            <observation classCode="OBS" moodCode="EVN">
                <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="parentRouteOfAdministration"/>
                <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.
14" codeSystemVersion="G.k.4.r.11.2a">
                    <!-- G.k.4.r.11.2a: Parent Route of Administration TermID Version Date / Number
-->
                    <!-- G.k.4.r.11.2b: Parent Route of Administration TermID #2-9 -->
                    <originalText>G.k.4.r.11.1</originalText>
                    <!-- G.k.4.r.11.1: Parent Route of Administration (free text) #2-9 -->
                </value>
            </observation>
        </inboundRelationship>
    </substanceAdministration>
</outboundRelationship2>

```

```

#2-9 -->
                                <!-- G.k.4.r.11.2b: Parent Route of Administration TermID #2-9 -->
                                <originalText>G.k.4.r.11.1</originalText>
                                <!-- G.k.4.r.11.1: Parent Route of Administration (free text) #2-9 -->
                                </value>
                                </observation>
                                </inboundRelationship>
                                </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G.k.4.r.: Dosage and Relevant Information (repeat as necessary) #2-10 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G.k.4.r.8</text>
        <!-- G.k.4.r.8: Dosage Text #2-10 -->
        <effectiveTime xsi:type="IVL_TS">
            <width value="4" unit="G.k.4.r.6b"/>
            <!-- G.k.4.r.6a: Duration of Drug Administration (number) #2-10 -->
            <!-- G.k.4.r.6b: Duration of Drug Administration (unit) #2-10 -->
        </effectiveTime>
        <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14"
codeSystemVersion="G.k.4.r.10.2a">
            <!-- G.k.4.r.10.2a: Route of Administration TermID Version Date / Number #2-10 -->
            <!-- G.k.4.r.10.2b: Route of Administration TermID #2-10 -->
            <originalText>G.k.4.r.10.1</originalText>
            <!-- G.k.4.r.10.1: Route of Administration (free text) #2-10 -->
            </routeCode>
            <doseQuantity value="10" unit="G.k.4.r.1b"/>
            <!-- G.k.4.r.1a Dose (number) #2-10 -->
            <!-- G.k.4.r.1b: Dose (unit) #2-10 -->
            <consumable typeCode="CSM">
                <instanceOfKind classCode="INST">
                    <productInstance classCode="MMAT" determinerCode="INSTANCE">
                        <lotNumberText>G.k.4.r.7</lotNumberText>
                        <!-- G.k.4.r.7: Batch / Lot Number #2-10 -->
                    </productInstance>
                    <kindOfProduct classCode="MMAT" determinerCode="KIND">
                        <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.
r.9.2a">
                            <!-- G.k.4.r.9.2a: Pharmaceutical Dose Form TermID Version Date / Number #2-
10 -->
                            <!-- G.k.4.r.9.2b: Pharmaceutical Dose Form TermID #2-10 -->
                            <originalText>G.k.4.r.9.1</originalText>
                            <!-- G.k.4.r.9.1: Pharmaceutical Dose Form (free text) #2-10 -->
                        </formCode>
                    </kindOfProduct>
                </instanceOfKind>
            </consumable>
            <inboundRelationship typeCode="REFR">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="parentRouteOfAdministration"/>
                    <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.
14" codeSystemVersion="G.k.4.r.11.2a">
                        <!-- G.k.4.r.11.2a: Parent Route of Administration TermID Version Date / Number
#2-10 -->
                        <!-- G.k.4.r.11.2b: Parent Route of Administration TermID #2-10 -->
                        <originalText>G.k.4.r.11.1</originalText>
                        <!-- G.k.4.r.11.1: Parent Route of Administration (free text) #2-10 -->
                    </value>
                    </observation>
                </inboundRelationship>
            </substanceAdministration>
        </outboundRelationship2>
    </outboundRelationship2 typeCode="SUMM">
        <observation classCode="OBS" moodCode="EVN">
            <code code="14" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="cumulativeDoseToReaction"/>
            <value xsi:type="PQ" value="10" unit="G.k.5b"/>
            <!-- G.k.5a: Cumulative Dose to First Reaction (number) #2 -->
            <!-- G.k.5b: Cumulative Dose to First Reaction (unit) #2 -->
        </observation>
    </outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="16" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="gestationPeriod"/>
        <value xsi:type="PQ" value="10" unit="G.k.6b"/>
        <!-- G.k.6a: Gestation Period at Time of Exposure (number) #2 -->
        <!-- G.k.6b: Gestation Period at Time of Exposure (unit) #2 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="31" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"

```



```

displayName="recurrenceOfReaction"/>
codeSystemVersion="2.0"/>
<value xsi:type="CE" code="G.k.9.i.4" codeSystem="2.16.840.1.113883.3.989.2.1.1.16"
<!-- G.k.9.i.4: Did Reaction Recur on Re-administration? Drug #2, Reaction #1 -->
<outboundRelationship1 typeCode="REFR">
  <actReference classCode="OBS" moodCode="EVN">
    <id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>
  </actReference>
</outboundRelationship1>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="31" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
codeSystemVersion="2.0"/>
<value xsi:type="CE" code="G.k.9.i.4" codeSystem="2.16.840.1.113883.3.989.2.1.1.16"
<!-- G.k.9.i.4: Did Reaction Recur on Re-administration? Drug #2, Reaction #2 -->
<outboundRelationship1 typeCode="REFR">
  <actReference classCode="OBS" moodCode="EVN">
    <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
  </actReference>
</outboundRelationship1>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="REFR">
  <observation classCode="OBS" moodCode="EVN">
    <code code="9" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="codedDrugInformation"/>
codeSystemVersion="2.0"/>
<value xsi:type="CE" code="G.k.10.r" codeSystem="2.16.840.1.113883.3.989.2.1.1.17"
<!-- G.k.10.r: Additional Information on Drug (coded) (repeat as necessary) #2-1 -->
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="REFR">
  <observation classCode="OBS" moodCode="EVN">
    <code code="9" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="codedDrugInformation"/>
codeSystemVersion="2.0"/>
<value xsi:type="CE" code="G.k.10.r" codeSystem="2.16.840.1.113883.3.989.2.1.1.17"
<!-- G.k.10.r: Additional Information on Drug (coded) (repeat as necessary) #2-2 -->
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="REFR">
  <observation classCode="OBS" moodCode="EVN">
    <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="additionalInformation"/>
<value xsi:type="ST">G.k.11</value>
<!-- G.k.11: Additional Information on Drug (free text) #2 -->
</observation>
</outboundRelationship2>
<inboundRelationship typeCode="RSON">
  <observation classCode="OBS" moodCode="EVN">
    <code code="19" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="indication"/>
" G.k.7.r.2a">
<value xsi:type="CE" code="G.k.7.r.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion=
<!-- G.k.7.r.2a: MedDRA Version for Indication #2-1 -->
<!-- G.k.7.r.2b: Indication (MedDRA code) #2-1 -->
<originalText>G.k.7.r.1</originalText>
<!-- G.k.7.r.1: Indication as Reported by the Primary Source #2-1 -->
</value>
<performer typeCode="PRF">
  <assignedEntity classCode="ASSIGNED">
    <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0"
displayName="sourceReporter"/>
</assignedEntity>
</performer>
</observation>
</inboundRelationship>
<inboundRelationship typeCode="RSON">
  <observation classCode="OBS" moodCode="EVN">
    <code code="19" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="indication"/>
" G.k.7.r.2a">
<value xsi:type="CE" code="G.k.7.r.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion=
<!-- G.k.7.r.2a: MedDRA Version for Indication #2-2 -->
<!-- G.k.7.r.2b: Indication (MedDRA code) #2-2 -->
<originalText>G.k.7.r.1</originalText>
<!-- G.k.7.r.1: Indication as Reported by the Primary Source #2-2 -->
</value>
<performer typeCode="PRF">
  <assignedEntity classCode="ASSIGNED">
    <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0"

```

```

displayName="sourceReporter"/>
    </assignedEntity>
    </performer>
  </observation>
</inboundRelationship>
<inboundRelationship typeCode="CAUS">
  <act classCode="ACT" moodCode="EVN">
    <code code="G.k.8" codeSystem="2.16.840.1.113883.3.989.2.1.1.15" codeSystemVersion="2.0"/>
    <!-- G.k.8: Action(s) Taken with Drug #2 -->
  </act>
</inboundRelationship>
</substanceAdministration>
</component>
</organizer>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
  <organizer classCode="CATEGORY" moodCode="EVN">
    <code code="1" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.11" codeSystemVersion="1.0" displayName="治験の概
要"/>
    <component typeCode="COMP">
      <observation classCode="OBS" moodCode="EVN">
        <code code="7" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="
届出回数"/>
        <value xsi:type="INT" value="1"/>
        <!-- @@J2.13.r.1: 届出回数 #1 -->
      </observation>
    </component>
    <component typeCode="COMP">
      <observation classCode="OBS" moodCode="EVN">
        <code code="8" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="
対象疾患"/>
        <value xsi:type="ED">J2.13.r.2</value>
        <!-- @@J2.13.r.2: 対象疾患 #1 -->
      </observation>
    </component>
    <component typeCode="COMP">
      <observation classCode="OBS" moodCode="EVN">
        <code code="9" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="
開発相"/>
        <value xsi:type="CE" code="J2.13.r.3" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.7"
codeSystemVersion="1.1"/>
        <!-- @@J2.13.r.3: 開発相 #1 -->
      </observation>
    </component>
    <component typeCode="COMP">
      <observation classCode="OBS" moodCode="EVN">
        <code code="10" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="
"投薬中の症例の有無"/>
        <value xsi:type="BL" value="true"/>
        <!-- @@J2.13.r.4: 投薬中の症例の有無 #1 -->
      </observation>
    </component>
  </organizer>
</subjectOf2>
</subjectOf2 typeCode="SBJ">
  <organizer classCode="CATEGORY" moodCode="EVN">
    <code code="1" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.11" codeSystemVersion="1.0" displayName="治験の概
要"/>
    <component typeCode="COMP">
      <observation classCode="OBS" moodCode="EVN">
        <code code="7" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="
届出回数"/>
        <value xsi:type="INT" value="1"/>
        <!-- @@J2.13.r.1: 届出回数 #2 -->
      </observation>
    </component>
    <component typeCode="COMP">
      <observation classCode="OBS" moodCode="EVN">
        <code code="8" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="
対象疾患"/>
        <value xsi:type="ED">J2.13.r.2</value>
        <!-- @@J2.13.r.2: 対象疾患 #2 -->
      </observation>
    </component>
    <component typeCode="COMP">
      <observation classCode="OBS" moodCode="EVN">
        <code code="9" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="
開発相"/>
        <value xsi:type="CE" code="J2.13.r.3" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.7"
codeSystemVersion="1.1"/>
        <!-- @@J2.13.r.3: 開発相 #2 -->
      </observation>
    </component>
  </organizer>
</component typeCode="COMP">

```

```

        <observation classCode="OBS" moodCode="EVN">
          <code code="10" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="
"投薬中の症例の有無"/>
          <value xsi:type="BL" value="false"/>
          <!-- @J2.13.r.4: 投薬中の症例の有無 #2 -->
        </observation>
      </component>
    </organizer>
  </subjectOf2>
</primaryRole>
</subject1>
<component typeCode="COMP">
  <causalityAssessment classCode="OBS" moodCode="EVN">
    <code code="20" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="
interventionCharacterization"/>
    <value xsi:type="CE" code="G.k.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.13" codeSystemVersion="2.0"/>
    <!-- G.k.1: Characterisation of Drug Role Drug #1 -->
    <subject2 typeCode="SUBJ">
      <productUseReference classCode="SBADM" moodCode="EVN">
        <id root="3c91b4d5-e039-4a7a-9c30-67671b0ef9e4"/>
      </productUseReference>
    </subject2>
  </causalityAssessment>
</component>
<component typeCode="COMP">
  <causalityAssessment classCode="OBS" moodCode="EVN">
    <code code="20" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="
interventionCharacterization"/>
    <value xsi:type="CE" code="G.k.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.13" codeSystemVersion="2.0"/>
    <!-- G.k.1: Characterisation of Drug Role Drug #2 -->
    <subject2 typeCode="SUBJ">
      <productUseReference classCode="SBADM" moodCode="EVN">
        <id root="68d6f5ce-3b3b-45c7-92dd-69e06730c3a9"/>
      </productUseReference>
    </subject2>
  </causalityAssessment>
</component>
<component typeCode="COMP">
  <causalityAssessment classCode="OBS" moodCode="EVN">
    <code code="39" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="causality"/>
    <value xsi:type="ST">G.k.9.i.2.r.3</value>
    <!-- G.k.9.i.2.r.3: Result of Assessment Drug #1, Reaction #1, Assessment #1 -->
    <methodCode>
      <originalText>G.k.9.i.2.r.2</originalText>
      <!-- G.k.9.i.2.r.2: Method of Assessment Drug #1, Reaction #1, Assessment #1 -->
    </methodCode>
    <author typeCode="AUT">
      <assignedEntity classCode="ASSIGNED">
        <code>
          <originalText>G.k.9.i.2.r.1</originalText>
          <!-- G.k.9.i.2.r.1: Source of Assessment Drug #1, Reaction #1, Assessment #1 -->
        </code>
      </assignedEntity>
    </author>
    <subject1 typeCode="SUBJ">
      <adverseEffectReference classCode="OBS" moodCode="EVN">
        <id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>
      </adverseEffectReference>
    </subject1>
    <subject2 typeCode="SUBJ">
      <productUseReference classCode="SBADM" moodCode="EVN">
        <id root="3c91b4d5-e039-4a7a-9c30-67671b0ef9e4"/>
      </productUseReference>
    </subject2>
  </causalityAssessment>
</component>
<component typeCode="COMP">
  <causalityAssessment classCode="OBS" moodCode="EVN">
    <code code="39" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="causality"/>
    <value xsi:type="ST">G.k.9.i.2.r.3</value>
    <!--G.k.9.i.2.r.3: Result of Assessment Drug #1, Reaction #2, Assessment #1 -->
    <methodCode>
      <originalText>G.k.9.i.2.r.2</originalText>
      <!--G.k.9.i.2.r.2: Method of Assessment Drug #1, Reaction #2, Assessment #1 -->
    </methodCode>
    <author typeCode="AUT">
      <assignedEntity classCode="ASSIGNED">
        <code>
          <originalText>G.k.9.i.2.r.1</originalText>
          <!-- G.k.9.i.2.r.1: Source of Assessment Drug #1, Reaction #2, Assessment #1 -->
        </code>
      </assignedEntity>
    </author>
    <subject1 typeCode="SUBJ">

```

```

        <adverseEffectReference classCode="OBS" moodCode="EVN">
          <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
        </adverseEffectReference>
      </subject1>
      <subject2 typeCode="SUBJ">
        <productUseReference classCode="SBADM" moodCode="EVN">
          <id root="3c91b4d5-e039-4a7a-9c30-67671b0ef9e4"/>
        </productUseReference>
      </subject2>
    </causalityAssessment>
  </component>
  <component typeCode="COMP">
    <causalityAssessment classCode="OBS" moodCode="EVN">
      <code code="39" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="causality"/>
      <value xsi:type="ST">G. k. 9. i. 2. r. 3</value>
      <!--G. k. 9. i. 2. r. 3: Result of Assessment Drug #2, Reaction #2, Assessment #1 -->
      <methodCode>
        <originalText>G. k. 9. i. 2. r. 2</originalText>
        <!--G. k. 9. i. 2. r. 2: Method of Assessment Drug #2, Reaction #2, Assessment #1 -->
      </methodCode>
      <author typeCode="AUT">
        <assignedEntity classCode="ASSIGNED">
          <code>
            <originalText>G. k. 9. i. 2. r. 1</originalText>
            <!-- G. k. 9. i. 2. r. 1: Source of Assessment Drug #2, Reaction #2, Assessment #1 -->
          </code>
        </assignedEntity>
      </author>
      <subject1 typeCode="SUBJ">
        <adverseEffectReference classCode="OBS" moodCode="EVN">
          <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
        </adverseEffectReference>
      </subject1>
      <subject2 typeCode="SUBJ">
        <productUseReference classCode="SBADM" moodCode="EVN">
          <id root="68d6f5ce-3b3b-45c7-92dd-69e06730c3a9"/>
        </productUseReference>
      </subject2>
    </causalityAssessment>
  </component>
  <component typeCode="COMP">
    <causalityAssessment classCode="OBS" moodCode="EVN">
      <code code="39" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="causality"/>
      <value xsi:type="ST">G. k. 9. i. 2. r. 3</value>
      <!--G. k. 9. i. 2. r. 3: Result of Assessment Drug #2, Reaction #2, Assessment #2 -->
      <methodCode>
        <originalText>G. k. 9. i. 2. r. 2</originalText>
        <!--G. k. 9. i. 2. r. 2: Method of Assessment Drug #2, Reaction #2, Assessment #2 -->
      </methodCode>
      <author typeCode="AUT">
        <assignedEntity classCode="ASSIGNED">
          <code>
            <originalText>G. k. 9. i. 2. r. 1</originalText>
            <!-- G. k. 9. i. 2. r. 1: Source of Assessment Drug #2, Reaction #2, Assessment #2 -->
          </code>
        </assignedEntity>
      </author>
      <subject1 typeCode="SUBJ">
        <adverseEffectReference classCode="OBS" moodCode="EVN">
          <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
        </adverseEffectReference>
      </subject1>
      <subject2 typeCode="SUBJ">
        <productUseReference classCode="SBADM" moodCode="EVN">
          <id root="68d6f5ce-3b3b-45c7-92dd-69e06730c3a9"/>
        </productUseReference>
      </subject2>
    </causalityAssessment>
  </component>
  <component1 typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
      <code code="10" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="comment"/>
      <value xsi:type="ED">H. 2</value>
      <!-- H. 2: Reporter's Comments -->
      <author typeCode="AUT">
        <assignedEntity classCode="ASSIGNED">
          <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="
sourceReporter"/>
        </assignedEntity>
      </author>
    </observationEvent>
  </component1>
  <component1 typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">

```

```

<code code="15" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="diagnosis"/>
<value xsi:type="CE" code="H.3.r.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="H.3.r.1a"/>
<!-- H.3.r.1a: MedDRA Version for Sender's Diagnosis / Syndrome and / or Reclassification of Reaction / Event #1 -->
<!-- H.3.r.1b: Sender's Diagnosis / Syndrome and / or Reclassification of Reaction / Event (MedDRA code) #1 -->
<author typeCode="AUT">
  <assignedEntity classCode="ASSIGNED">
    <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="sender"/>
  </assignedEntity>
</author>
</observationEvent>
</component1>
<component1 typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="15" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="diagnosis"/>
    <value xsi:type="CE" code="H.3.r.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="H.3.r.1a"/>
    <!-- H.3.r.1a: MedDRA Version for Sender's Diagnosis / Syndrome and / or Reclassification of Reaction / Event #2 -->
    <!-- H.3.r.1b: Sender's Diagnosis / Syndrome and / or Reclassification of Reaction / Event (MedDRA code) #2 -->
    <author typeCode="AUT">
      <assignedEntity classCode="ASSIGNED">
        <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="sender"/>
      </assignedEntity>
    </author>
  </observationEvent>
</component1>
<component1 typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="10" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="comment"/>
    <value xsi:type="ED">H.4</value>
    <!-- H.4: Sender's Comments -->
    <author typeCode="AUT">
      <assignedEntity classCode="ASSIGNED">
        <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="sender"/>
      </assignedEntity>
    </author>
  </observationEvent>
</component1>
<component1 typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="3" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="未完了に対するコ
メント"/>
    <value xsi:type="ED">J2.7.2</value>
    <!-- @@@J2.7.2: 未完了に対するコメント -->
  </observationEvent>
</component1>
<component1 typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="4" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="感染症の遡及調査
"/>
    <value xsi:type="ED">J2.9</value>
    <!-- @@@J2.9: 感染症の遡及調査 -->
  </observationEvent>
</component1>
<component1 typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="5" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="今後の対応"/>
    <value xsi:type="ED">J2.10</value>
    <!-- @@@J2.10: 今後の対応 -->
  </observationEvent>
</component1>
<component1 typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="6" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="その他参考事項等
"/>
    <value xsi:type="ED">J2.11</value>
    <!-- @@@J2.11: その他参考事項等 -->
  </observationEvent>
</component1>
<component1 typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="12" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="報告内容の要点"
/>
    <value xsi:type="ED">J2.16</value>
    <!-- @@@J2.16: 報告内容の要点 -->
  </observationEvent>
</component1>
<component1 typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="13" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="備考1"/>
    <value xsi:type="ED">J2.19</value>
    <!-- @@@J2.19: 備考1 -->
  </observationEvent>
</component1>
<component1 typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">

```

```

        <code code="14" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="備考2"/>
        <value xsi:type="ED">J2.20</value>
        <!-- @@@J2.20: 備考2 -->
    </observationEvent>
</component1>
<component1 typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="15" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="備考3"/>
        <value xsi:type="ED">J2.21</value>
        <!-- @@@J2.21: 備考3 -->
    </observationEvent>
</component1>
<component1 typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="16" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="備考4"/>
        <value xsi:type="ED">J2.22</value>
        <!-- @@@J2.22: 備考4 -->
    </observationEvent>
</component1>
</adverseEventAssessment>
</component>
<component typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="
additionalDocumentsAvailable"/>
        <value xsi:type="BL" value="true"/>
        <!-- C.1.6.1: Are Additional Documents Available? -->
    </observationEvent>
</component>
<component typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="23" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="localCriteriaForExpedited"/>
        <value xsi:type="BL" value="true"/>
        <!-- C.1.7: Does This Case Fulfil the Local Criteria for an Expedited Report? -->
    </observationEvent>
</component>
<component typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="36" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="summaryAndComment"/>
        <value xsi:type="ED" language="H.5.r.1b">H.5.r.1a</value>
        <!-- H.5.r.1a: Case Summary and Reporter's Comments Text #1 -->
        <!-- H.5.r.1b: Case Summary and Reporter's Comments Language #1 -->
        <author typeCode="AUT">
            <assignedEntity classCode="ASSIGNED">
                <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="reporter"/>
            </assignedEntity>
        </author>
    </observationEvent>
</component>
<component typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="36" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="summaryAndComment"/>
        <value xsi:type="ED" language="H.5.r.1b">H.5.r.1a</value>
        <!-- H.5.r.1a: Case Summary and Reporter's Comments Text #2 -->
        <!-- H.5.r.1b: Case Summary and Reporter's Comments Language #2 -->
        <author typeCode="AUT">
            <assignedEntity classCode="ASSIGNED">
                <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="reporter"/>
            </assignedEntity>
        </author>
    </observationEvent>
</component>
<outboundRelationship typeCode="SPRT">
    <relatedInvestigation classCode="INVSTG" moodCode="EVN">
        <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.22" codeSystemVersion="1.0" displayName="initialReport"/>
        <subjectOf2 typeCode="SUBJ">
            <controlActEvent classCode="CACT" moodCode="EVN">
                <author typeCode="AUT">
                    <assignedEntity classCode="ASSIGNED">
                        <code code="C.1.8.2" codeSystem="2.16.840.1.113883.3.989.2.1.1.3" codeSystemVersion="2.0"/>
                        <!-- C.1.8.2: First Sender of This Case -->
                    </assignedEntity>
                </author>
            </controlActEvent>
        </subjectOf2>
    </relatedInvestigation>
</outboundRelationship>
<outboundRelationship typeCode="SPRT">
    <relatedInvestigation classCode="INVSTG" moodCode="EVN">
        <code nullFlavor="NA"/>
        <subjectOf2 typeCode="SUBJ">
            <controlActEvent classCode="CACT" moodCode="EVN">
                <id extension="C.1.10.r" root="2.16.840.1.113883.3.989.2.1.3.2"/>
            </controlActEvent>
        </subjectOf2>
    </relatedInvestigation>
</outboundRelationship>

```

```

        <!-- C.1.10.r: Identification Number of the Report Which Is Linked to This Report (repeat as necessary) #1 -->
      </controlActEvent>
    </subjectOf2>
  </relatedInvestigation>
</outboundRelationship>
<outboundRelationship typeCode="SPRT">
  <relatedInvestigation classCode="INVSTG" moodCode="EVN">
    <code nullFlavor="NA"/>
    <subjectOf2 typeCode="SUBJ">
      <controlActEvent classCode="CACT" moodCode="EVN">
        <id extension="C.1.10.r" root="2.16.840.1.113883.3.989.2.1.3.2"/>
        <!-- C.1.10.r: Identification Number of the Report Which Is Linked to this Report (repeat as necessary) #2 -->
      </controlActEvent>
    </subjectOf2>
  </relatedInvestigation>
</outboundRelationship>
<outboundRelationship typeCode="SPRT">
  <priorityNumber value="1"/>
  <!-- C.2.r.5: Primary Source for Regulatory Purposes #1 -->
  <relatedInvestigation classCode="INVSTG" moodCode="EVN">
    <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.22" codeSystemVersion="1.0" displayName="sourceReport"/>
    <subjectOf2 typeCode="SUBJ">
      <controlActEvent classCode="CACT" moodCode="EVN">
        <author typeCode="AUT">
          <assignedEntity classCode="ASSIGNED">
            <addr>
              <streetAddressLine>C.2.r.2.3</streetAddressLine>
              <!-- C.2.r.2.3: Reporter's Street #1 -->
              <city>C.2.r.2.4</city>
              <!-- C.2.r.2.4: Reporter's City #1 -->
              <state>C.2.r.2.5</state>
              <!-- C.2.r.2.5: Reporter's State or Province #1 -->
              <postalCode>C.2.r.2.6</postalCode>
              <!-- C.2.r.2.6: Reporter's Postcode #1 -->
            </addr>
            <telecom value="tel:C.2.r.2.7"/>
            <!-- C.2.r.2.7: Reporter's Telephone #1 -->
            <assignedPerson classCode="PSN" determinerCode="INSTANCE">
              <name>
                <prefix>C.2.r.1.1</prefix>
                <!-- C.2.r.1.1: Reporter's Title #1 -->
                <given>C.2.r.1.2</given>
                <!-- C.2.r.1.2: Reporter's Given Name #1 -->
                <given>C.2.r.1.3</given>
                <!-- C.2.r.1.3: Reporter's Middle Name #1 -->
                <family>C.2.r.1.4</family>
                <!-- C.2.r.1.4: Reporter's Family Name #1 -->
              </name>
              <asQualifiedEntity classCode="QUAL">
                <code code="C.2.r.4" codeSystem="2.16.840.1.113883.3.989.2.1.1.6" codeSystemVersion="2.0"/>
                <!-- C.2.r.4: Qualification #1 -->
              </asQualifiedEntity>
              <asLocatedEntity classCode="LOCE">
                <location classCode="COUNTRY" determinerCode="INSTANCE">
                  <code code="C.2.r.3" codeSystem="1.0.3166.1.2.2"/>
                  <!-- C.2.r.3: Reporter's Country Code #1 -->
                </location>
              </asLocatedEntity>
            </assignedPerson>
            <representedOrganization classCode="ORG" determinerCode="INSTANCE">
              <name>C.2.r.2.2</name>
              <!-- C.2.r.2.2: Reporter's Department #1 -->
              <assignedEntity classCode="ASSIGNED">
                <representedOrganization classCode="ORG" determinerCode="INSTANCE">
                  <name>C.2.r.2.1</name>
                  <!-- C.2.r.2.1: Reporter's Organisation #1 -->
                </representedOrganization>
              </assignedEntity>
            </representedOrganization>
          </assignedEntity>
        </author>
      </controlActEvent>
    </subjectOf2>
  </relatedInvestigation>
</outboundRelationship>
<outboundRelationship typeCode="SPRT">
  <relatedInvestigation classCode="INVSTG" moodCode="EVN">
    <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.22" codeSystemVersion="1.0" displayName="sourceReport"/>
    <subjectOf2 typeCode="SUBJ">
      <controlActEvent classCode="CACT" moodCode="EVN">
        <author typeCode="AUT">
          <assignedEntity classCode="ASSIGNED">
            <addr>
              <streetAddressLine>C.2.r.2.3</streetAddressLine>

```

```

        <!-- C.2.r.2.3: Reporter's Street #2 -->
        <city>C.2.r.2.4</city>
        <!-- C.2.r.2.4: Reporter's City #2 -->
        <state>C.2.r.2.5</state>
        <!-- C.2.r.2.5: Reporter's State or Province #2 -->
        <postalCode>C.2.r.2.6</postalCode>
        <!-- C.2.r.2.6: Reporter's Postcode #2 -->
    </addr>
    <telecom value="tel:C.2.r.2.7"/>
    <!-- C.2.r.2.7: Reporter's Telephone #2 -->
    <assignedPerson classCode="PSN" determinerCode="INSTANCE">
        <name>
            <prefix>C.2.r.1.1</prefix>
            <!-- C.2.r.1.1: Reporter's Title #2 -->
            <given>C.2.r.1.2</given>
            <!-- C.2.r.1.2: Reporter's Given Name #2 -->
            <given>C.2.r.1.3</given>
            <!-- C.2.r.1.3: Reporter's Middle Name #2 -->
            <family>C.2.r.1.4</family>
            <!-- C.2.r.1.4: Reporter's Family Name #2 -->
        </name>
        <asQualifiedEntity classCode="QUAL">
            <code code="C.2.r.4" codeSystem="2.16.840.1.113883.3.989.2.1.1.6" codeSystemVersion="2.0"/>
            <!-- C.2.r.4: Qualification #2 -->
        </asQualifiedEntity>
        <asLocatedEntity classCode="LOCE">
            <location classCode="COUNTRY" determinerCode="INSTANCE">
                <code code="C.2.r.3" codeSystem="1.0.3166.1.2.2"/>
                <!-- C.2.r.3: Reporter's Country Code #2 -->
            </location>
        </asLocatedEntity>
    </assignedPerson>
    <representedOrganization classCode="ORG" determinerCode="INSTANCE">
        <name>C.2.r.2.2</name>
        <!-- C.2.r.2.2: Reporter's Department #2 -->
        <assignedEntity classCode="ASSIGNED">
            <representedOrganization classCode="ORG" determinerCode="INSTANCE">
                <name>C.2.r.2.1</name>
                <!-- C.2.r.2.1: Reporter's Organisation #2 -->
            </representedOrganization>
        </assignedEntity>
    </representedOrganization>
</assignedEntity>
</author>
</controlActEvent>
</subjectOf2>
</relatedInvestigation>
</outboundRelationship>
<subjectOf1 typeCode="SUBJ">
    <controlActEvent classCode="CACT" moodCode="EVN">
        <author typeCode="AUT">
            <assignedEntity classCode="ASSIGNED">
                <code code="C.3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.7" codeSystemVersion="2.0"/>
                <!-- C.3.1: Sender Type -->
            <addr>
                <streetAddressLine>C.3.4.1</streetAddressLine>
                <!-- C.3.4.1: Sender's Street Address -->
                <city>C.3.4.2</city>
                <!-- C.3.4.2: Sender's City -->
                <state>C.3.4.3</state>
                <!-- C.3.4.3: Sender's State or Province -->
                <postalCode>C.3.4.4</postalCode>
                <!-- C.3.4.4: Sender's Postcode -->
            </addr>
            <telecom value="tel:C.3.4.6"/>
            <!-- C.3.4.6: Sender's Telephone -->
            <telecom value="fax:C.3.4.7"/>
            <!-- C.3.4.7: Sender's Fax -->
            <telecom value="mailto:C.3.4.8"/>
            <!-- C.3.4.8: Sender's E-mail Address -->
            <assignedPerson classCode="PSN" determinerCode="INSTANCE">
                <name>
                    <prefix>C.3.3.2</prefix>
                    <!-- C.3.3.2: Sender's Title -->
                    <given>C.3.3.3</given>
                    <!-- C.3.3.3: Sender's Given Name -->
                    <given>C.3.3.4</given>
                    <!-- C.3.3.4: Sender's Middle Name -->
                    <family>C.3.3.5</family>
                    <!-- C.3.3.5: Sender's Family Name -->
                </name>
                <asLocatedEntity classCode="LOCE">
                    <location classCode="COUNTRY" determinerCode="INSTANCE">
                        <code code="C.3.4.5" codeSystem="1.0.3166.1.2.2"/>

```



```

        <!-- C.3.4.5: Sender's Country Code -->
    </location>
</asLocatedEntity>
</assignedPerson>
<representedOrganization classCode="ORG" determinerCode="INSTANCE">
    <name>C.3.3.1</name>
    <!-- C.3.3.1: Sender's Department -->
    <assignedEntity classCode="ASSIGNED">
        <representedOrganization classCode="ORG" determinerCode="INSTANCE">
            <name>C.3.2</name>
            <!-- C.3.2: Sender's Organisation -->
        </representedOrganization>
    </assignedEntity>
</representedOrganization>
</author>
<primaryInformationRecipient typeCode="PRCP">
    <assignedEntity classCode="ASSIGNED">
        <assignedPerson classCode="PSN" determinerCode="INSTANCE">
            <name>
                <prefix>J2.18.2</prefix>
                <!-- @@@J2.18.2: 受信者 肩書き -->
                <family>J2.18.3</family>
                <!-- @@@J2.18.3: 受信者 姓 -->
                <given>J2.18.4</given>
                <!-- @@@J2.18.4: 受信名 名 -->
            </name>
            </assignedPerson>
            <representedOrganization classCode="ORG" determinerCode="INSTANCE">
                <name>J2.18.1</name>
                <!-- @@@J2.18.1: 受信者 組織名 -->
            </representedOrganization>
        </assignedEntity>
    </primaryInformationRecipient>
</controlActEvent>
</subjectOf1>
<subjectOf1 typeCode="SUBJ">
    <controlActEvent classCode="CACT" moodCode="EVN">
        <id assigningAuthorityName="C.1.9.1.r.1" extension="C.1.9.1.r.2" root="2.16.840.1.113883.3.989.2.1.3.3"/>
        <!-- C.1.9.1.r.1: Source(s) of the Case Identifier (repeat as necessary) #1 -->
        <!-- C.1.9.1.r.2 Case Identifier(s) #1 -->
    </controlActEvent>
</subjectOf1>
<subjectOf1 typeCode="SUBJ">
    <controlActEvent classCode="CACT" moodCode="EVN">
        <id assigningAuthorityName="C.1.9.1.r.1" extension="C.1.9.1.r.2" root="2.16.840.1.113883.3.989.2.1.3.3"/>
        <!-- C.1.9.1.r.1: Source(s) of the Case Identifier (repeat as necessary) #2 -->
        <!-- C.1.9.1.r.2 Case Identifier(s) #2 -->
    </controlActEvent>
</subjectOf1>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.23" codeSystemVersion="1.0" displayName="ichReportType"/>
        <value xsi:type="CE" code="C.1.3" codeSystem="2.16.840.1.113883.3.989.2.1.1.2" codeSystemVersion="2.0"/>
        <!-- C.1.3 Type of Report -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.23" codeSystemVersion="1.0" displayName="otherCaseIds"/>
        <value xsi:type="BL" value="true"/>
        <!-- C.1.9.1 Other Case Identifiers in Previous Transmissions -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.23" codeSystemVersion="1.0" displayName="nullificationAmendmentCode"/>
        <value xsi:type="CE" code="C.1.11.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.5" codeSystemVersion="2.0"/>
        <!-- C.1.11.1: Report Nullification / Amendment -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="4" codeSystem="2.16.840.1.113883.3.989.2.1.1.23" codeSystemVersion="1.0" displayName="
nullificationAmendmentReason"/>
        <value xsi:type="CE">
            <originalText>C.1.11.2</originalText>
            <!-- C.1.11.2: Reason for Nullification / Amendment -->
        </value>
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">

```

```

        <code code="1" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.12" codeSystemVersion="1.0" displayName="識別番号 (報告分類)"/>
        <value xsi:type="CE" code="J2.1a" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.1" codeSystemVersion="1.1"/>
        <!-- @@@J2.1a: 識別番号 (報告分類) -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="2" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.12" codeSystemVersion="1.0" displayName="報告起算日"/>
        <value xsi:type="TS" value="20130107"/>
        <!-- @@@J2.2.1: 報告起算日 -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="3" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.12" codeSystemVersion="1.0" displayName="報告起算日に関するコメン
ト"/>
        <value xsi:type="ED">J2.2.2</value>
        <!-- @@@J2.2.2: 報告起算日に関するコメント -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="4" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.12" codeSystemVersion="1.0" displayName="即時報告フラグ"/>
        <value xsi:type="CE" code="J2.3" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.2" codeSystemVersion="1.1"/>
        <!-- @@@J2.3: 即時報告フラグ -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="5" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.12" codeSystemVersion="1.0" displayName="報告対象外フラグ"/>
        <value xsi:type="CE" code="J2.8.1" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.6" codeSystemVersion="1.1"/>
        <!-- @@@J2.8.1: 報告対象外フラグ -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="6" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.12" codeSystemVersion="1.0" displayName="報告対象外の理由"/>
        <value xsi:type="ED">J2.8.2</value>
        <!-- @@@J2.8.2: 報告対象外の理由 -->
    </investigationCharacteristic>
</subjectOf2>
</investigationEvent>
</subject>
</controlActProcess>
</PORR_IN049016UV>
<!-- Message #1 -->
<!-- Message #2 -->
<!-- PORR_IN049016UV -->
<!-- /PORR_IN049016UV -->
<!-- Message #2 -->
<receiver typeCode="RCV">
    <device classCode="DEV" determinerCode="INSTANCE">
        <id extension="N.1.4" root="2.16.840.1.113883.3.989.2.1.3.14"/>
        <!-- N.1.4: Batch Receiver Identifier -->
    </device>
</receiver>
<sender typeCode="SND">
    <device classCode="DEV" determinerCode="INSTANCE">
        <id extension="N.1.3" root="2.16.840.1.113883.3.989.2.1.3.13"/>
        <!-- N.1.3: Batch Sender Identifier -->
    </device>
</sender>
</MCCI_IN200100UV01>

```