

## XML参照インスタンス (医薬部外品・化粧品用)

```
<?xml version="1.0" encoding="UTF-8"?>
<MCCI_IN200100UV01 ITSVersion="XML_1.0" xsi:schemaLocation="urn:h17-org:v3 MCCI_IN200100UV01.xsd" xmlns="urn:h17-org:v3" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <id extension="N.1.2" root="2.16.840.1.113883.3.989.2.1.3.22"/>
  <!-- N.1.2: Batch Number -->
  <creationTime value="20101214151617"/>
  <!-- N.1.5: Date of Batch Transmission -->
  <responseModeCode code="D"/>
  <interactionId extension="MCCI_IN200100UV01" root="2.16.840.1.113883.1.6"/>
  <name code="N.1.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.1" codeSystemVersion="2.0"/>
  <!-- N.1.1: Type of Messages in Batch -->
  <!-- Message #1 -->
  <PORR_IN049016UV>
    <id extension="N.2.r.1" root="2.16.840.1.113883.3.989.2.1.3.1"/>
    <!-- N.2.r.1: Message Identifier -->
    <creationTime value="20101214151617"/>
    <!-- N.2.r.4: Date of Message Creation -->
    <interactionId extension="PORR_IN049016UV" root="2.16.840.1.113883.1.6"/>
    <processingCode code="P"/>
    <processingModeCode code="T"/>
    <acceptAckCode code="AL"/>
    <receiver typeCode="RCV">
      <device classCode="DEV" determinerCode="INSTANCE">
        <id extension="N.2.r.3" root="2.16.840.1.113883.3.989.2.1.3.12"/>
        <!-- N.2.r.3: Message Receiver Identifier -->
      </device>
    </receiver>
    <sender typeCode="SND">
      <device classCode="DEV" determinerCode="INSTANCE">
        <id extension="N.2.r.2" root="2.16.840.1.113883.3.989.2.1.3.11"/>
        <!-- N.2.r.2: Message Sender Identifier -->
      </device>
    </sender>
    <controlActProcess classCode="CACT" moodCode="EVN">
      <code code="PORR_TE049016UV" codeSystem="2.16.840.1.113883.1.18"/>
      <!-- HL7 Trigger Event ID -->
      <effectiveTime value="20101214151617"/>
      <!-- C.1.2: Date of Creation -->
      <subject typeCode="SUBJ">
        <investigationEvent classCode="INVSTG" moodCode="EVN">
          <id extension="C.1.1" root="2.16.840.1.113883.3.989.2.1.3.1"/>
          <!-- C.1.1: Sender's (case) Safety Report Unique Identifier -->
          <id extension="C.1.8.1" root="2.16.840.1.113883.3.989.2.1.3.2"/>
          <!-- C.1.8.1: Worldwide Unique Case Identification Number -->
          <id extension="J2.1b" root="2.16.840.1.113883.3.989.5.1.3.2.3.1"/>
          <!-- @@J2.1b: 識別番号 (番号) -->
          <code code="PAT_ADV_EVNT" codeSystem="2.16.840.1.113883.5.4"/>
          <text>H.1</text>
          <!-- H.1: Case Narrative Including Clinical Course, Therapeutic Measures, Outcome and Additional Relevant Information -->
          <statusCode code="active"/>
          <!-- @@J2.7.1 完了、未完了区分 -->
          <effectiveTime>
            <low value="20090101"/>
            <!-- C.1.4: Date Report Was First Received from Source -->
          </effectiveTime>
          <availabilityTime value="20090101"/>
          <!-- C.1.5: Date of Most Recent Information for This Report -->
          <reference typeCode="REFR">
            <document classCode="DOC" moodCode="EVN">
              <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.27" codeSystemVersion="1.0" displayName="documentsHeldBySender"/>
              <title>C.1.6.1.r.1</title>
              <!-- C.1.6.1.r.1: Documents Held by Sender (repeat as necessary) #1 -->
              <text mediaType="application/pdf" representation="B64">C.1.6.1.r.2</text>
              <!-- C.1.6.1.r.2: Included Documents #1 -->
            </document>
          </reference>
          <reference typeCode="REFR">
            <document classCode="DOC" moodCode="EVN">
              <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.27" codeSystemVersion="1.0" displayName="documentsHeldBySender"/>
              <title>C.1.6.1.r.1</title>
              <!-- C.1.6.1.r.1: Documents Held by Sender (repeat as necessary) #2 -->
              <text mediaType="image/jpeg" representation="B64" compression="DF">C.1.6.1.r.2</text>
              <!-- C.1.6.1.r.2: Included Documents #2 -->
            </document>
          </reference>
          <reference typeCode="REFR">
            <document classCode="DOC" moodCode="EVN">
              <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.27" codeSystemVersion="1.0" displayName="literatureReference"/>
              <title>J2.17.r</title>
              <!-- @@J2.17.r 試験/研究の分類 #1 -->
              <text mediaType="application/pdf" representation="B64">C.4.r.2</text>
              <!-- C.4.r.2: Included Documents #1 -->
              <bibliographicDesignationText>C.4.r.1</bibliographicDesignationText>
              <!-- C.4.r.1: Literature Reference(s) #1 -->
            </document>
          </reference>
        </investigationEvent>
      </subject>
    </controlActProcess>
  </PORR_IN049016UV>
</MCCI_IN200100UV01>
```

```

    <participation typeCode="AUT">
      <assignedEntity classCode="ASSIGNED">
        <representedOrganization classCode="ORG" determinerCode="INSTANCE">
          <asLocatedEntity classCode="LOCE">
            <location classCode="COUNTRY" determinerCode="INSTANCE">
              <code code="J2.15.r" codeSystem="1.0.3166.1.2.2"/>
              <!-- @@@J2.15.r 公表国 #1 -->
            </location>
          </asLocatedEntity>
        </representedOrganization>
      </assignedEntity>
    </participation>
  </document>
</reference>
<reference typeCode="REFR">
  <document classCode="DOC" moodCode="EVN">
    <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.27" codeSystemVersion="1.0" displayName="literatureReference"/>
    <title>J2.17.r</title>
    <!-- @@@J2.17.r 試験/研究の分類 #2 -->
    <text mediaType="application/pdf" representation="B64">C.4.r.2</text>
    <!-- C.4.r.2: Included Documents #2 -->
    <bibliographicDesignationText>C.4.r.1</bibliographicDesignationText>
    <!-- C.4.r.1: Literature Reference(s) #2 -->
    <participation typeCode="AUT">
      <assignedEntity classCode="ASSIGNED">
        <representedOrganization classCode="ORG" determinerCode="INSTANCE">
          <asLocatedEntity classCode="LOCE">
            <location classCode="COUNTRY" determinerCode="INSTANCE">
              <code code="J2.15.r" codeSystem="1.0.3166.1.2.2"/>
              <!-- @@@J2.15.r 公表国 #2 -->
            </location>
          </asLocatedEntity>
        </representedOrganization>
      </assignedEntity>
    </participation>
  </document>
</reference>
<component typeCode="COMP">
  <adverseEventAssessment classCode="INVSTG" moodCode="EVN">
    <subject1 typeCode="SBJ">
      <primaryRole classCode="INVSBJ">
        <player1 classCode="PSN" determinerCode="INSTANCE">
          <name>D.1</name>
          <!-- D.1: Patient (name or initials) -->
          <administrativeGenderCode code="D.5" codeSystem="1.0.5218"/>
          <!-- D.5 Sex -->
          <role classCode="PRS">
            <code code="PRN" codeSystem="2.16.840.1.113883.5.111"/>
            <associatedPerson classCode="PSN" determinerCode="INSTANCE">
              </associatedPerson>
            <subjectOf2 typeCode="SBJ">
              <organizer classCode="CATEGORY" moodCode="EVN">
                <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.20" codeSystemVersion="1.0" displayName="
drugHistory"/>
              </organizer>
            </subjectOf2>
          </role>
        </player1>
      <subjectOf1 typeCode="SBJ">
        <researchStudy classCode="CLNTRL" moodCode="EVN">
          <id extension="C.5.3" root="2.16.840.1.113883.3.989.2.1.3.5"/>
          <!-- C.5.3: Sponsor Study Number -->
          <code code="C.5.4" codeSystem="2.16.840.1.113883.3.989.2.1.1.8" codeSystemVersion="2.0"/>
          <!-- C.5.4: Study Type Where Reaction(s) / Event(s) Were Observed -->
          <title>C.5.2</title>
          <!-- C.5.2: Study Name -->
          <authorization typeCode="AUTH">
            <studyRegistration classCode="ACT" moodCode="EVN">
              <id extension="C.5.1.r.1" root="2.16.840.1.113883.3.989.2.1.3.6"/>
              <!-- C.5.1.r.1: Study Registration Number #1 -->
              <author typeCode="AUT">
                <territorialAuthority classCode="TERR">
                  <governingPlace classCode="COUNTRY" determinerCode="INSTANCE">
                    <code code="C.5.1.r.2" codeSystem="1.0.3166.1.2.2"/>
                    <!-- C.5.1.r.2: Study Registration Country #1 -->
                  </governingPlace>
                </territorialAuthority>
              </author>
            </studyRegistration>
          </authorization>
          <authorization typeCode="AUTH">
            <studyRegistration classCode="ACT" moodCode="EVN">
              <id extension="C.5.1.r.1" root="2.16.840.1.113883.3.989.2.1.3.6"/>
              <!-- C.5.1.r.1 Study Registration Number #2 -->
            </studyRegistration>
          </authorization>
        </researchStudy>
      </subjectOf1>
    </subject1>
  </adverseEventAssessment>
</component>

```

```

        <author typeCode="AUT">
            <territorialAuthority classCode="TERR">
                <governingPlace classCode="COUNTRY" determinerCode="INSTANCE">
                    <code code="C.5.1.r.2" codeSystem="1.0.3166.1.2.2"/>
                    <!-- C.5.1.r.2: Study Registration Country #2 -->
                </governingPlace>
            </territorialAuthority>
        </author>
    </studyRegistration>
</authorization>
</researchStudy>
</subjectOf1>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="age"/>
        <value xsi:type="PQ" value="10" unit="D.2.2b"/>
        <!-- D.2.2a: Age at Time of Onset of Reaction / Event (number) -->
        <!-- D.2.2b: Age at Time of Onset of Reaction / Event (unit) -->
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="16" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="
gestationPeriod"/>
        <value xsi:type="PQ" value="10" unit="D.2.2.1b"/>
        <!-- D.2.2.1a: Gestation Period When Reaction / Event Was Observed in the Foetus (number) -->
        <!-- D.2.2.1b: Gestation Period When Reaction / Event Was Observed in the Foetus (unit) -->
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="4" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="ageGroup"/>
        <value xsi:type="CE" code="D.2.3" codeSystem="2.16.840.1.113883.3.989.2.1.1.9" codeSystemVersion="2.0"/>
        <!-- D.2.3: Patient Age Group (as per reporter) -->
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="7" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="bodyWeight"/>
        <value xsi:type="PQ" value="48.2" unit="kg"/>
        <!-- D.3: Body Weight (kg) -->
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="17" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="height"/>
        <value xsi:type="PQ" value="152" unit="cm"/>
        <!-- D.4: Height (cm) -->
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="17" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" displayName="lastMenstrualPeriodDate" />
        <value xsi:type="CE" code="J2.28" codeSystemVersion="1.0" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.16" />
        <!-- @@@J2.28: 妊娠の有無 -->
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <organizer classCode="CATEGORY" moodCode="EVN">
        <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.20" codeSystemVersion="1.0" displayName="
relevantMedicalHistoryAndConcurrentConditions"/>
        <component typeCode="COMP">
            <observation classCode="OBS" moodCode="EVN">
                <code code="D.7.1.r.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D.7.1.r.1a"/>
                <!-- D.7.1.r.1a: MedDRA Version for Medical History #1 -->
                <!-- D.7.1.r.1b: Medical History (disease / surgical procedure / etc.) (MedDRA code) #1 -->
            </observation>
            <inboundRelationship typeCode="REFR">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="13" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="continuing"/>
                    <value xsi:type="BL" value="true"/>
                    <!-- D.7.1.r.3: Continuing #1 -->
                </observation>
            </inboundRelationship>
        </component>
        <component typeCode="COMP">
            <observation classCode="OBS" moodCode="EVN">
                <code code="D.7.1.r.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D.7.1.r.1a"/>
                <!-- D.7.1.r.1a: MedDRA Version for Medical History #2 -->
                <!-- D.7.1.r.1b: Medical history (disease / surgical procedure / etc.) (MedDRA code) #2 -->
            </observation>
        </component>
    </organizer>
</subjectOf2>

```

```

        <inboundRelationship typeCode="REFR">
            <observation classCode="OBS" moodCode="EVN">
                <code code="13" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
                <value xsi:type="BL" value="true"/>
                <!-- D.7.1.r.3: Continuing #2 -->
            </observation>
        </inboundRelationship>
    </observation>
</component>
<component typeCode="COMP">
    <observation classCode="OBS" moodCode="EVN">
        <code code="18" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="
historyAndConcurrentConditionText"/>
        <value xsi:type="ED">D.7.2</value>
        <!-- D.7.2: Text for Relevant Medical History and Concurrent Conditions (not including reaction /
event) -->
    </observation>
</component>
</organizer>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <organizer classCode="CATEGORY" moodCode="EVN">
        <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.20" codeSystemVersion="1.0" displayName="drugHistory"
/>
        <component typeCode="COMP">
            <substanceAdministration classCode="SBADM" moodCode="EVN">
                <consumable typeCode="CSM">
                    <instanceOfKind classCode="INST">
                        <kindOfProduct classCode="MMAT" determinerCode="KIND">
                            <name>D.8.r.1</name>
                            <!-- D.8.r.1: Name of Drug as Reported #1 -->
                        </kindOfProduct>
                    </instanceOfKind>
                </consumable>
                <outboundRelationship2 typeCode="CAUS">
                    <observation classCode="OBS" moodCode="EVN">
                        <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
                        <value xsi:type="CE" code="D.8.r.7b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="
D.8.r.7a"/>
                        <!-- D.8.r.7a: MedDRA Version for Reaction #1 -->
                        <!-- D.8.r.7b: Reaction (MedDRA code) #1 -->
                    </observation>
                </outboundRelationship2>
            </substanceAdministration>
        </component>
        <component typeCode="COMP">
            <substanceAdministration classCode="SBADM" moodCode="EVN">
                <consumable typeCode="CSM">
                    <instanceOfKind classCode="INST">
                        <kindOfProduct classCode="MMAT" determinerCode="KIND">
                            <name>D.8.r.1</name>
                            <!-- D.8.r.1: Name of Drug as Reported #2 -->
                        </kindOfProduct>
                    </instanceOfKind>
                </consumable>
                <outboundRelationship2 typeCode="CAUS">
                    <observation classCode="OBS" moodCode="EVN">
                        <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
                        <value xsi:type="CE" code="D.8.r.7b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="
D.8.r.7a"/>
                        <!-- D.8.r.7a: MedDRA Version for Reaction #2 -->
                        <!-- D.8.r.7b: Reaction (MedDRA code) #2 -->
                    </observation>
                </outboundRelationship2>
            </substanceAdministration>
        </component>
    </organizer>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <id root="154eb889-958b-45f2-a02f-42d4d6f4657e"/>
        <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
        <effectiveTime xsi:type="IVL_TS">
            <low value="20090101"/>
            <!-- E.i.4: Date of Start of Reaction / Event #1 -->
            <high value="20090102"/>
            <!-- E.i.5: Date of End of Reaction / Event #1 -->
        </effectiveTime>
        <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
            <!-- E.i.2.1a: MedDRA Version for Reaction / Event #1 -->

```

```

        <!-- E.i.2.1b: Reaction / Event (MedDRA code) #1 -->
        <originalText>E.i.1.1a</originalText>
        <!-- E.i.1.1a: Reaction / Event as Reported by the Primary Source in Native Language #1 -->
    </value>
    <outboundRelationship2 typeCode="PERT">
        <observation classCode="OBS" moodCode="EVN">
            <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="
outcome"/>
            <value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.
0"/>
            <!-- E.i.7: Outcome of Reaction / Event at the Time of Last Observation #1 -->
        </observation>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="PERT">
        <observation classCode="OBS" moodCode="EVN">
            <code code="11" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="
"未知・既知"/>
            <value xsi:type="CE" code="J2.26.i" codeSystemVersion="1.0" codeSystem="2.16.840.1.113883.3.989.5.1.3.
2.1.14" />
            <!-- @J2.26.i 重篤性等 #1 -->
        </observation>
    </outboundRelationship2>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
        <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
        <effectiveTime xsi:type="IVL_TS">
            <low value="20090101"/>
            <!-- E.i.4: Date of Start of Reaction / Event #2 -->
        </effectiveTime>
        <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
            <!-- E.i.2.1a: MedDRA Version for Reaction / Event #2 -->
            <!-- E.i.2.1b: Reaction / Event (MedDRA code) #2 -->
            <originalText>E.i.1.1a</originalText>
            <!-- E.i.1.1a: Reaction / Event as Reported by the Primary Source in Native Language #2 -->
        </value>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="
outcome"/>
                <value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.
0"/>
                <!-- E.i.7: Outcome of Reaction / Event at the Time of Last Observation #2 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="11" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="
"未知・既知"/>
                <value xsi:type="CE" code="J2.26.i" codeSystemVersion="1.0" codeSystem="2.16.840.1.113883.3.989.5.1.3.
2.1.14" />
                <!-- @J2.26.i 重篤性等 #2 -->
            </observation>
        </outboundRelationship2>
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <id root="3a8626cb-9f1b-4ea8-8a0f-e0ff34430adf"/>
        <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
        <effectiveTime xsi:type="IVL_TS">
            <high value="20101201"/>
            <!-- E.i.5: Date of End of Reaction / Event #3 -->
        </effectiveTime>
        <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
            <!-- E.i.2.1a: MedDRA Version for Reaction / Event #3 -->
            <!-- E.i.2.1b: Reaction / Event (MedDRA code) #3 -->
            <originalText>E.i.1.1a</originalText>
            <!-- E.i.1.1a: Reaction / Event as Reported by the Primary Source in Native Language #3 -->
        </value>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="
outcome"/>
                <value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.
0"/>
                <!-- E.i.7: Outcome of Reaction / Event at the Time of Last Observation #3 -->
            </observation>
        </outboundRelationship2>

```

```

</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
  <observation classCode="OBS" moodCode="EVN">
    <id root="2e99840f-08b4-499c-80ff-dd8415f4f8a5"/>
    <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>

    <effectiveTime xsi:type="SXPR_TS">
      <comp xsi:type="IVL_TS">
        <low value="20090101"/>
        <!-- E.i.4: Date of Start of Reaction / Event #4 -->
        <high value="20101201"/>
        <!-- E.i.5: Date of End of Reaction / Event #4 -->
      </comp>
      <comp xsi:type="IVL_TS" operator="A">
      </comp>
    </effectiveTime>
    <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
      <!-- E.i.2.1a: MedDRA Version for Reaction / Event #4 -->
      <!-- E.i.2.1b: Reaction / Event (MedDRA code) #4 -->
      <originalText>E.i.1.1a</originalText>
      <!-- E.i.1.1a: Reaction / Event as Reported by the Primary Source in Native Language #4 -->
    </value>
    <outboundRelationship2 typeCode="PERT">
      <observation classCode="OBS" moodCode="EVN">
        <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="
outcome"/>
        <value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.
0"/>
        <!-- E.i.7: Outcome of Reaction / Event at the Time of Last Observation #4 -->
      </observation>
    </outboundRelationship2>
  </subjectOf2>
</subjectOf2 typeCode="SBJ">
  <observation classCode="OBS" moodCode="EVN">
    <id root="1071064c-cf10-4a3b-83c1-34f9ddb7ea6d"/>
    <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>

    <effectiveTime xsi:type="IVL_TS">
      <low value="20090101"/>
      <!-- E.i.4: Date of Start of Reaction / Event #5 -->
    </effectiveTime>
    <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
      <!-- E.i.2.1a: MedDRA Version for Reaction / Event #5 -->
      <!-- E.i.2.1b: Reaction / Event (MedDRA code) #5 -->
      <originalText>E.i.1.1a</originalText>
      <!-- E.i.1.1a: Reaction / Event as Reported by the Primary Source in Native Language #5 -->
    </value>
    <outboundRelationship2 typeCode="PERT">
      <observation classCode="OBS" moodCode="EVN">
        <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="
outcome"/>
        <value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.
0"/>
        <!-- E.i.7: Outcome of Reaction / Event at the Time of Last Observation #5 -->
      </observation>
    </outboundRelationship2>
  </subjectOf2>
</subjectOf2 typeCode="SBJ">
  <observation classCode="OBS" moodCode="EVN">
    <id root="1f927283-10b6-4334-9d43-e925640fb18f"/>
    <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>

    <effectiveTime xsi:type="IVL_TS">
      <high value="20090101"/>
      <!-- E.i.4: Date of Start of Reaction / Event #6 -->
    </effectiveTime>
    <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
      <!-- E.i.2.1a: MedDRA Version for Reaction / Event #6 -->
      <!-- E.i.2.1b: Reaction / Event (MedDRA code) #6 -->
      <originalText>E.i.1.1a</originalText>
      <!-- E.i.1.1a: Reaction / Event as Reported by the Primary Source in Native Language #6 -->
    </value>
    <outboundRelationship2 typeCode="PERT">
      <observation classCode="OBS" moodCode="EVN">
        <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="
outcome"/>
        <value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.
0"/>
        <!-- E.i.7: Outcome of Reaction / Event at the Time of Last Observation #6 -->
      </observation>
    </outboundRelationship2>

```

```

    </observation>
  </subjectOf2>
  <subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
      <id root="e0342969-38be-423f-b6bb-ce14bc279d8e"/>
      <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>

      <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
        <!-- E.i.2.1a: MedDRA Version for Reaction / Event #7 -->
        <!-- E.i.2.1b: Reaction / Event (MedDRA code) #7 -->
        <originalText>E.i.1.1a</originalText>
        <!-- E.i.1.1a: Reaction / Event as Reported by the Primary Source in Native Language #7 -->
      </value>
      <outboundRelationship2 typeCode="PERT">
        <observation classCode="OBS" moodCode="EVN">
          <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="
outcome"/>
          <value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.
0"/>
          <!-- E.i.7: Outcome of Reaction / Event at the Time of Last Observation #7 -->
        </observation>
      </outboundRelationship2>
    </subjectOf2>
  <subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
      <id root="a15be092-8070-426d-af04-6863263443e0"/>
      <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>

      <effectiveTime xsi:type="SXPR_TS">
        <comp xsi:type="IVL_TS">
          <low value="20090101"/>
          <!-- E.i.4: Date of Start of Reaction / Event #8 -->
        </comp>
        <comp xsi:type="IVL_TS" operator="A">
          <high value="20101201"/>
          <!-- E.i.5: Date of End of Reaction / Event #8 -->
        </comp>
      </effectiveTime>
      <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
        <!-- E.i.2.1a: MedDRA Version for Reaction / Event #8 -->
        <!-- E.i.2.1b: Reaction / Event (MedDRA code) #8 -->
        <originalText>E.i.1.1a</originalText>
        <!-- E.i.1.1a: Reaction / Event as Reported by the Primary Source in Native Language #8 -->
      </value>
      <outboundRelationship2 typeCode="PERT">
        <observation classCode="OBS" moodCode="EVN">
          <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="
outcome"/>
          <value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.
0"/>
          <!-- E.i.7: Outcome of Reaction / Event at the Time of Last Observation #8 -->
        </observation>
      </outboundRelationship2>
    </subjectOf2>
  <subjectOf2 typeCode="SBJ">
    <organizer classCode="CATEGORY" moodCode="EVN">
      <code code="4" codeSystem="2.16.840.1.113883.3.989.2.1.1.20" codeSystemVersion="1.0" displayName="
drugInformation"/>
      <!-- G.k Drug(s) Information (repeat as necessary) #1 -->
      <component typeCode="COMP">
        <substanceAdministration classCode="SBADM" moodCode="EVN">
          <id root="3c91b4d5-e039-4a7a-9c30-67671b0ef9e4"/>
          <consumable typeCode="CSM">
            <instanceOfKind classCode="INST">
              <kindOfProduct classCode="MMAT" determinerCode="KIND">
                <name>G.k.2.2</name>
                <!-- G.k.2.2: Medicinal Product Name as Reported by the Primary Source #1 -->
                <formCode code="J2.24.k" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.13"
codeSystemVersion="1.0" />
                <!-- @@J2.24.k 製品種別 #1 -->
                <asManufacturedProduct classCode="MANU">
                  <subjectOf typeCode="SBJ">
                    <approval classCode="CNTRCT" moodCode="EVN">
                      <id extension="G.k.3.1" root="2.16.840.1.113883.3.989.2.1.3.4"/>
                      <!-- G.k.3.1: Authorisation / Application Number #1 -->
                      <holder typeCode="HLD">
                        <role classCode="HLD">
                          <playingOrganization classCode="ORG" determinerCode="INSTANCE">
                            <name>G.k.3.3</name>
                            <!-- G.k.3.3: Name of Holder / Applicant #1 -->
                          </playingOrganization>
                        </role>
                    </approval>
                  </subjectOf>
                </asManufacturedProduct>
              </kindOfProduct>
            </instanceOfKind>
          </consumable>
        </substanceAdministration>
      </component>
    </organizer>
  </subjectOf2>

```

```

        </holder>
        <author typeCode="AUT">
            <territorialAuthority classCode="TERR">
                <territory classCode="NAT" determinerCode="INSTANCE">
                    <code code="G. k. 3. 2" codeSystem="1. 0. 3166. 1. 2. 2"/>
                    <!-- G. k. 3. 2: Country of Authorisation / Application #1 -->
                </territory>
            </territorialAuthority>
        </author>
    </approval>
</subjectOf>
<subjectOf typeCode="SBJ">
    <characteristic classCode="OBS" moodCode="EVN">
        <code code="1" codeSystem="2. 16. 840. 1. 113883. 3. 989. 5. 1. 3. 2. 1. 10">
            <value xsi:type="CE" code="J2. 4. k" codeSystem="2. 16. 840. 1. 113883. 3. 989. 5. 1. 3. 2. 1. 3. 2. 1. 3" codeSystemVersion="1. 1"/>
            <!-- @@@J2. 4. k: 新医薬品等の状況区分 #1 -->
        </characteristic>
    </subjectOf>
</asManufacturedProduct>
<asNamedEntity>
    <name xml:lang="ja">J2. 23. k</name>
    <!-- @@@J2. 23. k 愛称 #1 -->
    <assigningTerritory>
        <code code="JP" codeSystem="1. 0. 3166. 1. 2. 2" />
    </assigningTerritory>
</asNamedEntity>
<ingredient classCode="ACTI">
    <quantity>
        <numerator/>
        <denominator value="1"/>
    </quantity>
    <ingredientSubstance classCode="MMAT" determinerCode="KIND">
        <name>G. k. 2. 3. r. 1</name>
        <!-- G. k. 2. 3. r. 1: Substance / Specified Substance Name #1-1 -->
        <asSpecializedKind classCode="GEN">
            <generalizedMaterialKind classCode="MAT" determinerCode="KIND">
                <code code="J2. 25. k. r" codeSystem="2. 16. 840. 1. 113883. 3. 989. 5. 1. 3. 2. 1. 17">
                    <!-- @@@J2. 25. k. r 成分の区分 #1-1 -->
                </generalizedMaterialKind>
            </asSpecializedKind>
        </ingredientSubstance>
    </ingredient>
<ingredient classCode="ACTI">
    <quantity>
        <numerator/>
        <denominator value="1"/>
    </quantity>
    <ingredientSubstance classCode="MMAT" determinerCode="KIND">
        <name>G. k. 2. 3. r. 1</name>
        <!-- G. k. 2. 3. r. 1: Substance / Specified Substance Name #1-2 -->
        <asSpecializedKind classCode="GEN">
            <generalizedMaterialKind classCode="MAT" determinerCode="KIND">
                <code code="J2. 25. k. r" codeSystem="2. 16. 840. 1. 113883. 3. 989. 5. 1. 3. 2. 1. 17">
                    <!-- @@@J2. 25. k. r 成分の区分 #1-2 -->
                </generalizedMaterialKind>
            </asSpecializedKind>
        </ingredientSubstance>
    </ingredient>
</kindOfProduct>
</instanceOfKind>
</consumable>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4. r: Dosage and Relevant Information (repeat as necessary) #1-1 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G. k. 4. r. 8</text>
        <!-- G. k. 4. r. 8: Dosage Text #1-1 -->
        <effectiveTime xsi:type="SXPR_TS">
            <comp xsi:type="PIVL_TS">
                <period value="10" unit="G. k. 4. r. 3"/>
                <!-- G. k. 4. r. 2: Number of Units in the Interval #1-1 -->
                <!-- G. k. 4. r. 3: Definition of the Time Interval Unit #1-1 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <low value="20090101"/>
                <!-- G. k. 4. r. 4: Date and Time of Start of Drug #1-1 -->
                <high value="20090101"/>
                <!-- G. k. 4. r. 5: Date and Time of Last Administration #1-1 -->
            </comp>
        </effectiveTime>
        <routeCode codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 14">

```



```

        <originalText>G.k.4.r.10.1</originalText>
        <!-- G.k.4.r.10.1: Route of Administration (free text) #1-1 -->
    </routeCode>
    <doseQuantity value="10" unit="G.k.4.r.1b"/>
    <!-- G.k.4.r.1a Dose (number) #1-1 -->
    <!-- G.k.4.r.1b: Dose (unit) #1-1 -->
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #1-2 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G.k.4.r.8</text>
        <!-- G.k.4.r.8: Dosage Text #1-2 -->
        <effectiveTime xsi:type="SXPR_TS">
            <comp xsi:type="PIVL_TS">
                <period value="10" unit="G.k.4.r.3"/>
                <!-- G.k.4.r.2: Number of Units in the Interval #1-2 -->
                <!-- G.k.4.r.3: Definition of the Time Interval Unit #1-2 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <low value="20090101"/>
                <!-- G.k.4.r.4: Date and Time of Start of Drug #1-2 -->
                <high value="20090101"/>
                <!-- G.k.4.r.5: Date and Time of Last Administration #1-2 -->
            </comp>
        </effectiveTime>
        <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
            <originalText>G.k.4.r.10.1</originalText>
            <!-- G.k.4.r.10.1: Route of Administration (free text) #1-2 -->
        </routeCode>
        <doseQuantity value="10" unit="G.k.4.r.1b"/>
        <!-- G.k.4.r.1a Dose (number) #1-2 -->
        <!-- G.k.4.r.1b: Dose (unit) #1-2 -->
    </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #1-3 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G.k.4.r.8</text>
        <!-- G.k.4.r.8: Dosage Text #1-3 -->
        <effectiveTime xsi:type="SXPR_TS">
            <comp xsi:type="PIVL_TS">
                <period value="10" unit="G.k.4.r.3"/>
                <!-- G.k.4.r.2: Number of Units in the Interval #1-3 -->
                <!-- G.k.4.r.3: Definition of the Time Interval Unit #1-3 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <low value="20090101"/>
                <!-- G.k.4.r.4: Date and Time of Start of Drug #1-3 -->
            </comp>
        </effectiveTime>
        <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
            <originalText>G.k.4.r.10.1</originalText>
            <!-- G.k.4.r.10.1: Route of Administration (free text) #1-3 -->
        </routeCode>
        <doseQuantity value="10" unit="G.k.4.r.1b"/>
        <!-- G.k.4.r.1a Dose (number) #1-3 -->
        <!-- G.k.4.r.1b: Dose (unit) #1-3 -->
    </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #1-4 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G.k.4.r.8</text>
        <!-- G.k.4.r.8: Dosage Text #1-4 -->
        <effectiveTime xsi:type="SXPR_TS">
            <comp xsi:type="PIVL_TS">
                <period value="10" unit="G.k.4.r.3"/>
                <!-- G.k.4.r.2: Number of Units in the Interval #1-4 -->
                <!-- G.k.4.r.3: Definition of the Time Interval Unit #1-4 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <high value="20090101"/>
                <!-- G.k.4.r.5: Date and Time of Last Administration #1-4 -->
            </comp>
        </effectiveTime>
        <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
            <originalText>G.k.4.r.10.1</originalText>
            <!-- G.k.4.r.10.1: Route of Administration (free text) #1-4 -->
        </routeCode>
        <doseQuantity value="10" unit="G.k.4.r.1b"/>
        <!-- G.k.4.r.1a Dose (number) #1-4 -->
        <!-- G.k.4.r.1b: Dose (unit) #1-4 -->
    </substanceAdministration>

```

```

</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
  <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #1-5 -->
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G.k.4.r.8</text>
    <!-- G.k.4.r.8: Dosage Text #1-5 -->
    <effectiveTime xsi:type="SXPR_TS">
      <comp xsi:type="IVL_TS">
        <low value="20090101"/>
        <!-- G.k.4.r.4: Date and Time of Start of Drug #1-5 -->
        <high value="20090101"/>
        <!-- G.k.4.r.5: Date and Time of Last Administration #1-5 -->
      </comp>
      <comp xsi:type="IVL_TS" operator="A">
      </comp>
    </effectiveTime>
    <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
      <originalText>G.k.4.r.10.1</originalText>
      <!-- G.k.4.r.10.1: Route of Administration (free text) #1-5 -->
    </routeCode>
    <doseQuantity value="10" unit="G.k.4.r.lb"/>
    <!-- G.k.4.r.1a Dose (number) #1-5 -->
    <!-- G.k.4.r.1b: Dose (unit) #1-5 -->
  </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
  <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #1-6 -->
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G.k.4.r.8</text>
    <!-- G.k.4.r.8: Dosage Text #1-6 -->
    <effectiveTime xsi:type="SXPR_TS">
      <comp xsi:type="PIVL_TS">
        <period value="10" unit="G.k.4.r.3"/>
        <!-- G.k.4.r.2: Number of Units in the Interval #1-6 -->
        <!-- G.k.4.r.3: Definition of the Time Interval Unit #1-6 -->
      </comp>
      <comp xsi:type="IVL_TS" operator="A">
        <low value="20090101"/>
        <!-- G.k.4.r.4: Date and Time of Start of Drug #1-6 -->
      </comp>
      <comp xsi:type="IVL_TS" operator="A">
        <high value="20090101"/>
        <!-- G.k.4.r.5: Date and Time of Last Administration #1-6 -->
      </comp>
    </effectiveTime>
    <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
      <originalText>G.k.4.r.10.1</originalText>
      <!-- G.k.4.r.10.1: Route of Administration (free text) #1-6 -->
    </routeCode>
    <doseQuantity value="10" unit="G.k.4.r.lb"/>
    <!-- G.k.4.r.1a Dose (number) #1-1 -->
    <!-- G.k.4.r.1b: Dose (unit) #1-1 -->
  </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
  <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #1-7 -->
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G.k.4.r.8</text>
    <!-- G.k.4.r.8: Dosage Text #1-7 -->
    <effectiveTime xsi:type="SXPR_TS">
      <comp xsi:type="IVL_TS">
        <low value="20090101"/>
        <!-- G.k.4.r.4: Date and Time of Start of Drug #1-7 -->
      </comp>
      <comp xsi:type="IVL_TS" operator="A">
        <high value="20090101"/>
        <!-- G.k.4.r.5: Date and Time of Last Administration #1-7 -->
      </comp>
    </effectiveTime>
    <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
      <originalText>G.k.4.r.10.1</originalText>
      <!-- G.k.4.r.10.1: Route of Administration (free text) #1-7 -->
    </routeCode>
    <doseQuantity value="10" unit="G.k.4.r.lb"/>
    <!-- G.k.4.r.1a Dose (number) #1-7 -->
    <!-- G.k.4.r.1b: Dose (unit) #1-7 -->
  </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="31" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
    displayName="recurrenceOfReaction"/>
    <value xsi:type="CE" code="G.k.9.i.4" codeSystem="2.16.840.1.113883.3.989.2.1.1.16"
    codeSystemVersion="2.0"/>
  </observation>

```

```

        <!-- G.k.9.i.4: Did Reaction Recur on Re-administration? Drug #1, Reaction #1 -->
        <outboundRelationship1 typeCode="REFR">
          <actReference classCode="OBS" moodCode="EVN">
            <id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>
          </actReference>
        </outboundRelationship1>
      </observation>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="PERT">
      <observation classCode="OBS" moodCode="EVN">
        <code code="31" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="recurrenceOfReaction"/>
        <value xsi:type="CE" code="G.k.9.i.4" codeSystem="2.16.840.1.113883.3.989.2.1.1.16"
codeSystemVersion="2.0"/>
      </observation>
    </outboundRelationship2>
  </substanceAdministration>
</component>
<!-- G.k Drug(s) Information (repeat as necessary) #2 -->
<component typeCode="COMP">
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <id root="68d6f5ce-3b3b-45c7-92dd-69e06730c3a9"/>
    <consumable typeCode="CSM">
      <instanceOfKind classCode="INST">
        <kindOfProduct classCode="MMAT" determinerCode="KIND">
          <name>G.k.2.2</name>
          <!-- G.k.2.2: Medicinal Product Name as Reported by the Primary Source #2 -->
          <formCode code="J2.24.k" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.13"
codeSystemVersion="1.0" />
          <!-- @@J2.24.k 製品種別 #2 -->
          <asManufacturedProduct classCode="MANU">
            <subjectOf typeCode="SBJ">
              <approval classCode="CNTRCT" moodCode="EVN">
                <id extension="G.k.3.1" root="2.16.840.1.113883.3.989.2.1.3.4"/>
                <!-- G.k.3.1: Authorisation / Application Number #2 -->
                <holder typeCode="HLD">
                  <role classCode="HLD">
                    <playingOrganization classCode="ORG" determinerCode="INSTANCE">
                      <name>G.k.3.3</name>
                      <!-- G.k.3.3: Name of Holder / Applicant #2 -->
                    </playingOrganization>
                  </role>
                </holder>
                <author typeCode="AUT">
                  <territorialAuthority classCode="TERR">
                    <territory classCode="NAT" determinerCode="INSTANCE">
                      <code code="G.k.3.2" codeSystem="1.0.3166.1.2.2"/>
                      <!-- G.k.3.2: Country of Authorisation / Application #2 -->
                    </territory>
                  </territorialAuthority>
                </author>
              </approval>
            </subjectOf>
          <subjectOf typeCode="SBJ">
            <characteristic classCode="OBS" moodCode="EVN">
              <code code="1" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10"
codeSystemVersion="1.0" displayName="新医薬品等の状況区分"/>
              <value xsi:type="CE" code="J2.4.k" codeSystem="2.16.840.1.113883.3.989.5.1.3.
2.1.3" codeSystemVersion="1.1"/>
              <!-- @@J2.4.k: 新医薬品等の状況区分 #2 -->
            </characteristic>
          </subjectOf>
        </asManufacturedProduct>
      <asNamedEntity>
        <name xml:lang="ja">J2.23.k</name>
        <!-- @@J2.23.k 愛称 #2 -->
        <assigningTerritory>
          <code code="JP" codeSystem="1.0.3166.1.2.2" />
        </assigningTerritory>
      </asNamedEntity>
    </ingredient classCode="ACTI">
      <quantity>
        <numerator/>
        <denominator value="1"/>
      </quantity>
      <ingredientSubstance classCode="MMAT" determinerCode="KIND">
        <name>G.k.2.3.r.1</name>
        <!-- G.k.2.3.r.1: Substance / Specified Substance Name #2-1 -->
      </ingredientSubstance>
    </ingredient>
  </substanceAdministration>
</component>

```

```

        <asSpecializedKind classCode="GEN">
            <generalizedMaterialKind classCode="MAT" determinerCode="KIND">
                <code code="J2.25.k.r" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.17"

codeSystemVersion="1.0" />
                <!-- @@@J2.25.k.r 成分の区分 #2-1 -->
            </generalizedMaterialKind>
        </asSpecializedKind>
    </ingredientSubstance>
</ingredient>
<ingredient classCode="ACTI">
    <quantity>
        <numerator/>
        <denominator value="1"/>
    </quantity>
    <ingredientSubstance classCode="MMAT" determinerCode="KIND">
        <name>G.k.2.3.r.1</name>
        <!-- G.k.2.3.r.1: Substance / Specified Substance Name #2-2 -->
        <asSpecializedKind classCode="GEN">
            <generalizedMaterialKind classCode="MAT" determinerCode="KIND">
                <code code="J2.25.k.r" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.17"

codeSystemVersion="1.0" />
            <!-- @@@J2.25.k.r 成分の区分 #2-2 -->
        </generalizedMaterialKind>
    </asSpecializedKind>
</ingredientSubstance>
</ingredient>
</kindOfProduct>
</instanceOfKind>
</consumable>
<outboundRelationship2 typeCode="COMP">
    <!-- G.k.4.r : Dosage and Relevant Information (repeat as necessary) #2-1 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G.k.4.r.8</text>
        <!-- G.k.4.r.8: Dosage Text #2-1 -->
        <effectiveTime xsi:type="IVL_TS">
            <low value="20090101"/>
            <!-- G.k.4.r.4: Date and Time of Start of Drug #2-1 -->
            <high value="20090101"/>
            <!-- G.k.4.r.5: Date and Time of Last Administration #2-1 -->
        </effectiveTime>
        <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
            <originalText>G.k.4.r.10.1</originalText>
            <!-- G.k.4.r.10.1: Route of Administration (free text) #2-1 -->
        </routeCode>
        <doseQuantity value="10" unit="G.k.4.r.1b"/>
        <!-- G.k.4.r.1a Dose (number) #2-1 -->
        <!-- G.k.4.r.1b: Dose (unit) #2-1 -->
    </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #2-2 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G.k.4.r.8</text>
        <!-- G.k.4.r.8: Dosage Text #2-2 -->
        <effectiveTime xsi:type="IVL_TS">
            <low value="20090101"/>
            <!-- G.k.4.r.4: Date and Time of Start of Drug #2-2 -->
        </effectiveTime>
        <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
            <originalText>G.k.4.r.10.1</originalText>
            <!-- G.k.4.r.10.1: Route of Administration (free text) #2-2 -->
        </routeCode>
        <doseQuantity value="10" unit="G.k.4.r.1b"/>
        <!-- G.k.4.r.1a Dose (number) #2-2 -->
        <!-- G.k.4.r.1b: Dose (unit) #2-2 -->
    </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #2-3 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G.k.4.r.8</text>
        <!-- G.k.4.r.8: Dosage Text #2-3 -->
        <effectiveTime xsi:type="IVL_TS">
            <high value="20090101"/>
            <!-- G.k.4.r.5: Date and Time of Last Administration #2-3 -->
        </effectiveTime>
        <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
            <originalText>G.k.4.r.10.1</originalText>
            <!-- G.k.4.r.10.1: Route of Administration (free text) #2-3 -->
        </routeCode>
        <doseQuantity value="10" unit="G.k.4.r.1b"/>
        <!-- G.k.4.r.1a Dose (number) #2-3 -->
        <!-- G.k.4.r.1b: Dose (unit) #2-3 -->
    </substanceAdministration>
</outboundRelationship2>

```

```

</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
  <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #2-4 -->
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G.k.4.r.8</text>
    <!-- G.k.4.r.8: Dosage Text #2-4 -->
    <effectiveTime xsi:type="SXPR_TS">
      <comp xsi:type="PIVL_TS">
        <period value="10" unit="G.k.4.r.3"/>
        <!-- G.k.4.r.2: Number of Units in the Interval #2-4 -->
        <!-- G.k.4.r.3: Definition of the Time Interval Unit #2-4 -->
      </comp>
      <comp xsi:type="IVL_TS" operator="A">
        <low value="20090101"/>
        <!-- G.k.4.r.4: Date and Time of Start of Drug #2-4 -->
      </comp>
    </effectiveTime>
    <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
      <originalText>G.k.4.r.10.1</originalText>
      <!-- G.k.4.r.10.1: Route of Administration (free text) #2-4 -->
    </routeCode>
    <doseQuantity value="10" unit="G.k.4.r.1b"/>
    <!-- G.k.4.r.1a Dose (number) #2-4 -->
    <!-- G.k.4.r.1b: Dose (unit) #2-4 -->
  </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
  <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #2-5 -->
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G.k.4.r.8</text>
    <!-- G.k.4.r.8: Dosage Text #2-5 -->
    <effectiveTime xsi:type="SXPR_TS">
      <comp xsi:type="PIVL_TS">
        <period value="10" unit="G.k.4.r.3"/>
        <!-- G.k.4.r.2: Number of Units in the Interval #2-5 -->
        <!-- G.k.4.r.3: Definition of the Time Interval Unit #2-5 -->
      </comp>
      <comp xsi:type="IVL_TS" operator="A">
        <high value="20090101"/>
        <!-- G.k.4.r.5: Date and Time of Last Administration #2-5 -->
      </comp>
    </effectiveTime>
    <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
      <originalText>G.k.4.r.10.1</originalText>
      <!-- G.k.4.r.10.1: Route of Administration (free text) #2-5 -->
    </routeCode>
    <doseQuantity value="10" unit="G.k.4.r.1b"/>
    <!-- G.k.4.r.1a Dose (number) #2-5 -->
    <!-- G.k.4.r.1b: Dose (unit) #2-5 -->
  </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
  <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #2-6 -->
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G.k.4.r.8</text>
    <!-- G.k.4.r.8: Dosage Text #2-6 -->
    <effectiveTime xsi:type="SXPR_TS">
      <comp xsi:type="PIVL_TS">
        <period value="10" unit="G.k.4.r.3"/>
        <!-- G.k.4.r.2: Number of Units in the Interval #2-6 -->
        <!-- G.k.4.r.3: Definition of the Time Interval Unit #2-6 -->
      </comp>
      <comp xsi:type="IVL_TS" operator="A">
      </comp>
    </effectiveTime>
    <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
      <originalText>G.k.4.r.10.1</originalText>
      <!-- G.k.4.r.10.1: Route of Administration (free text) #2-6 -->
    </routeCode>
    <doseQuantity value="10" unit="G.k.4.r.1b"/>
    <!-- G.k.4.r.1a Dose (number) #2-6 -->
    <!-- G.k.4.r.1b: Dose (unit) #2-6 -->
  </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
  <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #2-7 -->
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G.k.4.r.8</text>
    <!-- G.k.4.r.8: Dosage Text #2-7 -->
    <effectiveTime xsi:type="PIVL_TS">
      <period value="10" unit="G.k.4.r.3"/>
      <!-- G.k.4.r.2: Number of Units in the Interval #2-7 -->
      <!-- G.k.4.r.3: Definition of the Time Interval Unit #2-7 -->
    </effectiveTime>

```

```

        <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
          <originalText>G.k.4.r.10.1</originalText>
          <!-- G.k.4.r.10.1: Route of Administration (free text) #2-7 -->
        </routeCode>
        <doseQuantity value="10" unit="G.k.4.r.1b"/>
        <!-- G.k.4.r.1a Dose (number) #2-7 -->
        <!-- G.k.4.r.1b: Dose (unit) #2-7 -->
      </substanceAdministration>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="COMP">
      <!-- G.k.4.r.: Dosage and Relevant Information (repeat as necessary) #2-8 -->
      <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G.k.4.r.8</text>
        <!-- G.k.4.r.8: Dosage Text #2-8 -->
        <effectiveTime xsi:type="IVL_TS">
          <low value="20090101"/>
          <!-- G.k.4.r.4: Date and Time of Start of Drug #2-8 -->
        </effectiveTime>
        <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
          <originalText>G.k.4.r.10.1</originalText>
          <!-- G.k.4.r.10.1: Route of Administration (free text) #2-8 -->
        </routeCode>
        <doseQuantity value="10" unit="G.k.4.r.1b"/>
        <!-- G.k.4.r.1a Dose (number) #2-8 -->
        <!-- G.k.4.r.1b: Dose (unit) #2-8 -->
      </substanceAdministration>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="COMP">
      <!-- G.k.4.r.: Dosage and Relevant Information (repeat as necessary) #2-9 -->
      <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G.k.4.r.8</text>
        <!-- G.k.4.r.8: Dosage Text #2-9 -->
        <effectiveTime xsi:type="IVL_TS">
          <high value="20090101"/>
          <!-- G.k.4.r.5: Date and Time of Last Administration #2-9 -->
        </effectiveTime>
        <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
          <originalText>G.k.4.r.10.1</originalText>
          <!-- G.k.4.r.10.1: Route of Administration (free text) #2-9 -->
        </routeCode>
        <doseQuantity value="10" unit="G.k.4.r.1b"/>
        <!-- G.k.4.r.1a Dose (number) #2-9 -->
        <!-- G.k.4.r.1b: Dose (unit) #2-9 -->
      </substanceAdministration>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="COMP">
      <!-- G.k.4.r.: Dosage and Relevant Information (repeat as necessary) #2-10 -->
      <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G.k.4.r.8</text>
        <!-- G.k.4.r.8: Dosage Text #2-10 -->
        <effectiveTime xsi:type="IVL_TS">
          </effectiveTime>
        </effectiveTime>
        <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
          <originalText>G.k.4.r.10.1</originalText>
          <!-- G.k.4.r.10.1: Route of Administration (free text) #2-10 -->
        </routeCode>
        <doseQuantity value="10" unit="G.k.4.r.1b"/>
        <!-- G.k.4.r.1a Dose (number) #2-10 -->
        <!-- G.k.4.r.1b: Dose (unit) #2-10 -->
      </substanceAdministration>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="PERT">
      <observation classCode="OBS" moodCode="EVN">
        <code code="31" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
        displayName="recurrenceOfReaction"/>
        <value xsi:type="CE" code="G.k.9.i.4" codeSystem="2.16.840.1.113883.3.989.2.1.1.16"
        codeSystemVersion="2.0"/>
        <!-- G.k.9.i.4: Did Reaction Recur on Re-administration? Drug #2, Reaction #1 -->
        <outboundRelationship1 typeCode="REFR">
          <actReference classCode="OBS" moodCode="EVN">
            <id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>
          </actReference>
        </outboundRelationship1>
      </observation>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="PERT">
      <observation classCode="OBS" moodCode="EVN">
        <code code="31" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
        displayName="recurrenceOfReaction"/>
        <value xsi:type="CE" code="G.k.9.i.4" codeSystem="2.16.840.1.113883.3.989.2.1.1.16"
        codeSystemVersion="2.0"/>
        <!-- G.k.9.i.4: Did Reaction Recur on Re-administration? Drug #2, Reaction #2 -->
        <outboundRelationship1 typeCode="REFR">
          <actReference classCode="OBS" moodCode="EVN">

```

```

        <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
        </actReference>
    </outboundRelationship1>
</observation>
</outboundRelationship2>
</substanceAdministration>
</component>
</organizer>
</subjectOf2>
</primaryRole>
</subject1>
<component typeCode="COMP">
    <causalityAssessment classCode="OBS" moodCode="EVN">
        <code code="20" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="
interventionCharacterization"/>
        <value xsi:type="CE" code="G.k.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.13" codeSystemVersion="2.0"/>
        <!-- G.k.1: Characterisation of Drug Role Drug #1 -->
        <subject2 typeCode="SUBJ">
            <productUseReference classCode="SBADM" moodCode="EVN">
                <id root="3c91b4d5-e039-4a7a-9c30-67671b0ef9e4"/>
            </productUseReference>
        </subject2>
    </causalityAssessment>
</component>
<component typeCode="COMP">
    <causalityAssessment classCode="OBS" moodCode="EVN">
        <code code="20" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="
interventionCharacterization"/>
        <value xsi:type="CE" code="G.k.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.13" codeSystemVersion="2.0"/>
        <!-- G.k.1: Characterisation of Drug Role Drug #2 -->
        <subject2 typeCode="SUBJ">
            <productUseReference classCode="SBADM" moodCode="EVN">
                <id root="68d6f5ce-3b3b-45c7-92dd-69e06730c3a9"/>
            </productUseReference>
        </subject2>
    </causalityAssessment>
</component>
<component1 typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="10" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="comment"/>
        <value xsi:type="ED">H.2</value>
        <!-- H.2: Reporter's Comments -->
        <author typeCode="AUT">
            <assignedEntity classCode="ASSIGNED">
                <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="
sourceReporter"/>
            </assignedEntity>
        </author>
    </observationEvent>
</component1>
<component1 typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="10" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="comment"/>
        <value xsi:type="ED">H.4</value>
        <!-- H.4: Sender's Comments -->
        <author typeCode="AUT">
            <assignedEntity classCode="ASSIGNED">
                <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="sender"/>
            </assignedEntity>
        </author>
    </observationEvent>
</component1>
<component1 typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="3" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="未完了に対するコ
メント"/>
        <value xsi:type="ED">J2.7.2</value>
        <!-- @@@J2.7.2: 未完了に対するコメント -->
    </observationEvent>
</component1>
<component1 typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="5" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="今後の対応"/>
        <value xsi:type="ED">J2.10</value>
        <!-- @@@J2.10: 今後の対応 -->
    </observationEvent>
</component1>
<component1 typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="6" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="その他参考事項等
"/>
        <value xsi:type="ED">J2.11</value>
        <!-- @@@J2.11: その他参考事項等 -->
    </observationEvent>

```

```

    </component1>
    <component1 typeCode="COMP">
      <observationEvent classCode="OBS" moodCode="EVN">
        <code code="12" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="報告内容の要点"
        />
        <value xsi:type="ED">J2.16</value>
        <!-- @@@J2.16: 報告内容の要点 -->
      </observationEvent>
    </component1>
  </adverseEventAssessment>
</component>
<component typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="
additionalDocumentsAvailable"/>
    <value xsi:type="BL" value="true"/>
    <!-- C.1.6.1: Are Additional Documents Available? -->
  </observationEvent>
</component>
<component typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="23" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="localCriteriaForExpedited"/>
    <value xsi:type="BL" value="true"/>
    <!-- C.1.7: Does This Case Fulfil the Local Criteria for an Expedited Report? -->
  </observationEvent>
</component>
<outboundRelationship typeCode="SPRT">
  <relatedInvestigation classCode="INVSTG" moodCode="EVN">
    <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.22" codeSystemVersion="1.0" displayName="initialReport"/>
    <subjectOf2 typeCode="SUBJ">
      <controlActEvent classCode="CACT" moodCode="EVN">
        <author typeCode="AUT">
          <assignedEntity classCode="ASSIGNED">
            <code code="C.1.8.2" codeSystem="2.16.840.1.113883.3.989.2.1.1.3" codeSystemVersion="2.0"/>
            <!-- C.1.8.2: First Sender of This Case -->
          </assignedEntity>
        </author>
      </controlActEvent>
    </subjectOf2>
  </relatedInvestigation>
</outboundRelationship>
<outboundRelationship typeCode="SPRT">
  <relatedInvestigation classCode="INVSTG" moodCode="EVN">
    <code nullFlavor="NA"/>
    <subjectOf2 typeCode="SUBJ">
      <controlActEvent classCode="CACT" moodCode="EVN">
        <id extension="C.1.10.r" root="2.16.840.1.113883.3.989.2.1.3.2"/>
        <!-- C.1.10.r: Identification Number of the Report Which Is Linked to This Report (repeat as necessary) #1 -->
      </controlActEvent>
    </subjectOf2>
  </relatedInvestigation>
</outboundRelationship>
<outboundRelationship typeCode="SPRT">
  <relatedInvestigation classCode="INVSTG" moodCode="EVN">
    <code nullFlavor="NA"/>
    <subjectOf2 typeCode="SUBJ">
      <controlActEvent classCode="CACT" moodCode="EVN">
        <id extension="C.1.10.r" root="2.16.840.1.113883.3.989.2.1.3.2"/>
        <!-- C.1.10.r: Identification Number of the Report Which Is Linked to this Report (repeat as necessary) #2 -->
      </controlActEvent>
    </subjectOf2>
  </relatedInvestigation>
</outboundRelationship>
<outboundRelationship typeCode="SPRT">
  <relatedInvestigation classCode="INVSTG" moodCode="EVN">
    <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.22" codeSystemVersion="1.0" displayName="sourceReport"/>
    <subjectOf2 typeCode="SUBJ">
      <controlActEvent classCode="CACT" moodCode="EVN">
        <author typeCode="AUT">
          <assignedEntity classCode="ASSIGNED">
            <assignedPerson classCode="PSN" determinerCode="INSTANCE">
              <asIdentifiedEntity classCode="IDENT">
                <code code="J2.27.r" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.15" codeSystemVersion="1.0" />
                <!-- @@@J2.27.r 日付フラグ #1-->
              </asIdentifiedEntity>
              <asIdentifiedEntity classCode="IDENT">
                <code code="J2.29.r" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.9" codeSystemVersion="1.0"/>
                <!-- @@@J2.29.r 情報入手元 #1 -->
              </asIdentifiedEntity>
              <asLocatedEntity classCode="LOCE">
                <location classCode="COUNTRY" determinerCode="INSTANCE">
                  <code code="C.2.r.3" codeSystem="1.0.3166.1.2.2"/>
                  <!-- C.2.r.3: Reporter's Country Code #1 -->
                </location>
              </asLocatedEntity>
            </assignedPerson>
          </assignedEntity>
        </author>
      </controlActEvent>
    </subjectOf2>
  </relatedInvestigation>
</outboundRelationship>

```



```

        </location>
      </asLocatedEntity>
    </assignedPerson>
  </assignedEntity>
</author>
</controlActEvent>
</subjectOf2>
</relatedInvestigation>
</outboundRelationship>
<outboundRelationship typeCode="SPRT">
  <relatedInvestigation classCode="INWSTG" moodCode="EVN">
    <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.22" codeSystemVersion="1.0" displayName="sourceReport"/>
    <subjectOf2 typeCode="SUBJ">
      <controlActEvent classCode="CACT" moodCode="EVN">
        <author typeCode="AUT">
          <assignedEntity classCode="ASSIGNED">
            <assignedPerson classCode="PSN" determinerCode="INSTANCE">
              <asIdentifiedEntity classCode="IDENT">
                <code code="J2.27.r" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.15" codeSystemVersion="1.0" />
                <!-- @@@J2.27.r 日付フラグ #2-->
              </asIdentifiedEntity>
              <asIdentifiedEntity classCode="IDENT">
                <code code="J2.29.r" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.9" codeSystemVersion="1.0"/>
                <!-- @@@J2.29.r 情報入手元 #2 -->
              </asIdentifiedEntity>
              <asLocatedEntity classCode="LOCE">
                <location classCode="COUNTRY" determinerCode="INSTANCE">
                  <code code="C.2.r.3" codeSystem="1.0.3166.1.2.2"/>
                  <!-- C.2.r.3: Reporter's Country Code #2 -->
                </location>
              </asLocatedEntity>
            </assignedPerson>
          </assignedEntity>
        </author>
      </controlActEvent>
    </subjectOf2>
  </relatedInvestigation>
</outboundRelationship>
<subjectOf1 typeCode="SUBJ">
  <controlActEvent classCode="CACT" moodCode="EVN">
    <author typeCode="AUT">
      <assignedEntity classCode="ASSIGNED">
        <code code="C.3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.7" codeSystemVersion="2.0"/>
        <!-- C.3.1: Sender Type -->
        <addr>
          <streetAddressLine>C.3.4.1</streetAddressLine>
          <!-- C.3.4.1: Sender's Street Address -->
          <city>C.3.4.2</city>
          <!-- C.3.4.2: Sender's City -->
          <state>C.3.4.3</state>
          <!-- C.3.4.3: Sender's State or Province -->
          <postalCode>C.3.4.4</postalCode>
          <!-- C.3.4.4: Sender's Postcode -->
        </addr>
        <telecom value="tel:C.3.4.6"/>
        <!-- C.3.4.6: Sender's Telephone -->
        <telecom value="fax:C.3.4.7"/>
        <!-- C.3.4.7: Sender's Fax -->
        <assignedPerson classCode="PSN" determinerCode="INSTANCE">
          <name>
            <prefix>C.3.3.2</prefix>
            <!-- C.3.3.2: Sender's Title -->
            <given>C.3.3.3</given>
            <!-- C.3.3.3: Sender's Given Name -->
            <given>C.3.3.4</given>
            <!-- C.3.3.4: Sender's Middle Name -->
            <family>C.3.3.5</family>
            <!-- C.3.3.5: Sender's Family Name -->
          </name>
          <asLocatedEntity classCode="LOCE">
            <location classCode="COUNTRY" determinerCode="INSTANCE">
              <code code="C.3.4.5" codeSystem="1.0.3166.1.2.2"/>
              <!-- C.3.4.5: Sender's Country Code -->
            </location>
          </asLocatedEntity>
        </assignedPerson>
        <representedOrganization classCode="ORG" determinerCode="INSTANCE">
          <assignedEntity classCode="ASSIGNED">
            <representedOrganization classCode="ORG" determinerCode="INSTANCE">
              <name>C.3.2</name>
              <!-- C.3.2: Sender's Organisation -->
            </representedOrganization>
          </assignedEntity>
        </representedOrganization>
      </assignedEntity>
    </author>
  </controlActEvent>
</subjectOf1>

```

```

    </assignedEntity>
  </author>
  <primaryInformationRecipient typeCode="PRCP">
    <assignedEntity classCode="ASSIGNED">
      <assignedPerson classCode="PSN" determinerCode="INSTANCE">
        <name>
          <prefix>J2.18.2</prefix>
          <!-- @@@J2.18.2: 受信者 肩書き -->
          <family>J2.18.3</family>
          <!-- @@@J2.18.3: 受信者 姓 -->
          <given>J2.18.4</given>
          <!-- @@@J2.18.4: 受信名 名 -->
        </name>
      </assignedPerson>
      <representedOrganization classCode="ORG" determinerCode="INSTANCE">
        <name>J2.18.1</name>
        <!-- @@@J2.18.1: 受信者 組織名 -->
      </representedOrganization>
    </assignedEntity>
  </primaryInformationRecipient>
</controlActEvent>
</subjectOf1>
<subjectOf1 typeCode="SUBJ">
  <controlActEvent classCode="CACT" moodCode="EVN">
    <id assigningAuthorityName="C.1.9.1.r.1" extension="C.1.9.1.r.2" root="2.16.840.1.113883.3.989.2.1.3.3"/>
    <!-- C.1.9.1.r.1: Source(s) of the Case Identifier (repeat as necessary) #1 -->
    <!-- C.1.9.1.r.2 Case Identifier(s) #1 -->
  </controlActEvent>
</subjectOf1>
<subjectOf1 typeCode="SUBJ">
  <controlActEvent classCode="CACT" moodCode="EVN">
    <id assigningAuthorityName="C.1.9.1.r.1" extension="C.1.9.1.r.2" root="2.16.840.1.113883.3.989.2.1.3.3"/>
    <!-- C.1.9.1.r.1: Source(s) of the Case Identifier (repeat as necessary) #2 -->
    <!-- C.1.9.1.r.2 Case Identifier(s) #2 -->
  </controlActEvent>
</subjectOf1>
<subjectOf2 typeCode="SUBJ">
  <investigationCharacteristic classCode="OBS" moodCode="EVN">
    <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.23" codeSystemVersion="1.0" displayName="ichReportType"/>
    <value xsi:type="CE" code="C.1.3" codeSystem="2.16.840.1.113883.3.989.2.1.1.2" codeSystemVersion="2.0"/>
    <!-- C.1.3 Type of Report -->
  </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
  <investigationCharacteristic classCode="OBS" moodCode="EVN">
    <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.23" codeSystemVersion="1.0" displayName="otherCaseIds"/>
    <value xsi:type="BL" value="true"/>
    <!-- C.1.9.1 Other Case Identifiers in Previous Transmissions -->
  </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
  <investigationCharacteristic classCode="OBS" moodCode="EVN">
    <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.23" codeSystemVersion="1.0" displayName="nullificationAmendmentCode"/>
    <value xsi:type="CE" code="C.1.11.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.5" codeSystemVersion="2.0"/>
    <!-- C.1.11.1: Report Nullification / Amendment -->
  </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
  <investigationCharacteristic classCode="OBS" moodCode="EVN">
    <code code="4" codeSystem="2.16.840.1.113883.3.989.2.1.1.23" codeSystemVersion="1.0" displayName="
nullificationAmendmentReason"/>
    <value xsi:type="CE">
      <originalText>C.1.11.2</originalText>
      <!-- C.1.11.2: Reason for Nullification / Amendment -->
    </value>
  </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
  <investigationCharacteristic classCode="OBS" moodCode="EVN">
    <code code="1" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.12" codeSystemVersion="1.0" displayName="識別番号 (報告分類)"/>
    <value xsi:type="CE" code="J2.1a" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.1" codeSystemVersion="1.1"/>
    <!-- @@@J2.1a: 識別番号 (報告分類) -->
  </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
  <investigationCharacteristic classCode="OBS" moodCode="EVN">
    <code code="2" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.12" codeSystemVersion="1.0" displayName="報告起算日"/>
    <value xsi:type="TS" value="20130107"/>
    <!-- @@@J2.2.1: 報告起算日 -->
  </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
  <investigationCharacteristic classCode="OBS" moodCode="EVN">

```

```

    <code code="3" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.12" codeSystemVersion="1.0" displayName="報告起算日に関するコメン
ト"/>
    <value xsi:type="ED">J2.2.2</value>
    <!-- @@J2.2.2: 報告起算日に関するコメント -->
  </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
  <investigationCharacteristic classCode="OBS" moodCode="EVN">
    <code code="5" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.12" codeSystemVersion="1.0" displayName="報告対象外フラグ"/>
    <value xsi:type="CE" code="J2.8.1" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.6" codeSystemVersion="1.1"/>
    <!-- @@J2.8.1: 報告対象外フラグ -->
  </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
  <investigationCharacteristic classCode="OBS" moodCode="EVN">
    <code code="6" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.12" codeSystemVersion="1.0" displayName="報告対象外の理由"/>
    <value xsi:type="ED">J2.8.2</value>
    <!-- @@J2.8.2: 報告対象外の理由 -->
  </investigationCharacteristic>
</subjectOf2>
</investigationEvent>
</subject>
</controlActProcess>
</PORR_IN049016UV>
<!-- Message #1 -->
<!-- Message #2 -->
<!-- PORR_IN049016UV -->
<!-- /PORR_IN049016UV -->
<!-- Message #2 -->
<receiver typeCode="RCV">
  <device classCode="DEV" determinerCode="INSTANCE">
    <id extension="N.1.4" root="2.16.840.1.113883.3.989.2.1.3.14"/>
    <!-- N.1.4: Batch Receiver Identifier -->
  </device>
</receiver>
<sender typeCode="SND">
  <device classCode="DEV" determinerCode="INSTANCE">
    <id extension="N.1.3" root="2.16.840.1.113883.3.989.2.1.3.13"/>
    <!-- N.1.3: Batch Sender Identifier -->
  </device>
</sender>
</MCCI_IN200100UV01>

```